

D2Q5 ADE,
a supplementary material for
Lattice Boltzmann Method Analysis Tool (LBMAT)

Radek Fučík[†], Pavel Eichler[†], Jakub Klinkovský[†], Robert Straka^{‡,†}, and Tomáš Oberhuber[†]

[†]Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague,
Trojanova 13, 120 00 Prague, Czech Republic

[‡]AGH University of Science and Technology, al. Mickiewicza 30, 30-059 Krakow, Poland

Contents

1 Global definitions	1
1.1 Discrete velocity vectors	2
1.2 Raw and central moments	2
1.3 Transformation matrix \mathbf{M}	2
1.4 Equilibrium	3
2 Spatial EPDEs	3
2.1 SRT	3
2.1.1 Definitions	3
2.1.2 Conservation of mass equation	3
2.2 MRT1	4
2.2.1 Definitions	4
2.2.2 Conservation of mass equation	5
2.3 MRT2	7
2.3.1 Definitions	7
2.3.2 Conservation of mass equation	8
2.4 CLBM1	10
2.4.1 Definitions	10
2.4.2 Conservation of mass equation	11
2.5 CLBM2	13
2.5.1 Definitions	13
2.5.2 Conservation of mass equation	13
3 Comparison of SRT, MRT, and CLBM	15
3.1 Conservation of mass equation	15

1 Global definitions

In \mathbb{R}^2 , the position and velocity vectors are given by $\mathbf{x} = (x_1, x_2)^T$ and $\mathbf{v} = (v_1, v_2)^T$, respectively.


1.1 Discrete velocity vectors

Discrete velocity vectors and the lattice speed of sound are defined by

$$\{\mathbf{c}_i\}_{i=1}^5 = \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 1 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 1 \end{pmatrix}, \begin{pmatrix} -1 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ -1 \end{pmatrix} \right),$$

$$c_s = \frac{1}{\sqrt{3}},$$

respectively [1].



1.2 Raw and central moments

The raw and central moments are defined by

$$m_{\alpha} := \sum_{i=1}^5 f_i \mathbf{c}_i^{\alpha},$$

and

$$k_{\alpha} := \sum_{i=1}^5 f_i (\mathbf{c}_i - \mathbf{v})^{\alpha},$$

respectively, where $\alpha = (\alpha_1, \alpha_2) \in \mathbb{Z}^2$ denotes a multi-index (as a row vector) and $\mathbf{c}_i^{\alpha} := \prod_{j=1}^2 [\mathbf{c}_i]_j^{\alpha_j}$.

1.3 Transformation matrix M

Matrix \mathbf{M} , that defines macroscopic quantities (moments) $\boldsymbol{\mu}$ by

$$\boldsymbol{\mu} = \mathbf{M} \mathbf{f},$$

with $\mathbf{f} = (f_1, f_2, \dots, f_5)^T$, is selected such that

$$\boldsymbol{\mu} = \left(m_{(0,0)}, m_{(1,0)}, m_{(0,1)}, m_{(2,0)}, m_{(0,2)} \right)^T,$$

i.e., \mathbf{M} is given by

$$\mathbf{M} = \begin{pmatrix} 1 & 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & -1 & 0 \\ 0 & 0 & 1 & 0 & -1 \\ 0 & 1 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 \end{pmatrix}.$$

1.4 Equilibrium

The corresponding equilibrium raw moments are defined using the continuous Maxwell–Boltzmann distribution function [1]

$$f^{(eq)}(\boldsymbol{\xi}) = \frac{\rho}{2\pi c_s^2} \exp\left(-\frac{\|\boldsymbol{\xi} - \mathbf{v}\|^2}{2c_s^2}\right)$$

as

$$m_{\alpha}^{(eq)} = \int_{\mathbb{R}^2} \boldsymbol{\xi}^\alpha f^{(eq)}(\boldsymbol{\xi}) d\boldsymbol{\xi},$$

where $\alpha_i \in \{0, 1, 2\}$, $i = 1, 2$. Hence, the equilibrium moments $\boldsymbol{\mu}^{(eq)}$ satisfy

$$\boldsymbol{\mu}^{(eq)} = \left(\rho, \rho v_1, \rho v_2, \rho(v_1^2 + c_s^2), \rho(v_2^2 + c_s^2) \right)^T.$$

2 Spatial EPDEs

2.1 SRT

2.1.1 Definitions

Collision operator \mathbf{C} :

$$\mathbf{C}(\mathbf{f}) = \omega \left(\mathbf{M}^{-1} \boldsymbol{\mu}^{(eq)} - \mathbf{f} \right),$$

$\omega \in (0, 2)$.

2.1.2 Conservation of mass equation

$$\begin{aligned} \frac{\partial \rho}{\partial t} + \frac{v_1 \delta_l}{\delta_t} \frac{\partial \rho}{\partial x_1} + \frac{\rho \delta_l}{\delta_t} \frac{\partial v_1}{\partial x_1} + \frac{v_2 \delta_l}{\delta_t} \frac{\partial \rho}{\partial x_2} + \frac{\rho \delta_l}{\delta_t} \frac{\partial v_2}{\partial x_2} + (-2 + \omega) \frac{\delta_l}{2\omega} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + (-2 + \omega) \frac{v_1 \delta_l^2}{2\delta_t \omega} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\ (-2 + \omega) \frac{\rho \delta_l^2}{2\delta_t \omega} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + (2 - \omega) \frac{v_2 \delta_l^2}{2\delta_t \omega} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + (2 - \omega) \frac{v_1 \delta_l^2}{\delta_t \omega} \frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (2 - \omega) \frac{\rho \delta_l^2}{\delta_t \omega} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (-2 + \omega) \frac{\delta_l}{2\omega} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + \\ (2 - \omega) \frac{v_2 \delta_l^2}{\delta_t \omega} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + (2 - \omega) \frac{v_1 \delta_l^2}{2\delta_t \omega} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + (-2 + \omega) \frac{v_2 \delta_l^2}{2\delta_t \omega} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2} + (-2 + \omega) \frac{\rho \delta_l^2}{2\delta_t \omega} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + (-2 + \omega) \frac{\rho \delta_l}{2\omega} \frac{\partial^2 v_1}{\partial t \partial x_1} + \\ (-2 + \omega) \frac{c_s^2 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 \rho}{\partial x_1^2} + (-2 + \omega) \frac{\rho v_1 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 v_1}{\partial x_1^2} + (-2 + \omega) \frac{\rho \delta_l}{2\omega} \frac{\partial^2 v_2}{\partial t \partial x_2} + (2 - \omega) \frac{v_1 v_2 \delta_l^2}{\delta_t \omega} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} + (2 - \omega) \frac{\rho v_2 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + \\ (2 - \omega) \frac{\rho v_1 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + (-2 + \omega) \frac{c_s^2 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 \rho}{\partial x_2^2} + (-2 + \omega) \frac{\rho v_2 \delta_l^2}{2\delta_t \omega} \frac{\partial^2 v_2}{\partial x_2^2} + (12 + \omega^2 - 12\omega) \frac{\delta_t \rho \delta_l}{12\omega^2} \frac{\partial^3 v_1}{\partial t^2 \partial x_1} + \\ (12 + \omega^2 - 12\omega) \frac{\rho v_1 \delta_l^2}{6\omega^2} \frac{\partial^3 v_1}{\partial t \partial x_1^2} + (6 + 18c_s^2 \omega + \omega^2 - 3c_s^2 \omega^2 - 18c_s^2 - 6\omega + 6v_1^2 \omega - 6v_1^2 - v_1^2 \omega^2) \frac{v_1 \delta_l^3}{6\delta_t \omega^2} \frac{\partial^3 \rho}{\partial x_1^3} + \\ (12 + 24c_s^2 \omega + 2\omega^2 - 3c_s^2 \omega^2 - 24c_s^2 - 12\omega + 24v_1^2 \omega - 24v_1^2 - 5v_1^2 \omega^2) \frac{\rho \delta_l^3}{12\delta_t \omega^2} \frac{\partial^3 v_1}{\partial x_1^3} + (12 + \omega^2 - 12\omega) \frac{\delta_t \rho \delta_l}{12\omega^2} \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + \end{aligned}$$

$$\begin{aligned}
& (-6 - \omega^2 + 6\omega) \frac{\rho v_2 \delta_l^2}{3\omega^2} \frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2} + (-6 - \omega^2 + 6\omega) \frac{\rho v_1 \delta_l^2}{3\omega^2} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + \\
& (6c_s^2 \omega - c_s^2 \omega^2 - 6c_s^2 - 6v_1^2 \omega + 6v_1^2 + v_1^2 \omega^2) \frac{v_2 \delta_l^3}{2\delta_t \omega^2} \frac{\partial^3 \rho}{\partial x_1^2 \partial x_2} + (12 + \omega^2 - 12\omega) \frac{\rho v_1 v_2 \delta_l^3}{6\delta_t \omega^2} \frac{\partial^3 v_1}{\partial x_1^2 \partial x_2} + \\
& (24c_s^2 \omega - 3c_s^2 \omega^2 - 24c_s^2 + v_1^2 \omega^2) \frac{\rho \delta_l^3}{12\delta_t \omega^2} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} + (12 + \omega^2 - 12\omega) \frac{\rho v_2 \delta_l^2}{6\omega^2} \frac{\partial^3 v_2}{\partial t \partial x_2^2} + \\
& (6c_s^2 \omega - c_s^2 \omega^2 - 6c_s^2 - 6v_2^2 \omega + 6v_2^2 + v_2^2 \omega^2) \frac{v_1 \delta_l^3}{2\delta_t \omega^2} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + (24c_s^2 \omega - 3c_s^2 \omega^2 - 24c_s^2 + v_2^2 \omega^2) \frac{\rho \delta_l^3}{12\delta_t \omega^2} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} + \\
& (12 + \omega^2 - 12\omega) \frac{\rho v_1 v_2 \delta_l^3}{6\delta_t \omega^2} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + (6 + 18c_s^2 \omega + \omega^2 - 3c_s^2 \omega^2 - 18c_s^2 - 6\omega + 6v_2^2 \omega - 6v_2^2 - v_2^2 \omega^2) \frac{v_2 \delta_l^3}{6\delta_t \omega^2} \frac{\partial^3 \rho}{\partial x_2^3} + \\
& (12 + 24c_s^2 \omega + 2\omega^2 - 3c_s^2 \omega^2 - 24c_s^2 - 12\omega + 24v_2^2 \omega - 24v_2^2 - 5v_2^2 \omega^2) \frac{\rho \delta_l^3}{12\delta_t \omega^2} \frac{\partial^3 v_2}{\partial x_2^3} + (-2 - \omega^2 + 3\omega) \frac{\delta_t \rho \delta_l}{2\omega^3} \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + \\
& (-2 - \omega^2 + 3\omega) \frac{3\delta_t \rho v_1 \delta_l^2}{2\omega^3} \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + C_1 \frac{\rho \delta_l^3}{12\omega^3} \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_2 \frac{\delta_l^4}{24\delta_t \omega^3} \frac{\partial^4 \rho}{\partial x_1^4} + C_3 \frac{\rho v_1 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_1}{\partial x_1^4} + (-2 - \omega^2 + 3\omega) \frac{\delta_t \rho \delta_l^2}{2\omega^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& (36 + 20\omega^2 - \omega^3 - 54\omega) \frac{\delta_t \rho v_2 \delta_l^2}{12\omega^3} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2} + (36 + 20\omega^2 - \omega^3 - 54\omega) \frac{\delta_t \rho v_1 \delta_l^2}{12\omega^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& (-24 - 14\omega^2 + \omega^3 + 36\omega) \frac{\rho v_1 v_2 \delta_l^3}{6\omega^3} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2} + (-90c_s^2 \omega - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 + 60c_s^2 - 2v_1^2 \omega^2 + v_1^2 \omega^3) \frac{\rho \delta_l^3}{12\omega^3} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2} + \\
& (24 + 180c_s^2 \omega + 14\omega^2 - \omega^3 + 6c_s^2 \omega^3 - 72c_s^2 \omega^2 - 120c_s^2 - 36\omega) \frac{v_1 v_2 \delta_l^4}{6\delta_t \omega^3} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_4 \frac{\rho v_2 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + C_5 \frac{\rho v_1 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_2}{\partial x_1^3 \partial x_2} + \\
& (-2 - \omega^2 + 3\omega) \frac{3\delta_t \rho v_2 \delta_l^2}{2\omega^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_2^2} + (-90c_s^2 \omega - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 + 60c_s^2 + v_2^2 \omega^3 - 2v_2^2 \omega^2) \frac{\rho \delta_l^3}{12\omega^3} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2} + \\
& (-24 - 14\omega^2 + \omega^3 + 36\omega) \frac{\rho v_1 v_2 \delta_l^3}{6\omega^3} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2} + C_6 \frac{\delta_l^4}{4\delta_t \omega^3} \frac{\partial^4 \rho}{\partial x_2^4} + \\
& (72c_s^2 \omega + c_s^2 \omega^3 - 26c_s^2 \omega^2 - 48c_s^2 - 126v_2^2 \omega - 4v_2^2 \omega^3 + 84v_2^2 + 50v_2^2 \omega^2) \frac{\rho v_1 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_1}{\partial x_1^2 \partial x_2^2} + \\
& (72c_s^2 \omega + c_s^2 \omega^3 - 26c_s^2 \omega^2 - 48c_s^2 - 126v_1^2 \omega + 84v_1^2 + 50v_1^2 \omega^2 - 4v_1^2 \omega^3) \frac{\rho v_2 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2} + C_7 \frac{\rho \delta_l^3}{12\omega^3} \frac{\partial^4 v_2}{\partial t \partial x_2^3} + \\
& (24 + 180c_s^2 \omega + 14\omega^2 - \omega^3 + 6c_s^2 \omega^3 - 72c_s^2 \omega^2 - 120c_s^2 - 36\omega) \frac{v_1 v_2 \delta_l^4}{6\delta_t \omega^3} \frac{\partial^4 \rho}{\partial x_1 \partial x_2^3} + C_8 \frac{\rho v_2 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_1}{\partial x_1 \partial x_2^3} + C_9 \frac{\rho v_1 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_2}{\partial x_1 \partial x_2^3} + \\
& + C_{10} \frac{\delta_l^4}{24\delta_t \omega^3} \frac{\partial^4 \rho}{\partial x_2^4} + C_{11} \frac{\rho v_2 \delta_l^4}{12\delta_t \omega^3} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

$$\begin{aligned}
C_1 &= -36 - 90c_s^2 \omega - 20\omega^2 + \omega^3 - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 + 60c_s^2 + 54\omega - 108v_1^2 \omega + 72v_1^2 + 42v_1^2 \omega^2 - 3v_1^2 \omega^3 \\
C_2 &= 36c_s^2 \omega - 72v_1^4 + 108v_1^4 \omega - 84c_s^2 v_1^2 \omega^2 + 6c_s^2 v_1^2 \omega^3 + 48c_s^4 + 3v_1^4 \omega^3 + c_s^2 \omega^3 - 14c_s^2 \omega^2 + 216c_s^2 v_1^2 \omega - 42v_1^4 \omega^2 - 24c_s^2 - 72c_s^4 \omega - 108v_1^2 \omega - 144c_s^2 v_1^2 + 30c_s^4 \omega^2 + 72v_1^2 + 42v_1^2 \omega^2 - 3v_1^2 \omega^3 - 3c_s^4 \omega^3 \\
C_3 &= 24 + 72c_s^2 \omega + 14\omega^2 - \omega^3 + c_s^2 \omega^3 - 26c_s^2 \omega^2 - 48c_s^2 - 36\omega + 54v_1^2 \omega - 36v_1^2 - 22v_1^2 \omega^2 + 2v_1^2 \omega^3 \\
C_4 &= 12 + 144c_s^2 \omega + 8\omega^2 - \omega^3 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 - 96c_s^2 - 18\omega + 18v_1^2 \omega - 12v_1^2 - 12v_1^2 \omega^2 + 3v_1^2 \omega^3 \\
C_5 &= 36 + 144c_s^2 \omega + 20\omega^2 - \omega^3 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 - 96c_s^2 - 54\omega + 54v_1^2 \omega - 36v_1^2 - 20v_1^2 \omega^2 + v_1^2 \omega^3 \\
C_6 &= 56v_1^2 v_2^2 - 84v_1^2 v_2^2 \omega - 14c_s^2 v_1^2 \omega^2 + c_s^2 v_2^2 \omega^3 + c_s^2 v_1^2 \omega^3 - 14c_s^2 v_2^2 \omega^2 + 36c_s^2 v_2^2 \omega + 16c_s^4 - 3v_1^2 v_2^2 \omega^3 + 36c_s^2 v_1^2 \omega + 34v_1^2 v_2^2 \omega^2 - 24c_s^4 \omega - 24c_s^2 v_2^2 - 24c_s^4 v_1^2 + 10c_s^4 \omega^2 - c_s^4 \omega^3 \\
C_7 &= -36 - 90c_s^2 \omega - 20\omega^2 + \omega^3 - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 + 60c_s^2 + 54\omega - 108v_2^2 \omega - 3v_2^2 \omega^3 + 72v_2^2 + 42v_2^2 \omega^2 \\
C_8 &= 36 + 144c_s^2 \omega + 20\omega^2 - \omega^3 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 - 96c_s^2 - 54\omega + 54v_2^2 \omega + v_2^2 \omega^3 - 36v_2^2 - 20v_2^2 \omega^2 \\
C_9 &= 12 + 144c_s^2 \omega + 8\omega^2 - \omega^3 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 - 96c_s^2 - 18\omega + 18v_2^2 \omega + 3v_2^2 \omega^3 - 12v_2^2 - 12v_2^2 \omega^2 \\
C_{10} &= 36c_s^2 \omega + 6c_s^2 v_2^2 \omega^3 - 72v_2^4 - 84c_s^2 v_2^2 \omega^2 + 108v_2^4 \omega - 42v_2^4 \omega^2 + 216c_s^2 v_2^2 \omega + 48c_s^4 + c_s^2 \omega^3 + 3v_2^4 \omega^3 - 14c_s^2 \omega^2 - 24c_s^2 - 108v_2^2 \omega - 72c_s^4 \omega - 144c_s^2 v_2^2 - 3v_2^2 \omega^3 + 72v_2^2 + 30c_s^4 \omega^2 + 42v_2^2 \omega^2 - 3c_s^4 \omega^3 \\
C_{11} &= 24 + 72c_s^2 \omega + 14\omega^2 - \omega^3 + c_s^2 \omega^3 - 26c_s^2 \omega^2 - 48c_s^2 - 36\omega + 54v_2^2 \omega + 2v_2^2 \omega^3 - 36v_2^2 - 22v_2^2 \omega^2
\end{aligned}$$

2.2 MRT1

2.2.1 Definitions

Collision operator C :

$$C(\mathbf{f}) = \mathbf{M}^{-1} \mathbf{S} (\boldsymbol{\mu}^{(eq)} - \mathbf{M}\mathbf{f}),$$

where

$$\mathbf{S} = \text{diag}(\omega_1, \omega_2, \omega_3, \omega_4, \omega_5),$$

$$\omega_1, \omega_2, \dots, \omega_5 \in (0, 2).$$

2.2.2 Conservation of mass equation

$$\begin{aligned}
& \frac{\partial \rho}{\partial t} + \frac{v_1 \delta_l}{\delta_t} \frac{\partial \rho}{\partial x_1} + \frac{\rho \delta_l}{\delta_t} \frac{\partial v_1}{\partial x_1} + \frac{v_2 \delta_l}{\delta_t} \frac{\partial \rho}{\partial x_2} + \frac{\rho \delta_l}{\delta_t} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_2) \frac{\delta_l}{2\omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + (-2 + \omega_2) \frac{v_1 \delta_l^2}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\
& (-2 + \omega_2) \frac{\rho \delta_l^2}{2\delta_t \omega_2} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + (2 - \omega_3) \frac{v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{v_1 \delta_l^2}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2} + \\
& (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{\rho \delta_l^2}{\omega_3 \delta_t \omega_2} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l}{2\omega_3} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{v_2 \delta_l^2}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + (2 - \omega_2) \frac{v_1 \delta_l^2}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + \\
& + (-2 + \omega_3) \frac{v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\rho \delta_l^2}{2\omega_3 \delta_t} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + (-2 + \omega_2) \frac{\rho \delta_l}{2\omega_2} \frac{\partial^2 v_1}{\partial t \partial x_1} + (-2 + \omega_2) \frac{c_s^2 \delta_l^2}{2\delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1^2} + \\
& (-2 + \omega_2) \frac{\rho v_1 \delta_l^2}{2\delta_t \omega_2} \frac{\partial^2 v_1}{\partial x_1^2} + (-2 + \omega_3) \frac{\rho \delta_l}{2\omega_3} \frac{\partial^2 v_2}{\partial t \partial x_2} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{v_2 v_1 \delta_l^2}{\omega_3 \delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} + (2 - \omega_3) \frac{\rho v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + \\
& (2 - \omega_2) \frac{\rho v_1 \delta_l^2}{2\delta_t \omega_2} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + (-2 + \omega_3) \frac{c_s^2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial^2 \rho}{\partial x_2^2} + (-2 + \omega_3) \frac{\rho v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial^2 v_2}{\partial x_2^2} + (12 - 12\omega_2 + \omega_2^2) \frac{\delta_t \rho \delta_l}{12\omega_2^2} \frac{\partial^3 v_1}{\partial t^2 \partial x_1} + \\
& (12 + \omega_4 \omega_2 - 6\omega_4 - 6\omega_2) \frac{\rho v_1 \delta_l^2}{6\omega_4 \omega_2} \frac{\partial^3 v_1}{\partial t \partial x_1^2} + C_1 \frac{v_1 \delta_l^3}{6\delta_t \omega_4 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1^3} + C_2 \frac{\rho \delta_l^3}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_1}{\partial x_1^3} + (12 + \omega_3^2 - 12\omega_3) \frac{\delta_t \rho \delta_l}{12\omega_3^2} \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + \\
& (3\omega_3^2 - 6\omega_3 + 9\omega_3 \omega_2 - 2\omega_3^2 \omega_2 - 6\omega_2) \frac{\rho v_2 \delta_l^2}{6\omega_3^2 \omega_2} \frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2} + (-2\omega_3 \omega_2^2 - 6\omega_3 + 9\omega_3 \omega_2 - 6\omega_2 + 3\omega_2^2) \frac{\rho v_1 \delta_l^2}{6\omega_3 \omega_2^2} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + \\
& C_3 \frac{v_2 \delta_l^3}{2\omega_3^2 \delta_t \omega_4 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1^2 \partial x_2} + (6\omega_3^2 - 6\omega_3 \omega_2^2 - 6\omega_3^2 \omega_2 + \omega_3^2 \omega_2^2 + 6\omega_2^2) \frac{\rho v_2 v_1 \delta_l^3}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_1}{\partial x_1^2 \partial x_2} + \\
& (6v_1^2 \omega_2^2 - 12c_s^2 \omega_2 + 18\omega_4 c_s^2 \omega_2 + \omega_4 v_1^2 \omega_2 - 6\omega_4 v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 + 6c_s^2 \omega_2^2 - 12v_1^2 \omega_2 - 12\omega_4 c_s^2 + 12\omega_4 v_1^2) \frac{\rho \delta_l^3}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} + \\
& + (12 - 6\omega_3 + \omega_3 \omega_5 - 6\omega_5) \frac{\rho v_2 \delta_l^2}{6\omega_3 \omega_5} \frac{\partial^3 v_2}{\partial t \partial x_2^2} + C_4 \frac{v_1 \delta_l^3}{2\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + \\
& (12v_2^2 \omega_5 - 12c_s^2 \omega_5 - 3\omega_3^2 c_s^2 \omega_5 + \omega_3^2 v_2^2 \omega_5 + 6\omega_3^2 v_2^2 + 6\omega_3^2 c_s^2 - 12\omega_3 v_2^2 + 18\omega_3 c_s^2 \omega_5 - 12\omega_3 c_s^2 - 6\omega_3 v_2^2 \omega_5) \frac{\rho \delta_l^3}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} + \\
& + (6\omega_3^2 - 6\omega_3 \omega_2^2 - 6\omega_3^2 \omega_2 + \omega_3^2 \omega_2^2 + 6\omega_2^2) \frac{\rho v_2 v_1 \delta_l^3}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + C_5 \frac{v_2 \delta_l^3}{6\omega_3^2 \delta_t \omega_5} \frac{\partial^3 \rho}{\partial x_2^3} + C_6 \frac{\rho \delta_l^3}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_2}{\partial x_2^3} + \\
& (-2 + 3\omega_2 - \omega_2^2) \frac{\delta_t^2 \rho \delta_l}{2\omega_2^2} \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + (-4\omega_4 \omega_2 - 2\omega_4 \omega_2^3 + 8\omega_4 \omega_2^2 - \omega_4^2 \omega_2^2 + 2\omega_4^2 + 2\omega_3^2 - \omega_4^2 \omega_2 - 4\omega_2^2) \frac{\delta_t \rho v_1 \delta_l^2}{2\omega_4^2 \omega_2^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + \\
& C_7 \frac{\rho \delta_l^3}{12\omega_4^2 \omega_2^2} \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_8 \frac{\delta_l^4}{24\delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1^4} + C_9 \frac{\rho v_1 \delta_l^4}{12\delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 v_1}{\partial x_1^4} + (-2 - \omega_3^2 + 3\omega_3) \frac{\delta_t^2 \rho \delta_l}{2\omega_3^3} \frac{\partial^4 v_2}{\partial t^3 \partial x_2} + \\
& (12\omega_3^2 - 24\omega_3 \omega_2^2 - 6\omega_3^3 + 12\omega_3 \omega_2 - \omega_3^2 \omega_2^2 - 24\omega_2^2 \omega_2 + 13\omega_3^2 \omega_2^2 + 7\omega_3^3 \omega_2 + 12\omega_2^2) \frac{\delta_t \rho v_2 \delta_l^2}{12\omega_3^3 \omega_2^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2} + \\
& (7\omega_3 \omega_2^3 + 12\omega_3^2 - 24\omega_3 \omega_2^2 + 12\omega_3 \omega_2 - 24\omega_3 \omega_2 + 13\omega_3^2 \omega_2^2 - 6\omega_3^2 - \omega_3^2 \omega_2^3 + 12\omega_2^2) \frac{\delta_t \rho v_1 \delta_l^2}{12\omega_3^2 \omega_2^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& C_{10} \frac{\rho v_2 v_1 \delta_l^3}{6\omega_3^2 \omega_4 \omega_2^2} \frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2} + C_{11} \frac{\rho \delta_l^3}{12\omega_3 \omega_4 \omega_2^2} \frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2} + C_{12} \frac{v_2 v_1 \delta_l^4}{6\omega_3^2 \delta_t \omega_4^2 \omega_2^2} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_{13} \frac{\rho v_2 \delta_l^4}{12\omega_3^2 \delta_t \omega_4^2 \omega_2^2} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + \\
& C_{14} \frac{\rho v_1 \delta_l^4}{12\delta_t \omega_2^2 \omega_5^2} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2} + (-\omega_3 \omega_5^2 - 4\omega_3^2 + 2\omega_3^3 - 4\omega_3 \omega_5 + 8\omega_3^2 \omega_5 - 2\omega_3^3 \omega_5 + 2\omega_5^2 - \omega_3^2 \omega_5^2) \frac{\delta_t \rho v_2 \delta_l^2}{2\omega_3^2 \omega_5^2} \frac{\partial^4 v_2}{\partial t^2 \partial x_2^2} + \\
& C_{15} \frac{\rho \delta_l^3}{12\omega_3^2 \omega_5^2 \omega_2} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2} + C_{16} \frac{\rho v_2 v_1 \delta_l^3}{6\omega_3^2 \omega_5 \omega_2^2} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2} + C_{17} \frac{\delta_l^4}{4\omega_3^2 \delta_t \omega_4^2 \omega_5 \omega_2^2} \frac{\partial^4 \rho}{\partial x_1^2 \partial x_2^2} + C_{18} \frac{\rho v_1 \delta_l^4}{12\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^4 v_1}{\partial x_1^2 \partial x_2^2} + \\
& C_{19} \frac{\rho v_2 \delta_l^4}{12\omega_3^2 \delta_t \omega_2^2 \omega_5^2} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2} + C_{20} \frac{\rho \delta_l^3}{12\omega_3^2 \omega_5 \omega_2^2} \frac{\partial^4 v_2}{\partial t \partial x_1^3} + C_{21} \frac{v_2 v_1 \delta_l^4}{6\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^4 \rho}{\partial x_1 \partial x_2^3} + C_{22} \frac{\rho v_2 \delta_l^4}{12\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^4 v_1}{\partial x_1 \partial x_2^3} + C_{23} \frac{\rho v_1 \delta_l^4}{12\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^4 v_2}{\partial x_1 \partial x_2^3} \\
& + C_{24} \frac{\delta_l^4}{24\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 \rho}{\partial x_2^4} + C_{25} \frac{\rho v_2 \delta_l^4}{12\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

$$\begin{aligned}
C_1 &= 3v_1^2 \omega_2^2 - 3\omega_4 \omega_2 - 6c_s^2 \omega_2 + 15\omega_4 c_s^2 \omega_2 - \omega_4 v_1^2 \omega_2^2 + 3\omega_4 v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 + \omega_4 \omega_2^2 + 3c_s^2 \omega_2^2 - 6v_1^2 \omega_2 - 12\omega_4 c_s^2 + 6\omega_2 - 3\omega_2^2 \\
C_2 &= 6v_1^2 \omega_2^2 - 6\omega_4 \omega_2 - 12c_s^2 \omega_2 + 18\omega_4 c_s^2 \omega_2 - 5\omega_4 v_1^2 \omega_2^2 + 18\omega_4 v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 + 2\omega_4 \omega_2^2 + 6c_s^2 \omega_2^2 - 12v_1^2 \omega_2 - 12\omega_4 c_s^2 + 12\omega_2 - 12\omega_4 v_1^2 - 6\omega_2^2 \\
C_3 &= -2\omega_3^2 v_1^2 \omega_2 + \omega_3^2 c_s^2 \omega_2^2 + \omega_3 \omega_4 c_s^2 \omega_2^2 + 2\omega_4 v_1^2 \omega_2^2 + 2\omega_3 \omega_4 v_1^2 \omega_2 - 3\omega_3 \omega_4 v_1^2 \omega_2^2 - 2\omega_3 \omega_4 c_s^2 \omega_2 - 2\omega_3^2 c_s^2 \omega_2 + \omega_3^2 v_1^2 \omega_2^2 + 4\omega_3^2 \omega_4 v_1^2 - 4\omega_3^2 \omega_4 v_1^2 \omega_2^2 \\
C_4 &= \omega_3^2 c_s^2 \omega_5 \omega_2 + \omega_3^2 c_s^2 \omega_2^2 + \omega_3^2 v_2^2 \omega_5 \omega_2 + \omega_3^2 v_2^2 \omega_2^2 - 3\omega_3^2 v_2^2 \omega_5 \omega_2 + 2\omega_3^2 v_2^2 \omega_5 - \omega_3^2 c_s^2 \omega_5 \omega_2^2 - 2c_s^2 \omega_5 \omega_2^2 - 2\omega_3 c_s^2 \omega_5 \omega_2 - 4\omega_3 v_2^2 \omega_5 \omega_2^2 + 2\omega_3 v_2^2 \omega_5 \omega_2 + 4v_2^2 \omega_5 \omega_2^2 - 2\omega_3 c_s^2 \omega_2^2 - 2\omega_3 v_2^2 \omega_2^2 + 4\omega_3 c_s^2 \omega_5 \omega_2^2
\end{aligned}$$

$$\begin{aligned}
C_5 &= -3\omega_3^2 + 6\omega_3 - 12c_s^2\omega_5 - 3\omega_3^2c_s^2\omega_5 - \omega_3^2v_2^2\omega_5 + 3\omega_3^2v_2^2 - 3\omega_3\omega_5 + 3\omega_3^2c_s^2 - 6\omega_3v_2^2 + 15\omega_3c_s^2\omega_5 - 6\omega_3c_s^2 + \omega_3^2\omega_5 + 3\omega_3v_2^2\omega_5 \\
C_6 &= -12v_2^2\omega_5 - 6\omega_3^2 + 12\omega_3 - 12c_s^2\omega_5 - 3\omega_3^2c_s^2\omega_5 - 5\omega_3^2v_2^2\omega_5 + 6\omega_3^2v_2^2 - 6\omega_3\omega_5 + 6\omega_3^2c_s^2 - 12\omega_3v_2^2 + 18\omega_3c_s^2\omega_5 - 12\omega_3c_s^2 + 2\omega_3^2\omega_5 + 18\omega_3v_2^2\omega_5 \\
C_7 &= 12v_1^2\omega_2^2 + 12\omega_2^2v_1^2 - 24\omega_4\omega_2 + 15\omega_4v_1^2\omega_3^2 - 6v_1^2\omega_3^2 + 24\omega_4c_s^2\omega_2 - 60\omega_4v_1^2\omega_2^2 + 24\omega_4^2c_s^2 + 48\omega_4v_1^2\omega_2 - 6c_s^2\omega_3^2 - 9\omega_4\omega_3^2 - 36\omega_4c_s^2\omega_2^2 + \\
36\omega_4\omega_2^2 + 12c_s^2\omega_2^2 + 9\omega_4c_s^2\omega_3^2 - 11\omega_4^2\omega_2^2 - 42\omega_4^2v_1^2\omega_2 + 25\omega_4^2c_s^2\omega_2^2 + \omega_4^2\omega_3^2 - 2\omega_4^2c_s^2\omega_3^2 - 3\omega_4^2v_1^2\omega_3^2 + 6\omega_3^2 - 48\omega_4^2c_s^2\omega_2 + 12\omega_4^2\omega_2 - 12\omega_2^2 + 27\omega_4^2v_1^2\omega_2^2 \\
C_8 &= 12c_s^2v_1^2\omega_3^2 + 24n_1^2\omega_2^2 - 96\omega_4^2c_s^2v_1^2 + 18\omega_4v_1^2\omega_3^2 - 3\omega_4^2v_1^2\omega_3^2 - 24c_s^2v_1^2\omega_2^2 - 12v_1^2\omega_3^2 + 24\omega_4v_1^4\omega_2 - 24\omega_4c_s^2\omega_2 + 24\omega_4^2c_s^4\omega_2^2 - 72\omega_4v_1^2\omega_3^2 - \\
24\omega_4c_s^2v_1^2\omega_2 + 48\omega_4v_1^2\omega_2 - 48\omega_4^2c_s^4\omega_2 + 48\omega_4c_s^2v_1^2\omega_2^2 + 24\omega_4c_s^2\omega_2^2 - 24\omega_4^2v_1^2\omega_2^2 - 12\omega_4c_s^2v_1^2\omega_3^2 + 3\omega_4^2v_1^2\omega_3^2 - 6\omega_4c_s^2\omega_3^2 + 12v_1^2\omega_3^2 - 24\omega_4^2v_1^2\omega_2 + \\
24\omega_4c_s^4\omega_2 - 8\omega_4^2c_s^2\omega_2^2 + 72\omega_4v_1^4\omega_2^2 - 24v_1^4\omega_2^2 + 156\omega_4^2c_s^2v_1^2\omega_2 - 18\omega_4v_1^4\omega_3^2 + \omega_4^2c_s^2\omega_3^2 - 3\omega_4^2v_1^2\omega_3^2 + 6\omega_4c_s^4\omega_3^2 - 72\omega_4^2c_s^2v_1^2\omega_2^2 - 48\omega_4v_1^4\omega_2 + \\
12\omega_4^2c_s^2\omega_2 + 24\omega_4^2c_s^4 + 6\omega_4^2c_s^2v_1^2\omega_3^2 - 24\omega_4c_s^4\omega_2^2 + 24\omega_4^2v_1^2\omega_2^2 \\
C_9 &= -12v_1^2\omega_2^2 - 12\omega_4^2v_1^2 + 12\omega_4\omega_2 - 6\omega_4v_1^2\omega_3^2 + 6\omega_1^2\omega_3^2 - 12\omega_4c_s^2\omega_2 + 24\omega_4v_1^2\omega_2^2 - 24\omega_4^2c_s^2 - 12\omega_4v_1^2\omega_2 + 6c_s^2\omega_3^2 + 6\omega_4\omega_3^2 + 24\omega_4c_s^2\omega_2^2 - \\
24\omega_4\omega_2^2 - 12c_s^2\omega_2^2 - 6\omega_4c_s^2\omega_3^2 + 8\omega_4^2\omega_2^2 + 24\omega_4^2v_1^2\omega_2 - 20\omega_4^2c_s^2\omega_2 - \omega_4^2\omega_3^2 + \omega_4^2c_s^2\omega_3^2 - 6\omega_2^3 + 42\omega_4^2c_s^2\omega_2 - 6\omega_4\omega_2 + 12\omega_2^2 - 16\omega_4^2v_1^2\omega_2^2 \\
C_{10} &= 12\omega_3^2\omega_4\omega_2^2 - 7\omega_3^2\omega_4\omega_3^2 - 6\omega_4\omega_3^2 + 12\omega_3^2\omega_4\omega_2 + \omega_3^2\omega_4\omega_3^2 - 6\omega_3^2\omega_2^2 - 12\omega_3^2\omega_4 - 10\omega_3^3\omega_4\omega_2^2 + 3\omega_3^2\omega_3^2 + 12\omega_3^2\omega_2^2 + 24\omega_3^2\omega_4\omega_2 - 6\omega_3\omega_4\omega_2^2 - \\
6\omega_3^2\omega_3^2 + 12\omega_3\omega_4\omega_3^2 \\
C_{11} &= 9\omega_3\omega_4c_s^2\omega_3^2 - 6\omega_4v_1^2\omega_3^2 - 30\omega_3\omega_4c_s^2\omega_2^2 + 12\omega_4v_1^2\omega_2^2 + 12\omega_3\omega_4v_1^2\omega_2 - 30\omega_3\omega_4v_1^2\omega_2^2 + 12\omega_3\omega_4c_s^2\omega_3^2 + 12\omega_4c_s^2\omega_2^2 + 9\omega_3\omega_4v_1^2\omega_2^3 - \\
6\omega_4c_s^2\omega_3^2 - 10\omega_3\omega_4c_s^2v_1^2\omega_2^2 + 12\omega_3\omega_4^2\omega_2^2 - 12\omega_4^2v_1^2\omega_2^2 - 18\omega_4^2c_s^2\omega_2^2 - 6\omega_3v_1^2\omega_3^2 - 30\omega_3\omega_4^2c_s^2\omega_2^2 + \omega_3\omega_4^2v_1^2\omega_3^2 - 24\omega_3\omega_4^2v_1^2\omega_2^2 + 12\omega_3v_1^2\omega_2^2 + 3\omega_4^2c_s^2\omega_3^2 - \\
2\omega_3\omega_4^2c_s^2\omega_3^2 - \omega_4^2v_1^2\omega_3^2 + 12\omega_3c_s^2\omega_2^2 + 12\omega_4^2c_s^2\omega_2^2 + 22\omega_3\omega_4^2v_1^2\omega_2^2 + 36\omega_3\omega_4^2v_1^2\omega_2^2 - 6\omega_3c_s^2\omega_3^2 + 6\omega_4^2v_1^2\omega_3^2 \\
C_{12} &= -30\omega_3^2\omega_4^2v_1^2\omega_2 - 24\omega_3^2\omega_4^2c_s^2\omega_2 + 6\omega_3^2\omega_4\omega_2^2 - 48\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^2\omega_4^2v_1^2\omega_2^2 + 6\omega_3^2\omega_4^2c_s^2\omega_3^2 + 6\omega_3^2\omega_4^2v_1^2\omega_3^2 - 6\omega_3^2\omega_4^2\omega_2 - 3\omega_3^2\omega_4\omega_2^2 + \\
7\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_3^2 - \omega_3^2\omega_4^2\omega_3^2 + 12\omega_3^2\omega_4^2v_1^2\omega_2^2 + 78\omega_3^2\omega_4^2c_s^2\omega_2 + 42\omega_3^2\omega_4^2c_s^2\omega_3^2 + 6\omega_3^2\omega_4^2v_1^2\omega_2^2 + 6\omega_3\omega_4^2v_1^2\omega_3^2 + 6\omega_3^2\omega_4^2\omega_2^2 + \\
6\omega_3^2\omega_4\omega_2^2 - 12\omega_3^2\omega_4\omega_2^2 - 24\omega_3^2\omega_4c_s^2\omega_2^2 + 6\omega_3^2\omega_4v_1^2\omega_2^2 - 21\omega_3^2\omega_4v_1^2\omega_3^2 - 12\omega_3^2\omega_4v_1^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_2^2 - 3\omega_3^2\omega_3^2 - 12\omega_3^2\omega_4c_s^2\omega_2^2 + 42\omega_3^2\omega_4v_1^2\omega_2^2 - \\
12\omega_3^2\omega_4v_1^2\omega_3^2 + 6\omega_3^2\omega_4c_s^2\omega_2^2 + 24\omega_3^2\omega_4v_1^2\omega_2^2 - 24\omega_3^2\omega_4v_1^2\omega_3^2 + 42\omega_3^2\omega_4c_s^2\omega_2^2 + 12\omega_3^2\omega_4v_1^2\omega_2^2 + \omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_2^2 + \\
6\omega_3^2v_1^2\omega_2^2 - 3\omega_3^2\omega_4\omega_2^2 - 12\omega_3^2\omega_4c_s^2\omega_3^2 - 36\omega_3^2\omega_4^2c_s^2\omega_2^2 + 6\omega_3^2\omega_4v_1^2\omega_3^2 \\
C_{13} &= -30\omega_3^2\omega_4^2v_1^2\omega_2 - 24\omega_3^2\omega_4^2c_s^2\omega_2 + 12\omega_3^2\omega_4\omega_2^2 - 32\omega_3^2\omega_4^2c_s^2\omega_2^2 + 12\omega_3^2\omega_4^2v_1^2\omega_2^2 + 4\omega_3^2\omega_4^2c_s^2\omega_3^2 - 6\omega_3^2\omega_4\omega_2^3 + 3\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_3^2 + \\
3\omega_3^2\omega_4^2v_1^2\omega_3^2 - \omega_3^2\omega_4^2\omega_3^2 + 36\omega_3^2\omega_4^2c_s^2\omega_2^2 + 48\omega_3^2\omega_4^2c_s^2\omega_3^2 + 6\omega_3^2\omega_4\omega_3^2 + 12\omega_3^2\omega_4^2c_s^2\omega_3^2 - 12\omega_3^2\omega_4^2v_1^2\omega_3^2 - 12\omega_3^2\omega_4c_s^2\omega_2 - 6\omega_3^2\omega_4\omega_2^2 - \\
18\omega_3^2\omega_4^2v_1^2\omega_3^2 - 12\omega_3^2\omega_4^2c_s^2\omega_2^2 + 24\omega_3^2\omega_4^2c_s^2\omega_3^2 + 36\omega_3^2\omega_4^2v_1^2\omega_2^2 - 12\omega_3^2\omega_4^2v_1^2\omega_3^2 + 6\omega_3^2\omega_4^2c_s^2\omega_2^2 + 24\omega_3^2\omega_4^2v_1^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_3^2 + 36\omega_3^2\omega_4^2c_s^2\omega_2^2 - \\
24\omega_3^2\omega_4^2v_1^2\omega_2^2 + 2\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3\omega_4^2c_s^2\omega_2^2 + 6\omega_3^2v_1^2\omega_2^2 - 6\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_3^2 - 12\omega_3^2\omega_4^2v_1^2\omega_2^2 + 12\omega_3^2\omega_4^2v_1^2\omega_3^2 \\
C_{14} &= -12v_1^2\omega_2^2 + 12\omega_4^2v_1^2 + 24\omega_4\omega_2 - 12\omega_4v_1^2\omega_3^2 + 6v_1^2\omega_3^2 - 36\omega_4c_s^2\omega_2 + 48\omega_4v_1^2\omega_2^2 - 48\omega_4^2c_s^2 - 36\omega_4v_1^2\omega_2 + 6c_s^2\omega_3^2 + 9\omega_4\omega_3^2 + 48\omega_4^2c_s^2\omega_2^2 - \\
36\omega_4\omega_2^2 - 12c_s^2\omega_2^2 - 12\omega_4c_s^2\omega_2 + 11\omega_4^2\omega_2^2 - 44\omega_4^2c_s^2\omega_2^2 - \omega_4^2\omega_3^2 + 4\omega_4^2c_s^2\omega_2^2 + \omega_4^2v_1^2\omega_3^2 - 6\omega_2^3 + 90\omega_4^2c_s^2\omega_2 - 12\omega_4^2\omega_2 + 12\omega_2^2 - 8\omega_4^2v_1^2\omega_2^2 \\
C_{15} &= 12c_s^2\omega_5^2\omega_2 - 30\omega_3^2c_s^2\omega_5\omega_2 + 6\omega_3^2v_2^2\omega_5^2\omega_2 + 36\omega_3v_2^2\omega_5^2\omega_2 + 9\omega_3^2v_2^2\omega_5\omega_2 - 18\omega_3^2\omega_5^2\omega_2 + 12\omega_3^2c_s^2\omega_5 + 12\omega_3^2v_2^2\omega_5\omega_2 - 24\omega_3^2\omega_5^2\omega_2 - 30\omega_3^2v_2^2\omega_5\omega_2 + \\
12\omega_3^2v_2^2\omega_5 + 12\omega_3^2c_s^2\omega_5\omega_2 - 30\omega_3^2\omega_5^2\omega_2 + 9\omega_3^2c_s^2\omega_5\omega_2 + 3\omega_3^2c_s^2\omega_5^2 + 12\omega_3^2\omega_5\omega_2 - 2\omega_3^2\omega_5^2\omega_2 - \omega_3^2v_2^2\omega_5\omega_2 - 10\omega_3^2v_2^2\omega_5\omega_2 + 12\omega_3v_2^2\omega_5\omega_2 - \\
6\omega_3^2v_2^2\omega_5 + \omega_3^2v_2^2\omega_5\omega_2 - 12\omega_3v_2^2\omega_5\omega_2 - 6\omega_3^2c_s^2\omega_5\omega_2 + 22\omega_3^2c_s^2\omega_5\omega_2 - 6\omega_3^2v_2^2\omega_5\omega_2 + 3\omega_3^2v_2^2\omega_5\omega_2 + 12\omega_3c_s^2\omega_5\omega_2 \\
C_{16} &= -12\omega_3\omega_5\omega_2^2 + 12\omega_3^2\omega_5\omega_2 + 24\omega_3\omega_5\omega_2^3 + \omega_3^2\omega_5\omega_2^3 - 7\omega_3^2\omega_5\omega_2^2 - 12\omega_5\omega_2^3 - 6\omega_3^2\omega_2^2 - 6\omega_3^2\omega_5\omega_2 + 3\omega_3^2\omega_2^3 - 6\omega_3^2\omega_5 + 12\omega_3^2\omega_2^2 + \\
12\omega_3^2\omega_5\omega_2^2 - 6\omega_3^2\omega_3^2 - 10\omega_3^2\omega_5\omega_2^3 \\
C_{17} &= -2\omega_3^3\omega_4c_s^2v_2^2\omega_5^2\omega_2^2 + \omega_3^3\omega_4^2c_s^4\omega_5\omega_3^2 - 2\omega_3\omega_4^2c_s^4\omega_5^2\omega_3^2 + 2\omega_3\omega_4^2v_1^2\omega_2^2v_1^2\omega_5^2\omega_3^2 + 2\omega_2^2\omega_4c_s^2v_2^2\omega_5^2\omega_3^2 + 12\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^2 - 36\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_2^2 - \\
12\omega_3^2\omega_4^2c_s^4\omega_5\omega_3^2 + \omega_3^2\omega_4^2c_s^2v_1^2\omega_5^2\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^2 - 4\omega_2^2c_s^2v_1^2\omega_5^2\omega_3^2 + 4\omega_3\omega_4^2c_s^4v_2^2\omega_5^2\omega_2^2 - 4\omega_3^2\omega_4^2v_1^2\omega_5^2\omega_3^2 - 2\omega_3^3\omega_4^2c_s^4v_1^2\omega_5\omega_2^2 + \\
\omega_3^3\omega_4^2c_s^2v_1^2\omega_5\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5^2\omega_3^2 + 20\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_3^2 + 4\omega_3^2\omega_4^2c_s^4v_2^2\omega_5^2\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_2^2 + \\
2\omega_3^2c_s^2v_2^2\omega_5^2\omega_2^2 - 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_3^2 + 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 + 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_3^2 + 10\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_5^2\omega_3^2 - 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_2^2 + \\
4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5^2\omega_3^2 + 38\omega_3\omega_4^2c_s^2v_1^2\omega_5\omega_3^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_5^2\omega_2^2 + 20\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_3^2 - 3\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_2^3 - 4\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_1^2\omega_2^2 + \\
\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 + 20\omega_3^2\omega_4^2v_2^2\omega_5^2\omega_2^2 - 8\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + \omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 + \\
3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + 3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 + 10\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^2 - 10\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 - 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 + \\
3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + 20\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 - 20\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - 8\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + 20\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 + 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 - \\
3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 - 3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 - 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 + 10\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 - 38\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 + \\
2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_3^2 + 10\omega_3^2\omega_4^2c_s^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 - 2\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 + 10\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - \\
4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 + 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_3^2 - 4\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_2^3 - 3\omega_3^2\omega_4^2c_s^2v_2^2\omega_5^2\omega_1^2\omega_2^2 \\
C_{18} &= 24\omega_2^2v_2^2\omega_5\omega_3^2 + 48\omega_2^2v_2^2\omega_5^2\omega_2^2 - 12\omega_2^2v_2^2\omega_5^2\omega_3^2 - 6\omega_3^2c_s^2\omega_5\omega_3^2 - 12\omega_2^2c_s^2\omega_5\omega_3^2 + 24\omega_2^2c_s^2\omega_5\omega_2^3 - 12c_s^2\omega_5^2\omega_3^2 + 24\omega_3^2\omega_5^2\omega_2^2 - \\
6\omega_3^2v_2^2\omega_5\omega_3^2 - 78\omega_3^2v_2^2\omega_5\omega_2^3 + 12\omega_3^2c_s^2\omega_5\omega_2^2 + 6\omega_3^2c_s^2\omega_5\omega_3^2 - 4\omega_3^2c_s^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_3^2 + 6\omega_3^2c_s^2\omega_5\omega_2^3 + 12\omega_3^2c_s^2\omega_5\omega_2^2 + 6\omega_3^2v_2^2\omega_5\omega_3^2 - \\
14\omega_3^2c_s^2\omega_5\omega_2^3 + 24\omega_3^2v_2^2\omega_5\omega_2^2 + \omega_3^2c_s^2\omega_5\omega_2^3 - 48\omega_3^2v_2^2\omega_5\omega_2^2 - 12\omega_3^2c_s^2\omega_5\omega_2^3 - 30\omega_3^2v_2^2\omega_5\omega_2^2 + 34\omega_3^2v_2^2\omega_5\omega_2^3 - 6\omega_3^2c_s^2\omega_5\omega_2^2 - 12\omega_3^2c_s^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^2 \\
C_{19} &= -78\omega_3^2\omega_4^2v_1^2\omega_2 - 14\omega_3^2\omega_4^2c_s^2\omega_2^2 - 48\omega_3^2\omega_4^2v_1^2\omega_2^2 + \omega_3^2\omega_4^2c_s^2\omega_2^3 + 22\omega_3^2\omega_4^2v_1^2\omega_2^3 - 6\omega_3^2\omega_4^2c_s^2\omega_2^3 - 4\omega_3^2\omega_4^2v_1^2\omega_2^3 + 24\omega_3^2\omega_4^2v_1^2\omega_2^2 + 24\omega_3^2\omega_4^2c_s^2\omega_2^2 + \\
12\omega_3^2\omega_4^2c_s^2\omega_2^2 + 34\omega_3^2\omega_4^2v_1^2\omega_2^2 + 6\omega_3^2\omega_4^2v_1^2\omega_2^3 + 24\omega_3^2\omega_4^2v_1^2\omega_2^2 - 6\omega_3^2\omega_4^2v_1^2\omega_2^3 - 12\omega_3^2\omega_4^2c_s^2\omega_2^2 - 30\omega_3^2\omega_4^2v_1^2\omega_2^3 - 12\omega_3^2\omega_4^2v_1^2\omega_2^2 + 24\omega_3^2\omega_4^2v_1^2\omega_2^2 - \\
12\omega_3^2v_1^2\omega_2^2 + 6\omega_3\omega_4^2c_s^2\omega_2^2 + 48\omega_3^2\omega_4^2v_1^2\omega_2^2 + 12\omega_3^2\omega_4^2v_1^2\omega_2^3 + 24\omega_3^2\omega_4^2c_s^2\omega_2^2 - 12\omega_3^2\omega_4^2v_1^2\omega_2^3 + 6\omega_3^2\omega_4^2v_1^2\omega_2^2 - 6\omega_3^2\omega_4^2c_s^2\omega_2^2 - 12\omega_3^2\omega_4^2v_1^2\omega_2^2 \\
C_{20} &= 12\omega_3\omega_5^2 + 27\omega_3^2v_2^2\omega_5^2 - 12\omega_3^2 - 6\omega_3^2c_s^2 + 25\omega_3^2c_s^2\omega_5^2 + 6\omega_3^2 - 6\omega_3^2v_2^2 - 36\omega_3^2c_s^2\omega_5 + 24\omega_3^2\omega_5^2 - 60\omega_3^2v_2^2\omega_5 + 12\omega_3^2\omega_5^2 + 12\omega_3^2v_2^2 - 24\omega_3\omega_5 + \\
12\omega_3^2c_s^2 - 2\omega_3^2c_s^2\omega_5^2 + 24\omega_3^2c_s^2\omega_5 + 36\omega_3^2\omega_5 - 3\omega_3^2v_2^2\omega_5 + 48\omega_3^2v_2^2\omega_5 + \omega_3^2\omega_5^2 - 9\omega_3^2\omega_5 + 15\omega_3^2v_2^2\omega_5 - 42\omega_3^2v_2^2\omega_5^2 - 11\omega_3^2\omega_5^2 + 9\omega_3^2c_s^2\omega_5 + 48\omega_3^2c_s^2\omega_5^2
\end{aligned}$$

$$\begin{aligned}
C_{21} = & 42\omega_3^2 v_2^2 \omega_5 \omega_2^3 + 24v_2^2 \omega_5^2 \omega_2^3 + 6\omega_3^3 c_s^2 \omega_5 \omega_2^2 - 12\omega_3^2 v_2^2 \omega_2^3 + 7\omega_3^2 \omega_5^2 \omega_2^2 - 24\omega_3 c_s^2 \omega_5^2 \omega_2^2 - 12\omega_3^2 c_s^2 \omega_5 \omega_2^3 - 12\omega_3^2 v_2^2 \omega_5 \omega_2^2 - 12\omega_3^2 c_s^2 \omega_2^3 + \\
& 78\omega_3 c_s^2 \omega_5^2 \omega_2^3 + 12\omega_3 \omega_5 \omega_2^3 - 3\omega_3^2 \omega_5^2 \omega_2^2 + 6\omega_3^3 v_2^2 \omega_5 \omega_2^2 + 6\omega_3^3 \omega_5 \omega_2^3 + 42\omega_3^2 c_s^2 \omega_5 \omega_2^3 - 36c_s^2 \omega_5^2 \omega_2^3 + 12\omega_3 v_2^2 \omega_5^2 \omega_2^2 - 12\omega_3^2 c_s^2 \omega_5 \omega_2^2 - 3\omega_3^2 \omega_5 \omega_2^2 - \\
& 12\omega_3^2 v_2^2 \omega_5 \omega_2^3 - 30\omega_3 v_2^2 \omega_5^2 \omega_2^2 + 42\omega_3^2 c_s^2 \omega_5^2 \omega_2^2 + 6\omega_3^3 c_s^2 \omega_2^3 + \omega_3^3 \omega_5^2 \omega_2^2 - 24\omega_3 v_2^2 \omega_5 \omega_2^3 + 6\omega_3^3 c_s^2 \omega_5^2 \omega_2^2 + 6\omega_3^3 v_2^2 \omega_5^2 \omega_2^2 + 6\omega_3^3 c_s^2 \omega_5^2 \omega_2^3 - \omega_3^3 \omega_5^2 \omega_2^3 + \\
& 6\omega_3^3 v_2^2 \omega_2^3 - 48\omega_3^2 c_s^2 \omega_5^2 \omega_2^2 - 3\omega_3^3 \omega_2^3 + 6\omega_3^2 v_2^2 \omega_5^2 \omega_2^2 + 6\omega_3^3 c_s^2 \omega_5^2 \omega_2^3 - 12\omega_3^2 v_2^2 \omega_5^2 \omega_2^2 - 24\omega_3 c_s^2 \omega_5 \omega_2^3 - 12\omega_3^3 v_2^2 \omega_5^2 \omega_2^2 + 6\omega_3^2 \omega_5 \omega_2^2 - 6\omega_3 \omega_5^2 \omega_2^2 + \\
& 6\omega_3^2 v_2^2 \omega_5^2 \omega_2^3 + 6\omega_3^2 \omega_2^3 - 12\omega_3^3 c_s^2 \omega_5^2 \omega_2^2 - 12\omega_3^2 v_2^2 \omega_5 \omega_2^3 - 21\omega_3^2 \omega_5 \omega_2^3 \\
C_{22} = & -12\omega_3 \omega_2^2 - 8\omega_3^2 v_2^2 \omega_5^2 + 12\omega_3^2 + 6\omega_3^3 c_s^2 - 44\omega_3^2 c_s^2 \omega_5^2 - 6\omega_3^3 + 6\omega_3^3 v_2^2 + 48\omega_3^2 c_s^2 \omega_5 - 48c_s^2 \omega_5^2 + 48\omega_3^2 v_2^2 \omega_5 + 12v_2^2 \omega_5^2 - 12\omega_3^2 v_2^2 + 24\omega_3 \omega_5 - \\
& 12\omega_3^2 c_s^2 + 4\omega_3^3 c_s^2 \omega_5^2 - 36\omega_3 c_s^2 \omega_5 - 36\omega_3^2 \omega_5 + \omega_3^3 v_2^2 \omega_5^2 - 36\omega_3 v_2^2 \omega_5 - \omega_3^3 \omega_5^2 + 9\omega_3^3 \omega_5 - 12\omega_3^3 v_2^2 \omega_5 + 11\omega_3^2 \omega_5^2 - 12\omega_3^3 c_s^2 \omega_5 + 90\omega_3 c_s^2 \omega_5^2 \\
C_{23} = & 36\omega_3^2 v_2^2 \omega_5 \omega_2^3 + 24v_2^2 \omega_5^2 \omega_2^3 + 12\omega_3^3 c_s^2 \omega_5 \omega_2^2 - 12\omega_3^2 v_2^2 \omega_2^3 + 3\omega_3^2 \omega_5^2 \omega_2^3 - 24\omega_3 c_s^2 \omega_5 \omega_2^2 - 12\omega_3^3 c_s^2 \omega_5 \omega_2^3 - 24\omega_3^2 v_2^2 \omega_5 \omega_2^2 - 12\omega_3^2 c_s^2 \omega_2^3 + \\
& 36\omega_3 c_s^2 \omega_5^2 \omega_2^3 - 6\omega_3^2 \omega_5^2 \omega_2^2 + 12\omega_3^3 v_2^2 \omega_5 \omega_2^2 + 3\omega_3^3 \omega_5 \omega_2^3 + 36\omega_3^2 c_s^2 \omega_5 \omega_2^3 - 12c_s^2 \omega_5 \omega_2^3 - 24\omega_3^2 c_s^2 \omega_5 \omega_2^2 - 6\omega_3^3 \omega_5 \omega_2^2 - 12\omega_3^3 v_2^2 \omega_5 \omega_2^3 - 30\omega_3^2 \omega_5^2 \omega_2^3 + \\
& 48\omega_3^2 c_s^2 \omega_5^2 \omega_2^3 + 6\omega_3^3 c_s^2 \omega_2^3 + 2\omega_3^3 \omega_5^2 \omega_2^2 + 3\omega_3^3 v_2^2 \omega_5^2 \omega_2^3 - 12\omega_3 v_2^2 \omega_5 \omega_2^3 + 6\omega_3^3 c_s^2 \omega_5 \omega_2^2 + 12\omega_3^2 v_2^2 \omega_5^2 - \omega_3^3 \omega_5^2 \omega_2^3 + 6\omega_3^3 v_2^2 \omega_2^3 - 32\omega_3^2 c_s^2 \omega_5^2 \omega_2^3 + \\
& 4\omega_3^3 c_s^2 \omega_5^2 \omega_2^3 + 12\omega_3^2 v_2^2 \omega_5^2 \omega_2^2 - 12\omega_3 c_s^2 \omega_5 \omega_2^3 - 18\omega_3^3 v_2^2 \omega_5^2 \omega_2 + 12\omega_3^2 \omega_5 \omega_2^2 - 12\omega_3^2 c_s^2 \omega_5^2 \omega_2 - 6\omega_3^2 \omega_5 \omega_2^3 \\
C_{24} = & 3\omega_3^3 v_2^4 \omega_5^2 + 12\omega_3^2 c_s^2 v_2^2 - 48\omega_3 v_2^4 \omega_5 + 24\omega_3^2 v_2^2 \omega_5^2 - 3\omega_3^3 c_s^4 \omega_5^2 + 24\omega_3 c_s^4 \omega_5 + 156\omega_3 c_s^2 v_2^2 \omega_5^2 - 8\omega_3^2 c_s^2 \omega_5^2 - 12\omega_3^3 v_2^2 + 24\omega_3^2 c_s^2 \omega_5 - \\
& 24\omega_3 c_s^2 v_2^2 \omega_5 - 96c_s^2 v_2^2 \omega_5^2 + 6\omega_3^3 c_s^4 \omega_5 - 48\omega_3 c_s^4 \omega_2^2 - 72\omega_3^2 v_2^2 \omega_5 + 24\omega_3^2 v_2^2 \omega_2^2 - 18\omega_3^3 v_2^4 \omega_5 + 24\omega_3 v_2^2 \omega_6^2 + \omega_3^3 c_s^2 \omega_5^2 - 24\omega_3 c_s^2 \omega_5 + 24\omega_3^2 c_s^4 \omega_5^2 - \\
& 3\omega_3^3 v_2^2 \omega_5^2 + 48\omega_3 v_2^2 \omega_5 - 72\omega_3^2 c_s^2 v_2^2 \omega_5^2 - 24\omega_3^2 c_s^2 v_2^2 - 24\omega_3^2 v_2^4 \omega_5^2 - 12\omega_3^3 c_s^2 v_2^2 \omega_5 - 24\omega_3^2 v_2^4 + 6\omega_3^3 c_s^2 v_2^2 \omega_5 + 72\omega_3^2 v_2^4 \omega_5 + 18\omega_3^3 v_2^2 \omega_5 + \\
& 48\omega_3^2 c_s^2 v_2^2 \omega_5 - 24\omega_3 v_2^2 \omega_5^2 + 24c_s^4 \omega_5^2 - 24\omega_3^2 c_s^4 \omega_5 + 12\omega_3^3 v_2^4 - 6\omega_3^3 c_s^2 \omega_5 + 12\omega_3^2 c_s^2 \omega_5^2 \\
C_{25} = & -6\omega_3 \omega_2^2 - 16\omega_3^2 v_2^2 \omega_5^2 + 12\omega_3^2 + 6\omega_3^3 c_s^2 - 20\omega_3^2 c_s^2 \omega_5^2 - 6\omega_3^3 + 6\omega_3^3 v_2^2 + 24\omega_3^2 c_s^2 \omega_5 - 24c_s^2 \omega_5^2 + 24\omega_3^2 v_2^2 \omega_5 - 12v_2^2 \omega_5^2 - 12\omega_3^2 v_2^2 + 12\omega_3 \omega_5 - \\
& 12\omega_3^2 c_s^2 + \omega_3^3 c_s^2 \omega_5^2 - 12\omega_3 c_s^2 \omega_5 - 24\omega_3^2 \omega_5 + 2\omega_3^3 v_2^2 \omega_5^2 - 12\omega_3 v_2^2 \omega_5 - \omega_3^3 \omega_5^2 + 6\omega_3^3 \omega_5 - 6\omega_3^3 v_2^2 \omega_5 + 24\omega_3 v_2^2 \omega_5^2 + 8\omega_3^2 \omega_5^2 - 6\omega_3^3 c_s^2 \omega_5 + 42\omega_3 c_s^2 \omega_5^2
\end{aligned}$$

2.3 MRT2

2.3.1 Definitions

Collision operator \mathbf{C} :

$$\mathbf{C}(\mathbf{f}) = \mathbf{M}_2^{-1} \mathbf{S} (\boldsymbol{\mu}_2^{(eq)} - \mathbf{M}_2 \mathbf{f}),$$

where

$$\mathbf{S} = \text{diag}(\omega_1, \omega_2, \omega_3, \omega_4, \omega_5),$$

$\omega_1, \omega_2, \dots, \omega_5 \in (0, 2)$.

Matrix \mathbf{M}_2 corresponds to the transformation matrix to the raw moment basis defined by

$$\boldsymbol{\mu}_2 = \begin{pmatrix} m_{(0,0)} \\ m_{(1,0)} \\ m_{(0,1)} \\ m_{(2,0)} + m_{(0,2)} \\ m_{(2,0)} - m_{(0,2)} \end{pmatrix},$$

and is given by

$$\mathbf{M}_2 = \begin{pmatrix} 1 & 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & -1 & 0 \\ 0 & 0 & 1 & 0 & -1 \\ 0 & 1 & 1 & 1 & 1 \\ 0 & 1 & -1 & 1 & -1 \end{pmatrix}.$$

The equilibrium moments $\boldsymbol{\mu}_2^{(eq)}$ are defined by

$$\boldsymbol{\mu}_2^{(eq)} = \mathbf{M}_2 \mathbf{M}^{-1} \boldsymbol{\mu}^{(eq)},$$

i.e.,

$$\boldsymbol{\mu}_2^{(eq)} = \begin{pmatrix} \rho \\ \rho v_1 \\ \rho v_2 \\ \rho(v_1^2 + v_2^2 + 2c_s^2) \\ \rho(v_1^2 - v_2^2) \end{pmatrix}.$$

2.3.2 Conservation of mass equation

$$\begin{aligned}
& \frac{\partial \rho}{\partial t} + \frac{\delta_l v_1}{\delta_t} \frac{\partial \rho}{\partial x_1} + \frac{\delta_l \rho}{\delta_t} \frac{\partial v_1}{\partial x_1} + \frac{\delta_l v_2}{\delta_t} \frac{\partial \rho}{\partial x_2} + \frac{\delta_l \rho}{\delta_t} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_2) \frac{\delta_l}{2\omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + (-2 + \omega_2) \frac{\delta_l^2 v_1}{2\omega_2 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\
& (-2 + \omega_2) \frac{\delta_l^2 \rho}{2\omega_2 \delta_t} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + (2 - \omega_3) \frac{\delta_l^2 v_2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{\delta_l^2 v_1}{\omega_2 \omega_3 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2} + \\
& (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{\delta_l^2 \rho}{\omega_2 \omega_3 \delta_t} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l}{2\omega_3} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{\delta_l^2 v_2}{\omega_2 \omega_3 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + \\
& (2 - \omega_2) \frac{\delta_l^2 v_1}{2\omega_2 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + (-2 + \omega_3) \frac{\delta_l^2 v_2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l^2 \rho}{2\omega_3 \delta_t} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + (-2 + \omega_2) \frac{\delta_l \rho}{2\omega_2} \frac{\partial^2 v_1}{\partial t \partial x_1} + \\
& (-2 + \omega_2) \frac{\delta_l^2 c_s^2}{2\omega_2 \delta_t} \frac{\partial^2 \rho}{\partial x_1^2} + (-2 + \omega_2) \frac{\delta_l^2 \rho v_1}{2\omega_2 \delta_t} \frac{\partial^2 v_1}{\partial x_1^2} + (-2 + \omega_3) \frac{\delta_l \rho}{2\omega_3} \frac{\partial^2 v_2}{\partial t \partial x_2} + (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{\delta_l^2 v_2 v_1}{\omega_2 \omega_3 \delta_t} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} + \\
& (2 - \omega_3) \frac{\delta_l^2 \rho v_2}{2\omega_3 \delta_t} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + (2 - \omega_2) \frac{\delta_l^2 \rho v_1}{2\omega_2 \delta_t} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + (-2 + \omega_3) \frac{\delta_l^2 c_s^2}{2\omega_3 \delta_t} \frac{\partial^2 \rho}{\partial x_2^2} + (-2 + \omega_3) \frac{\delta_l^2 \rho v_2}{2\omega_3 \delta_t} \frac{\partial^2 v_2}{\partial x_2^2} + \\
& (12 - 12\omega_2 + \omega_2^2) \frac{\delta_l \rho \delta_t}{12\omega_2^2} \frac{\partial^3 v_1}{\partial t^2 \partial x_1} + (12 - 6\omega_2 + \omega_2 \omega_4 - 6\omega_4) \frac{\delta_l^2 \rho v_1}{6\omega_2 \omega_4} \frac{\partial^3 v_1}{\partial t \partial x_1^2} + C_1 \frac{\delta_l^3 v_1}{6\omega_2^2 \delta_t \omega_4} \frac{\partial^3 \rho}{\partial x_1^3} + C_2 \frac{\delta_l^3 \rho}{12\omega_2^2 \delta_t \omega_4} \frac{\partial^3 v_1}{\partial x_1^3} + \\
& (12 - 12\omega_3 + \omega_3^2) \frac{\delta_l \rho \delta_t}{12\omega_3^2} \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + (9\omega_2 \omega_3 - 6\omega_2 - 2\omega_2 \omega_3^2 - 6\omega_3 + 3\omega_3^2) \frac{\delta_l^2 \rho v_2}{6\omega_2 \omega_3^2} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + \\
& (9\omega_2 \omega_3 - 6\omega_2 - 6\omega_3 + 3\omega_2^2 - 2\omega_2 \omega_3) \frac{\delta_l^2 \rho v_1}{6\omega_2^2 \omega_3} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + C_3 \frac{\delta_l^3 v_2}{2\omega_2^2 \omega_3^2 \delta_t \omega_4} \frac{\partial^3 \rho}{\partial x_1^2 \partial x_2} + \\
& (-6\omega_2 \omega_3^2 + 6\omega_2^2 + \omega_2^2 \omega_3^2 - 6\omega_2^2 \omega_3 + 6\omega_3^2) \frac{\delta_l^3 \rho v_2 v_1}{6\omega_2^2 \omega_3^2 \delta_t} \frac{\partial^3 v_1}{\partial x_1^2 \partial x_2} + \\
& (\omega_2^2 v_1^2 \omega_4 - 12\omega_2 v_1^2 + 12v_1^2 \omega_4 - 3\omega_2^2 \omega_4 c_s^2 + 6\omega_2^2 c_s^2 - 12\omega_2 c_s^2 + 18\omega_2 \omega_4 c_s^2 + 6\omega_2^2 v_1^2 - 6\omega_2 v_1^2 \omega_4) \frac{\delta_l^3 \rho}{12\omega_2^2 \delta_t \omega_4} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} \\
& + (12 - 6\omega_5 + \omega_5 \omega_3 - 6\omega_3) \frac{\delta_l^2 \rho v_2}{6\omega_5 \omega_3} \frac{\partial^3 v_2}{\partial t \partial x_2^2} + C_4 \frac{\delta_l^3 v_1}{2\omega_5 \omega_3^2 \omega_3^2 \delta_t} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + \\
& (6\omega_3^2 v_2^2 + \omega_5 \omega_3^2 v_2^2 - 12\omega_3 c_s^2 + 12\omega_5 v_2^2 + 18\omega_5 \omega_3 c_s^2 + 6\omega_3^2 c_s^2 - 3\omega_5 \omega_3^2 c_s^2 - 12\omega_3 v_2^2 - 12\omega_5 c_s^2 - 6\omega_5 \omega_3 v_2^2) \frac{\delta_l^3 \rho}{12\omega_5 \omega_3^2 \delta_t} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} \\
& + (-6\omega_2 \omega_3^2 + 6\omega_2^2 + \omega_2^2 \omega_3^2 - 6\omega_2^2 \omega_3 + 6\omega_3^2) \frac{\delta_l^3 \rho v_2 v_1}{6\omega_2^2 \omega_3^2 \delta_t} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + C_5 \frac{\delta_l^3 v_2}{6\omega_5 \omega_3^2 \delta_t} \frac{\partial^3 \rho}{\partial x_3^2} + C_6 \frac{\delta_l^3 \rho}{12\omega_5 \omega_3^2 \delta_t} \frac{\partial^3 v_2}{\partial x_2^2} + \\
& (-2 + 3\omega_2 - \omega_2^2) \frac{\delta_l \rho \delta_t^2}{2\omega_2^2} \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + (-\omega_2^2 \omega_4^2 - 2\omega_2^3 \omega_4 + 8\omega_2^2 \omega_4 + 2\omega_4^2 - 4\omega_2 \omega_4 + 2\omega_3^2 - 4\omega_2^2 - \omega_2 \omega_4^2) \frac{\delta_l^2 \rho \delta_t v_1}{2\omega_2^2 \omega_4^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + \\
& C_7 \frac{\delta_l^3 \rho}{12\omega_2^2 \omega_4^2} \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_8 \frac{\delta_l^4}{24\omega_2^3 \delta_t \omega_4^2} \frac{\partial^4 \rho}{\partial x_1^4} + C_9 \frac{\delta_l^4 \rho v_1}{12\omega_2^3 \delta_t \omega_4^2} \frac{\partial^4 v_1}{\partial x_1^4} + (-2 + 3\omega_3 - \omega_3^2) \frac{\delta_l \rho \delta_t^2}{2\omega_3^3} \frac{\partial^4 v_2}{\partial t^3 \partial x_2} + \\
& (12\omega_2 \omega_3 - 24\omega_2 \omega_3^2 + 7\omega_2 \omega_3^3 - \omega_2^2 \omega_3^3 + 12\omega_2^2 + 13\omega_2^2 \omega_3^2 - 24\omega_2^2 \omega_3 + 12\omega_3^2 - 6\omega_3^3) \frac{\delta_l^2 \rho \delta_t v_2}{12\omega_2^2 \omega_3^3} \frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2} + \\
& (12\omega_2 \omega_3 - 24\omega_2 \omega_3^2 + 7\omega_2^3 \omega_3 - 6\omega_3^3 + 12\omega_2^2 + 13\omega_2^2 \omega_3^2 - 24\omega_2^2 \omega_3 + 12\omega_3^2 - \omega_2 \omega_3^2) \frac{\delta_l^2 \rho \delta_t v_1}{12\omega_2^3 \omega_3^2} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& C_{10} \frac{\delta_l^3 \rho v_2 v_1}{6\omega_3^2 \omega_3^4 \omega_4} \frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2} + C_{11} \frac{\delta_l^3 \rho}{12\omega_2^3 \omega_3^2 \omega_4^2} \frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2} + C_{12} \frac{\delta_l^4 v_2 v_1}{6\omega_2^3 \omega_3^2 \delta_t \omega_4^2} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_{13} \frac{\delta_l^4 \rho v_2}{12\omega_2^3 \omega_3^2 \delta_t \omega_4^2} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + \\
& C_{14} \frac{\delta_l^4 \rho v_1}{12\omega_2^3 \delta_t \omega_4^2} \frac{\partial^4 v_2}{\partial x_1^3 \partial x_2} + (8\omega_5 \omega_3^2 - 2\omega_5 \omega_3^3 - 4\omega_5 \omega_3 - \omega_5^2 \omega_3 + 2\omega_5^2 - 4\omega_3^2 - \omega_5^2 \omega_3^2 + 2\omega_3^3) \frac{\delta_l^4 \rho \delta_t v_2}{2\omega_5^2 \omega_3^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_2^2} + \\
& C_{15} \frac{\delta_l^3 \rho}{12\omega_2^2 \omega_2 \omega_3^3} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2} + C_{16} \frac{\delta_l^3 \rho v_2 v_1}{6\omega_5 \omega_3^2 \omega_3^3} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2} + C_{17} \frac{\delta_l^4}{4\omega_5^2 \omega_3^2 \omega_3^3 \delta_t \omega_4^2} \frac{\partial^4 \rho}{\partial x_1^2 \partial x_2^2} + C_{18} \frac{\delta_l^4 \rho v_1}{12\omega_2^2 \omega_3^2 \omega_3^3 \delta_t} \frac{\partial^4 v_1}{\partial x_2^2 \partial x_2^2} + \\
& C_{19} \frac{\delta_l^4 \rho v_2}{12\omega_2^2 \omega_3^3 \delta_t \omega_4^2} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2} + C_{20} \frac{\delta_l^3 \rho}{12\omega_5^2 \omega_3^2} \frac{\partial^4 v_2}{\partial t \partial x_3^2} + C_{21} \frac{\delta_l^4 v_2 v_1}{6\omega_5^2 \omega_3^2 \omega_3^3 \delta_t} \frac{\partial^4 \rho}{\partial x_1 \partial x_3^2} + C_{22} \frac{\delta_l^4 \rho v_2}{12\omega_5^2 \omega_3^2 \omega_3^3 \delta_t} \frac{\partial^4 v_1}{\partial x_1 \partial x_3^2} + C_{23} \frac{\delta_l^4 \rho v_1}{12\omega_5^2 \omega_3^2 \omega_3^3 \delta_t} \frac{\partial^4 v_2}{\partial x_1 \partial x_3^2} \\
& + C_{24} \frac{\delta_l^4}{24\omega_5^2 \omega_3^2 \delta_t} \frac{\partial^4 \rho}{\partial x_2^4} + C_{25} \frac{\delta_l^4 \rho v_2}{12\omega_5^2 \omega_3^2 \delta_t} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

$$C_1 = -\omega_2^2 v_1^2 \omega_4 - 12\omega_4 c_s^2 - 6\omega_2 v_1^2 + 6\omega_2 - 3\omega_2^2 \omega_4 c_s^2 + 3\omega_2^2 c_s^2 + \omega_2^2 \omega_4 - 6\omega_2 c_s^2 + 15\omega_2 \omega_4 c_s^2 - 3\omega_2 \omega_4 - 3\omega_2^2 + 3\omega_2^2 v_1^2 + 3\omega_2 v_1^2 \omega_4$$

$$C_2 = -5\omega_2^2 v_1^2 \omega_4 - 12\omega_4 c_s^2 - 12\omega_2 v_1^2 + 12\omega_2 - 12v_1^2 \omega_4 - 3\omega_2^2 \omega_4 c_s^2 + 6\omega_2^2 c_s^2 + 2\omega_2^2 \omega_4 - 12\omega_2 c_s^2 + 18\omega_2 \omega_4 c_s^2 - 6\omega_2 \omega_4 - 6\omega_2^2 + 6\omega_2^2 v_1^2 + 18\omega_2 v_1^2 \omega_4$$

$$\begin{aligned} C_3 = & 2\omega_2^2 v_1^2 w_4 + \omega_2^2 w_3^2 v_1^2 w_4 - 2\omega_2 w_3 w_4 c_s^2 - 2\omega_2 w_3^2 c_s^2 - \omega_2^2 \omega_3^2 w_4 c_s^2 + \omega_2^2 w_3^2 v_1^2 + 2\omega_2 w_3 v_1^2 w_4 - 2\omega_2 w_3^2 v_1^2 + \omega_2^2 w_3 w_4 c_s^2 + 4\omega_3^2 v_1^2 w_4 - \\ & 4\omega_2 w_3 v_1^2 w_4 - 2\omega_3^2 w_4 c_s^2 - 3w_2^2 w_3 v_1^2 w_4 + 4\omega_2 w_3^2 w_4 c_s^2 + \omega_2^2 w_3^2 c_s^2 \end{aligned}$$

$$\text{C}_4 = w_5 w_2 w_3^2 c_s^2 - 2 w_2^2 w_3 s^2 + 4 w_5 w_2^2 w_3 c_s^2 + 2 w_5 w_3^2 v_2^2 + w_5 w_2^2 w_3^2 v_2^2 + w_2^2 w_3^2 v_2^2 + 2 w_5 w_2 w_3 v_2^2 - 2 w_5 w_2^2 c_s^2 - 3 w_5 w_2 w_3^2 v_2^2 - 2 w_2^2 w_3 v_2^2 - 4 w_5 w_2^2 w_3 v_2^2 - w_5 w_2^2 w_3^2 s^2 + w_2^2 w_3^2 s^2 - 2 w_5 w_2 w_3 c_s^2 + 4 w_5 w_2^2 v_2^2$$

$$C_5 = w_5 w_3^2 + 3 w_3^2 v_2^2 - w_5 w_3^2 v_2^2 - 6 w_3 c_s^2 + 15 w_5 w_3 c_s^2 - 3 w_5 w_3 + 6 w_3 + 3 w_3^2 c_s^2 - 3 w_5 w_3^2 c_s^2 - 6 w_3 v_2^2 - 12 w_5 c_s^2 - 3 w_3^2 + 3 w_5 w_3 v_2^2$$

$$C_6 = 2w_5 w_3^2 + 6w_3 v_2^2 - 5w_5 w_3^2 v_2^2 - 12w_3 c_s^2 - 12w_5 v_2^2 + 18w_5 w_3 c_s^2 - 6w_5 w_3 + 12w_3 + 6w_3^2 c_s^2 - 3w_5 w_3^2 c_s^2 - 12w_3 v_2^2 - 12w_5 c_s^2 - 6w_3^2 + 18w_5 w_3 v_2^2$$

$$\begin{aligned} C_7 = & -60w_2^2v_1^2w_4 - 2w_2^3w_4^2c_s^2 - 11w_2^2w_4^2 - 9w_3^3w_4 + 12v_1^2w_4^2 - 6w_3^2c_s^2 + w_3^2w_4^2 - 36w_2^2w_4c_s^2 - 48w_2w_4^2c_s^2 + 12w_2^2c_s^2 + 36w_2^3w_4 + 27w_2^2v_1^2w_2^2 + \\ & 24w_2w_4c_s^2 - 24w_2w_4 - 6w_2^3v_1^2 + 6w_2^3 + 25w_2^2w_4^2c_s^2 + 15w_3^2v_1^2w_4 - 12w_2^2 - 42w_2v_1^2w_4^2 - 3w_2^2v_1^2w_4^2 + 12w_2^2v_1^2 + 48w_2v_1^2w_4 + 24w_4^2c_s^2 + 12w_2w_4^2 + 9w_3^2w_4c_s^2 \end{aligned}$$

$$\text{C}_8 = -72w_2^2v_1^4\omega_4 - 24w_2^2v_2^2c_s^2 - 24w_2v_2^2w_4c_s^2 - 18w_3^2v_1^4\omega_4 + w_3^2v_2^2c_s^2 - 24w_2^2v_1^4 + 24w_2v_1^4w_4 + 6w_3^2v_2^2w_4^2c_s^2 + 6w_3^2\omega_4^4c_s^4 + 24w_4^2c_s^4 + 12w_3^2v_1^4 + 24w_2^2w_4c_s^2 + 24w_2w_4c_s^4 + 3w_3^2v_1^4\omega_4 + 12w_2w_4^2c_s^2 - 48w_2v_1^4\omega_4 - 72w_2^2v_1^2w_4c_s^2 + 24w_2^2v_1^2\omega_4^2 + 24w_2^2w_4^2c_s^4 - 24w_2w_4c_s^2 - 12w_3^2v_1^4 + 48w_2^2v_1^2w_4c_s^2 - 24w_2^2w_4c_s^4 + 72w_2^2v_1^4\omega_4 - 8w_2^2w_4^2c_s^2 + 18w_3^2v_1^4\omega_4 - 48w_2w_4^2c_s^4 - 24w_2v_1^2w_4^2 + 12w_3^2v_1^2c_s^2 - 3w_3^2v_1^2\omega_4^2 + 24w_2^2v_1^2 - 3w_3^2w_4^2c_s^4 + 48w_2v_1^2w_4 - 24w_2v_1^4\omega_4 + 156w_2v_1^2w_4^2c_s^2 - 96w_1^2w_4^2c_s^2 - 12w_3^2v_1^2w_4c_s^2 - 6w_3^2w_4c_s^2$$

$$\text{C}_9 = 24w_2^2v_1^2w_4 + w_3^2w_4^2c_s^2 + 8w_2^2w_4^2 + 6w_3^2w_4 - 12v_1^2w_4^2 + 6w_3^2c_s^2 - w_3^2w_4^2 + 24w_2^2w_4c_s^2 + 42w_2w_4^2c_s^2 - 12w_2^2c_s^2 - 24w_2^2w_4 - 16w_2^2v_1^2w_4^2 - 12w_2w_4c_s^2 + 12w_2w_4 + 6w_3^2v_1^2 - 6w_2^3 - 20w_2^2w_4^2c_s^2 - 6w_3^2v_1^2w_4 + 12w_2^2 + 24w_2v_1^2w_4^2 + 2w_3^2v_1^2w_4^2 - 12w_2^2v_1^2 - 12w_2v_1^2w_4 - 24w_4^2c_s^2 - 6w_2w_4^2 - 6w_3^2w_4c_s^2$$

$$\text{C}_{10} = w_3^3 w_3^3 w_4 - 6 w_2^2 w_3 w_4 - 12 w_2 w_3^2 w_4 - 6 w_2^3 w_4 - 7 w_2^3 w_3^2 w_4 + 24 w_2 w_3^3 w_4 - 6 w_2^2 w_3^3 - 10 w_2^2 w_3^3 w_4 + 12 w_2^2 w_3^2 + 12 w_2^3 w_3 w_4 + 3 w_2^3 w_3^3 - 6 w_2^3 w_3^2 + 12 w_2^2 w_3^2 w_4 - 12 w_2^3 w_4$$

$$\begin{aligned} C_{11} = & -2\omega_3^2 w_3 w_4^2 c_s^2 + 12w_2^2 w_3 c_s^2 + 12w_2^2 v_1^2 w_4 + 12w_2 w_3 w_4 c_s^2 + 3w_3^2 w_4^2 c_s^2 - 6w_3^2 w_3 v_1^2 + 36w_2 w_3 v_1^2 w_4^2 - 24w_3 v_1^2 w_4^2 + 12w_2^2 w_4 c_s^2 + 12w_2 w_4^2 c_s^2 + 22w_2^2 w_3 w_4^2 c_s^2 + 6w_2^2 v_1^2 w_4^2 - 30w_2^2 w_3 w_4 c_s^2 + 12w_2^2 w_3 v_1^2 + 9w_3^2 w_3 v_1^2 w_4 - 18w_2^2 w_4^2 c_s^2 - 6w_3^2 v_1^2 w_4 - 6w_2^3 w_3 c_s^2 - 10w_2^2 w_3 v_1^2 w_4^2 - 12w_2 v_1^2 w_4^2 - w_3^2 v_1^2 w_4^2 - 30w_2^2 w_3 v_1^2 w_4 + w_3^2 w_3 v_1^2 w_4^2 + 9w_3^2 w_3 w_4 c_s^2 + 12w_3 w_4^2 c_s^2 - 30w_2 w_3 w_4 c_s^2 - 6w_2^3 w_4 c_s^2 \end{aligned}$$

$$\begin{aligned}
C_{12} = & 6\omega_3^2\omega_3^3\omega_4 + 6\omega_3^2\omega_3\omega_4^2c_s - 12\omega_2^2\omega_3^2v_1^2\omega_4 - 6\omega_2\omega_3^3\omega_4^2 + 6\omega_3^2\omega_3^3c_s^2 + 6\omega_3^3\omega_3^2v_1^2\omega_4^2 - 48\omega_2^2\omega_3^3\omega_4^2c_s^2 - 12\omega_2^2\omega_3^3v_1^2 - 24\omega_2\omega_3^3v_1^2\omega_4 + \\
& 6\omega_2^2\omega_3^2\omega_4c_s + \omega_3^2\omega_3^2\omega_4^2 - 24\omega_2\omega_3^2\omega_4^2c_s^2 - 12\omega_2^2\omega_3^2\omega_4^2c_s + 24\omega_3^3v_1^2\omega_4^2 - 30\omega_2\omega_3^3v_1^2\omega_4^2 - 3\omega_3^3\omega_3^2\omega_4 + 6\omega_3^2\omega_3^2v_1^2\omega_4 - 24\omega_2\omega_3^3\omega_4c_s^2 - 12\omega_2^2\omega_3\omega_4^2c_s^2 - \\
& \omega_3^2\omega_3^3\omega_4^2 + 12\omega_2\omega_3^3\omega_4 + 6\omega_3^2\omega_3^3\omega_4^2c_s^2 - 12\omega_2^2\omega_3^2v_1^2\omega_4^2 + 78\omega_2\omega_3^3\omega_4^2c_s^2 + 6\omega_2^2\omega_3^3 - 36\omega_3^3\omega_4^2c_s^2 - 3\omega_2^2\omega_3^2\omega_4^2 - 12\omega_3^3\omega_3^2\omega_4c_s^2 + 6\omega_3^2\omega_3^3v_1^2 + \\
& 42\omega_2^2\omega_3^2\omega_4^2c_s^2 - 21\omega_2^2\omega_3^3\omega_4 + 6\omega_2^2\omega_3v_1^2\omega_4^2 - 12\omega_2^2\omega_3^3c_s^2 + 42\omega_2^2\omega_3^2v_1^2\omega_4^2 + 6\omega_3^2v_1^2\omega_4^2 + 7\omega_2^2\omega_3^3\omega_4^2 - 3\omega_3^2\omega_3^3 - 12\omega_3^2\omega_3^2\omega_4c_s^2 + 6\omega_2^2\omega_3^2v_1^2\omega_4 - \\
& 12\omega_2^2\omega_3^3v_1^2\omega_4 - 12\omega_2^2\omega_3v_1^2\omega_4^2 + 12\omega_2\omega_3^2v_1^2\omega_4^2 + 6\omega_2^2\omega_3^2\omega_4 + 42\omega_2^2\omega_3^3\omega_4c_s^2
\end{aligned}$$

$$\begin{aligned} C_{13} = & 3w_2^3 w_3^3 w_4 + 6w_2^3 w_3 w_2^2 c_s^2 - 24w_2^2 w_3^2 v_1^2 w_4 + 6w_2^3 w_3^3 c_s^2 - 32w_2^2 w_3^3 w_4^2 c_s^2 - 12w_2^2 w_3^2 v_1^2 - 12w_2 w_3^3 v_1^2 w_4 + 12w_2^3 w_3^2 w_4 c_s^2 + 2w_2^3 w_3^2 w_4^2 - \\ & 24w_2 w_3^2 w_4^2 c_s^2 - 24w_2^2 w_3^2 w_4 c_s^2 + 24w_3^3 v_2^2 w_4 - 30w_2 w_3^3 v_2^2 w_4^2 - 6w_2^3 w_3^2 w_4 + 12w_2^3 w_3^2 v_1^2 w_4 - 12w_2 w_3^2 w_4 c_s^2 - 12w_2^2 w_2 w_4^2 c_s^2 - w_3^2 w_3^3 w_4^2 + 4w_3^2 w_3^2 w_4^2 c_s^2 + \\ & 12w_2^2 w_3^2 v_1^2 w_4^2 + 36w_2 w_3^2 w_4^2 c_s^2 - 12w_3^2 w_4^2 c_s^2 - 6w_2^2 w_2^2 w_4^2 - 12w_2^3 w_3^2 w_4 c_s^2 + 3w_2^3 w_3^2 v_1^2 w_4 + 6w_2^3 w_3^2 v_1^2 + 48w_2^2 w_3^2 w_4^2 c_s^2 - 6w_2^2 w_3^2 w_4 - 12w_2^2 w_3^2 c_s^2 + \\ & 36w_2^2 w_3^2 v_1^2 w_4 + 12w_3^2 v_1^2 w_4^2 + 3w_2^2 w_3^3 w_4^2 - 12w_2^3 w_3^2 w_4^2 c_s^2 - 12w_3^2 w_3^3 v_1^2 w_4 - 18w_2^3 w_3 v_1^2 w_4^2 + 12w_2^2 w_3^2 w_4 + 36w_2^2 w_3^2 w_4 c_s^2 \end{aligned}$$

$$\begin{aligned} C_{14} = & 48w_2^2v_1^2w_4 + 4w_3^2w_2^2c_s^2 + 11w_2^2w_4^2 + 9w_3^2w_4 + 12v_2^2w_4^2 + 6w_3^2c_s^2 - w_3^2w_4^2 + 48w_2^2w_4c_s^2 + 90w_2w_4^2c_s^2 - 12w_2^2c_s^2 - 36w_2^2w_4 - 8w_2^2v_1^2w_4^2 - \\ & 36w_2w_4c_s^2 + 24w_2w_4 + 6w_3^2v_1^2 - 6w_3^2 - 44w_2^2w_4c_s^2 - 12w_2^3v_1^2w_4 + 12w_2^2 + w_3^2v_1^2w_4^2 - 12w_2^2v_1^2 - 36w_2v_1^2w_4 - 48w_4^2c_s^2 - 12w_2w_4^2 - 12w_3^2w_4c_s^2 \end{aligned}$$

$$C_{15} = -30\omega_5\omega_2\omega_3^2c_s^2 - 10\omega_5^2\omega_2\omega_3^2c_s^2 - 12\omega_5^2\omega_3v_2^2 + 3\omega_5^2\omega_3^3c_s^2 + 12\omega_2\omega_3^2c_s^2 + 12\omega_5\omega_3^2v_2^2 + \omega_5^2\omega_2\omega_3^3v_2^2 + 12\omega_5^2\omega_2c_s^2 + 9\omega_5\omega_2\omega_3^3c_s^2 - 6\omega_5\omega_3^2v_2^2 + 12\omega_5\omega_2\omega_3v_2^2 - 6\omega_2\omega_3^3c_s^2 - 18\omega_5^2\omega_3^2c_s^2 - 30\omega_5^2\omega_2\omega_3c_s^2 - 30\omega_5\omega_2\omega_3^2v_2^2 + 22\omega_5^2\omega_2\omega_3^2c_s^2 + 12\omega_5^2\omega_3^3c_s^2 + 12\omega_2\omega_3^2v_2^2 - \omega_5^2\omega_3^3v_2^2 + 12\omega_5\omega_3^2c_s^2 - 2\omega_5^2\omega_2\omega_3^3c_s^2 - 24\omega_5^2\omega_2v_2^2 + 9\omega_5\omega_2\omega_3^3v_2^2 + 12\omega_5\omega_2\omega_3c_s^2 - 6\omega_5\omega_3^3c_s^2 + 6\omega_5^2\omega_3^3v_2^2 + 36\omega_5^2\omega_2\omega_3v_2^2 - 6\omega_2\omega_3^3v_2^2$$

$$\text{C}_{16} = -6\omega_5 w_3^3 - 6\omega_5 w_2 w_3^2 - 12\omega_5 w_2^3 + 12\omega_5 w_2 \omega_3^3 + 24\omega_5 w_2^3 \omega_3 - 7\omega_5 w_2^2 w_3^2 - 6\omega_2^2 w_3^3 + 12\omega_5 w_2^2 \omega_3^2 + 12\omega_2^2 w_3^2 + 3w_2^3 w_3^3 - 12\omega_5 w_2^2 \omega_3 + 5\omega_5 w_2^3 \omega_3 - 6\omega_2^3 w_3^2 - 10\omega_5 w_2^3 \omega_3^2$$

$$\begin{aligned}
C_{17} = & -4w_5^8 w_2 w_3 v_2^2 w_4 c_s^2 + 2w_5 w_3^3 w_3^2 v_2^2 w_4 c_s^2 + w_5^2 w_3^2 w_3^3 v_2^2 w_4 c_s^2 - 12w_5^2 w_2^2 w_3^2 w_4^2 s + 10w_5 w_3^2 w_3 v_1^2 w_4^2 c_s + 20w_5^2 w_3^3 v_2^2 v_1^2 w_4^2 + 4w_5 w_2^2 w_3^2 w_4^2 c_s^4 + w_5^2 w_3^2 w_3^3 w_4 c_s^4 - 3w_5^2 w_3^3 w_3^2 v_2^2 v_1^1 w_4 - 2w_5^2 w_2^2 w_3^2 v_2^2 w_4 c_s^2 + 20w_5^2 w_2^2 v_2^2 v_1^1 w_4^2 - 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 + 12w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 s + 20w_5^2 w_3^2 w_3^2 v_2^2 w_4^2 c_s^4 - 2w_5^2 w_2 w_3^2 w_3^3 w_4 c_s^4 - 2w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 - 3w_5 w_3^2 w_3^3 v_2^2 w_4^2 - 4w_5^2 w_2^2 w_3 v_1^1 w_4 c_s^2 + 4w_5^2 w_2^2 w_3^2 v_2^2 w_4 c_s^2 - 2w_5^2 w_2^2 w_3^2 w_4 c_s^4 + 2w_5^2 w_3^2 w_3^2 v_2^2 w_4^2 - 2w_5 w_3^2 w_3^2 w_4^2 c_s^4 + 10w_5 w_3^2 w_3^3 v_2^2 v_1^1 w_4 + 4w_5 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 - 3w_5 w_3^2 w_3^3 v_2^2 v_1^2 w_4 - 3w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 - 3w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4 - 8w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 + 2w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 - 8w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 + 20w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 + 4w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 + 20w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 + 4w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 - 2w_5 w_3^2 w_3^2 v_2^2 w_4^2 c_s^2 - 2w_5 w_3^2 w_3^3 v_2^2 v_1^1 w_4 - 2w_5 w_3^2 w_3^2 v_2^2 w_4^2 c_s^2 - 4w_5 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 + 4w_5 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 - 4w_5 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 + 20w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 + 4w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 - 2w_5 w_3^2 w_3^2 v_2^2 w_4^2 c_s^4 - 2w_5 w_3^2 w_3^3 v_2^2 v_1^1 w_4 - 2w_5 w_3^2 w_3^2 v_2^2 w_4^2 c_s^2 + 4w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 - 4w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 + 12w_5^2 w_2^2 w_3^2 v_1^2 w_4^2 c_s^2 - 38w_5^2 w_3^2 w_3^3 v_2^2 v_1^1 w_4 - 8w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 + 2w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 c_s^2 - 38w_5^2 w_3^2 w_3^3 v_2^2 v_1^2 w_4^2 - 4w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 - 2w_5^2 w_3^2 w_3^3 w_4^2 c_s^4 + 10w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 - 4w_5^2 w_2^2 v_2^2 v_1^2 w_4^2 - 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 + 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 - 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 + 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 + 20w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 + 2w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 + 10w_5^2 w_2^2 w_3^2 v_2^2 w_4^2 c_s^2 + 2w_5 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 + w_5 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 - 36w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 - 4w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 + 10w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 + 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 c_s^2 - 4w_5^2 w_3^2 w_3^3 v_2^2 w_4^2 c_s^2 + 4w_5^2 w_2^2 w_3^2 v_2^2 v_1^2 w_4^2 + w_5 w_2^2 w_3^2 w_4^2 c_s^4
\end{aligned}$$

$$\begin{aligned}
C_{18} = & 24w_5^2w_3^2w_3c_s^2 - 6w_5^2w_2^2w_3^3c_s^2 + 6w_3w_2^3c_s^2 - 12w_5w_3^2w_3v_2^2 + 24w_5^2w_2w_3^2c_2^2 - 6w_5w_3^2w_3^3c_s^2 - 4w_5^2w_3c_2^3v_2^2 + 24w_5^2w_2^2w_3v_2^2 - 30w_5^2w_2w_3^3v_2^2 + \\
& 12w_5^2w_2^2w_3^2c_s^2 - 12w_3w_2^3c_s^2 + 48w_5^2w_3^2v_2^2 + 34w_5^2w_3^2w_3^2v_2^2 + 24w_5w_3^2w_3^2c_s^2 + 22w_5^2w_2^2w_3^3v_2^2 + 6w_3^2w_3^3v_2^2 - 78w_2^2w_3^2w_3v_2^2 - 12w_5w_3^2w_3c_s^2 - \\
& 12w_5^2w_2w_3^2c_s^2 + 12w_5^2w_3^2v_2^2 - 6w_5w_3^2w_3^3v_2^2 + w_5^2w_3^2w_3^3c_s^2 + 6w_5^2w_2w_3^3c_s^2 - 48w_5^2w_2w_3^2v_2^2 - 12w_3^2w_3^2v_2^2 - 14w_5^2w_3^2w_3^3c_s^2 - 12w_5^2w_3^2c_2^2 + 24w_5w_3^2w_3^2v_2^2
\end{aligned}$$

$$\begin{aligned}
C_{19} = & 6w_2^3 w_3 w_4 c_s^2 + 6w_3^3 w_3^2 c_s^2 + 22w_3^3 w_2 v_1 w_4 - 14w_2 w_3^2 w_4^2 c_s^2 - 12w_2 w_3^2 v_1^2 - 12w_2 w_3^3 v_1^2 w_4 + 48w_3^3 v_1^2 w_4^2 - 78w_2 w_3^3 v_1^2 w_4^2 - 12w_2 w_3^3 w_4 c_s^2 - \\
& 12w_2^2 w_3 w_4 c_s^2 + w_2^3 w_3^2 w_4 c_s^2 - 48w_2 w_3^2 v_1^2 w_4 + 24w_2 w_3^3 w_4^2 c_s^2 - 12w_3^2 w_4^2 c_s^2 - 6w_3^2 w_3 w_4 c_s^2 - 4w_3^2 w_3^2 v_1 w_4 + 6w_3^2 w_3^3 v_1^2 + 12w_2^2 w_3^2 w_4^2 c_s^2 + 24w_2^2 w_3 v_1 w_4^2 -
\end{aligned}$$

$$\begin{aligned}
& 12\omega_2^2\omega_3^3c_s^2 + 24\omega_2^2\omega_3^2v_1^2\omega_4 + 12\omega_2^3v_1^2\omega_4^2 - 6\omega_2^3\omega_3^2\omega_4^2c_s^2 + 34\omega_2^2\omega_3^3v_1^2\omega_4^2 - 6\omega_2^3\omega_3^3v_1^2\omega_4 - 30\omega_2^3\omega_3v_1^2\omega_4^2 + 24\omega_2\omega_3^2v_1^2\omega_4^2 + 24\omega_2^2\omega_3^3\omega_4c_s^2 \\
C_{20} = & 36\omega_5\omega_3^2 - 42\omega_5^2\omega_3v_2^2 - 2\omega_5^2\omega_3^3c_s^2 + 24\omega_5^2c_s^2 + 12\omega_3^2v_2^2 - 9\omega_5\omega_3^3 - 60\omega_5\omega_3^2v_2^2 + 24\omega_5\omega_3c_s^2 - 24\omega_5\omega_3 + 15\omega_5\omega_3^3v_2^2 - 6\omega_3^3v_2^2 + 25\omega_5^2\omega_3^2c_s^2 + \\
& 12\omega_5^2\omega_3 - 48\omega_5^2\omega_3c_s^2 + 12\omega_5^2v_2^2 + 12\omega_3^2c_s^2 - 3\omega_5^2\omega_3^2v_2^2 - 36\omega_5\omega_3^2c_s^2 - 12\omega_3^2 + 48\omega_5\omega_3v_2^2 + \omega_5^2\omega_3^3 + 9\omega_5\omega_3^3c_s^2 + 27\omega_5^2\omega_3^2v_2^2 - 11\omega_5^2\omega_3^2 - 6\omega_3^2c_s^2 + 6\omega_3^3 \\
C_{21} = & 78\omega_5^2\omega_3^2\omega_3c_s^2 - 12\omega_5^2\omega_3^2\omega_3^2c_s^2 + 6\omega_3^2\omega_3^2c_s^2 - 24\omega_5\omega_3^2\omega_3v_2^2 - \omega_5^2\omega_3^2\omega_3^2 + 6\omega_5\omega_2\omega_3^2v_2^2 + 6\omega_5\omega_2\omega_3^3v_2^2 - 12\omega_5\omega_3^2\omega_3^2c_s^2 + 7\omega_5^2\omega_3^2\omega_3^2 + \\
& 12\omega_5^2\omega_2^2\omega_3^2v_2^2 - 12\omega_5\omega_2^2\omega_3^2v_2^2 + \omega_5^2\omega_2^2\omega_3^3 - 6\omega_5^2\omega_3^2\omega_3^2 - 12\omega_5^2\omega_2\omega_3^2v_2^2 + 42\omega_5^2\omega_2^2\omega_3^2c_s^2 - 12\omega_5^2\omega_2^2\omega_3^2v_2^2 + 6\omega_5^2\omega_3^2\omega_3^2v_2^2 + \\
& 42\omega_5\omega_3^2\omega_3^2c_s^2 + 12\omega_5\omega_3^2\omega_3^2 + 6\omega_5^2\omega_2^2\omega_3^2v_2^2 - 3\omega_5\omega_2^2\omega_3^3 + 6\omega_2^3\omega_3^2v_2^2 - 30\omega_5\omega_3^2\omega_3^2v_2^2 + 6\omega_5\omega_2^2\omega_3^2c_s^2 - 24\omega_5\omega_3^2\omega_3^2c_s^2 - 12\omega_5^2\omega_2\omega_3^2c_s^2 + 6\omega_5\omega_2^2\omega_3^2 - \\
& 6\omega_5^2\omega_3^2v_2^2 - 12\omega_5\omega_3^2\omega_3^2v_2^2 - 24\omega_5^2\omega_2^2\omega_3c_s^2 + 6\omega_5^2\omega_3^2\omega_3^2c_s^2 + 6\omega_5^2\omega_2\omega_3^2c_s^2 - 12\omega_5\omega_2\omega_3^2c_s^2 - 3\omega_2^3\omega_3^2 - 12\omega_5^2\omega_2^2\omega_3^2v_2^2 - 12\omega_5^2\omega_2^2\omega_3^2v_2^2 + 6\omega_5\omega_3^2\omega_3^2 - \\
& 48\omega_5^2\omega_3^2\omega_3^2c_s^2 + 6\omega_5^2\omega_3^2v_2^2 - 36\omega_5^2\omega_3^2c_s^2 - 21\omega_5\omega_2^2\omega_3^2 - 42\omega_5\omega_2^2\omega_3^2v_2^2 \\
C_{22} = & -36\omega_5\omega_3^2 + 4\omega_5^2\omega_3^2c_s^2 - 48\omega_5^2\omega_3^2v_2^2 - 12\omega_3^2v_2^2 + 9\omega_5\omega_3^3 + 48\omega_5\omega_3^2v_2^2 - 36\omega_5\omega_3c_s^2 + 24\omega_5\omega_3 - 12\omega_5\omega_3^2v_2^2 + 6\omega_3^3v_2^2 - 44\omega_5^2\omega_3^2c_s^2 - 12\omega_5^2\omega_3 + \\
& 90\omega_5^2\omega_3c_s^2 + 12\omega_5^2v_2^2 - 12\omega_3^2c_s^2 + \omega_5^2\omega_3^2v_2^2 + 48\omega_5\omega_3^2c_s^2 + 12\omega_3^2 - 36\omega_5\omega_3v_2^2 - \omega_5^2\omega_3^3 - 12\omega_5\omega_3^2c_s^2 - 8\omega_5^2\omega_3^2v_2^2 + 11\omega_5^2\omega_3^2 + 6\omega_3^2c_s^2 - 6\omega_3^3 \\
C_{23} = & 36\omega_5^2\omega_3^2\omega_3c_s^2 - 12\omega_5^2\omega_3^2\omega_3^2c_s^2 + 6\omega_3^2\omega_3^2c_s^2 - 12\omega_5\omega_3^2\omega_3v_2^2 - \omega_5^2\omega_3^2\omega_3^2 + 12\omega_5\omega_2^2\omega_3^2v_2^2 - 12\omega_5\omega_3^2\omega_3^2c_s^2 + 3\omega_5^2\omega_3^2\omega_3^2v_2^2 + 3\omega_5^2\omega_3^2\omega_3^2 - \\
& 24\omega_5\omega_2^2\omega_3^2v_2^2 + 2\omega_5^2\omega_3^2\omega_3^2 - 18\omega_5^2\omega_2\omega_3^2v_2^2 + 48\omega_5^2\omega_2^2\omega_3^2c_s^2 - 12\omega_5^2\omega_3^2\omega_3^2c_s^2 - 6\omega_5^2\omega_2^2\omega_3^2 + 24\omega_5^2\omega_3^2v_2^2 + 36\omega_5\omega_3^2\omega_3^2c_s^2 - 6\omega_5^2\omega_2^2\omega_3^2 + 6\omega_5^2\omega_3^2\omega_3^2v_2^2 - \\
& 30\omega_5^2\omega_3^2\omega_3^2v_2^2 + 12\omega_5\omega_2^2\omega_3^2c_s^2 - 12\omega_5\omega_3^2\omega_3^2c_s^2 - 12\omega_5^2\omega_2\omega_3^2v_2^2 + 12\omega_5\omega_2^2\omega_3^2 + 12\omega_5^2\omega_3^2v_2^2 - 12\omega_5\omega_3^2\omega_3^2v_2^2 - 24\omega_5^2\omega_2^2\omega_3^2c_s^2 + 4\omega_5^2\omega_3^2\omega_3^2c_s^2 + \\
& 6\omega_5^2\omega_2\omega_3^2c_s^2 - 24\omega_5\omega_2^2\omega_3^2c_s^2 + 12\omega_5^2\omega_2^2\omega_3^2v_2^2 - 12\omega_5^2\omega_3^2v_2^2 + 3\omega_5\omega_2^2\omega_3^2 - 32\omega_5^2\omega_2^2\omega_3^2c_s^2 - 12\omega_5^2\omega_2^2\omega_3^2v_2^2 - 6\omega_5\omega_3^2\omega_3^2 + 36\omega_5\omega_2^2\omega_3^2v_2^2 \\
C_{24} = & -48\omega_5\omega_3v_2^4 - 24\omega_5^2\omega_3v_2^2 - 24\omega_5^2\omega_3^2v_2^4 + \omega_5^2\omega_3^2\omega_3^2 + 24\omega_3^2v_2^2 - 24\omega_5\omega_3v_2^2c_s^2 - 72\omega_5\omega_3^2v_2^2 + 6\omega_5\omega_3^2c_s^4 - 48\omega_5^2\omega_3c_s^4 - 24\omega_5\omega_3c_s^2 - \\
& 12\omega_5\omega_3^2v_2^2c_s^2 - 24\omega_5\omega_3^2c_s^4 + 18\omega_5\omega_3^2v_2^2 - 12\omega_3^2v_2^2 - 8\omega_5\omega_3^2c_s^2 - 72\omega_5\omega_3^2v_2^2c_s^2 + 3\omega_5\omega_3^2v_2^4 + 12\omega_3^2v_2^2c_s^2 + 24\omega_5\omega_3c_s^4 + 12\omega_5\omega_3c_s^2 + 12\omega_3^2v_2^4 + \\
& 24\omega_5^2\omega_3^2c_s^4 - 3\omega_5\omega_3^2v_2^2 + 156\omega_5\omega_3^2v_2^2c_s^2 + 24\omega_5\omega_3^2c_s^2 - 18\omega_5\omega_3^2v_2^4 + 24\omega_5^2\omega_3v_2^2 - 24\omega_3^2v_2^2c_s^2 + 6\omega_5^2\omega_3^2v_2^2c_s^2 - 96\omega_5^2v_2^2c_s^2 + 48\omega_5\omega_3v_2^2 + \\
& 48\omega_5\omega_3^2v_2^2c_s^2 + 72\omega_5\omega_3^2v_2^4 - 6\omega_5\omega_3^2c_s^2 + 24\omega_5\omega_3^2v_2^2 - 3\omega_5\omega_3^2c_s^4 - 24\omega_3^2v_2^4 + 24\omega_5^2c_s^4 \\
C_{25} = & -24\omega_5\omega_3^2 + 24\omega_5^2\omega_3v_2^2 + \omega_5^2\omega_3^2c_s^2 - 24\omega_5^2c_s^2 - 12\omega_3^2v_2^2 + 6\omega_5\omega_3^3 + 24\omega_5\omega_3^2v_2^2 - 12\omega_5\omega_3c_s^2 + 12\omega_5\omega_3 - 6\omega_5\omega_3^2v_2^2 + 6\omega_3^3v_2^2 - 20\omega_5^2\omega_3^2c_s^2 - \\
& 6\omega_5^2\omega_3 + 42\omega_5^2\omega_3c_s^2 - 12\omega_5^2v_2^2 - 12\omega_3^2c_s^2 + 2\omega_5^2\omega_3^2v_2^2 + 24\omega_5\omega_3^2c_s^2 + 12\omega_3^2 - 12\omega_5\omega_3v_2^2 - \omega_5^2\omega_3^3 - 6\omega_5\omega_3^2c_s^2 - 16\omega_5^2\omega_3^2v_2^2 + 8\omega_5^2\omega_3^2 + 6\omega_3^2c_s^2 - 6\omega_3^3
\end{aligned}$$

2.4 CLBM1

2.4.1 Definitions

Collision operator \mathbf{C} :

$$\mathbf{C}(\mathbf{f}) = \mathbf{K}^{-1}\mathbf{S}(\boldsymbol{\kappa}^{(eq)} - \mathbf{K}\mathbf{f}),$$

where

$$\mathbf{S} = \text{diag}(\omega_1, \omega_2, \omega_3, \omega_4, \omega_5),$$

$\omega_1, \omega_2, \dots, \omega_5 \in (0, 2)$.

Matrix \mathbf{K} corresponds to the transformation matrix to the central moment basis defined by

$$\boldsymbol{\kappa} = (k_{(0,0)}, k_{(1,0)}, k_{(0,1)}, k_{(2,0)}, k_{(0,2)})^T,$$

and is given by

$$\mathbf{K} = \begin{pmatrix} 1 & 1 & 1 & 1 & 1 \\ -v_1 & 1-v_1 & -v_1 & -v_1-1 & -v_1 \\ -v_2 & -v_2 & 1-v_2 & -v_2 & -v_2-1 \\ v_1^2 & (1-v_1)^2 & v_1^2 & (v_1+1)^2 & v_1^2 \\ v_2^2 & v_2^2 & (1-v_2)^2 & v_2^2 & (v_2+1)^2 \end{pmatrix}.$$

The equilibrium central moments are defined by

$$\boldsymbol{\kappa}^{(eq)} = \mathbf{K}\mathbf{M}^{-1}\boldsymbol{\mu}^{(eq)},$$

i.e.,

$$\boldsymbol{\kappa}^{(eq)} = (\rho, 0, 0, \rho c_s^2, \rho c_s^2)^T.$$

2.4.2 Conservation of mass equation

$$\begin{aligned}
& \frac{\partial \rho}{\partial t} + \frac{\delta_t v_1}{\delta_t} \frac{\partial \rho}{\partial x_1} + \frac{\delta_t \rho}{\delta_t} \frac{\partial v_1}{\partial x_1} + \frac{v_2 \delta_l}{\delta_t} \frac{\partial \rho}{\partial x_2} + \frac{\delta_l \rho}{\delta_t} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_2) \frac{\delta_l}{2\omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + (-2 + \omega_2) \frac{\delta_l^2 v_1}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\
& (-2 + \omega_2) \frac{\delta_l^2 \rho}{2\delta_t \omega_2} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + (2 - \omega_3) \frac{v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + (-\omega_3 \omega_2 + \omega_3 + \omega_2) \frac{\delta_l^2 v_1}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2} + \\
& (-\omega_3 \omega_2 + \omega_3 + \omega_2) \frac{\delta_l^2 \rho}{\omega_3 \delta_t \omega_2} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l}{2\omega_3} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + (-\omega_3 \omega_2 + \omega_3 + \omega_2) \frac{v_2 \delta_l^2}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + \\
& (2 - \omega_2) \frac{\delta_l^2 v_1}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + (-2 + \omega_3) \frac{v_2 \delta_l^2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + (-2 + \omega_3) \frac{\delta_l^2 \rho}{2\omega_3 \delta_t} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + (-2 + \omega_2) \frac{\delta_l \rho}{2\omega_2} \frac{\partial^2 v_1}{\partial t \partial x_1} + \\
& (-2 + \omega_2) \frac{\delta_l^2 c_s^2}{2\delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1^2} + (-2 + \omega_2) \frac{\delta_l^2 \rho v_1}{2\delta_t \omega_2} \frac{\partial^2 v_1}{\partial x_2^2} + (-2 + \omega_3) \frac{\delta_l \rho}{2\omega_3} \frac{\partial^2 v_2}{\partial t \partial x_2} + (-\omega_3 \omega_2 + \omega_3 + \omega_2) \frac{v_2 \delta_l^2 v_1}{\omega_3 \delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} + \\
& (2 - \omega_3) \frac{v_2 \delta_l^2 \rho}{2\omega_3 \delta_t} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + (2 - \omega_2) \frac{\delta_l^2 \rho v_1}{2\delta_t \omega_2} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + (-2 + \omega_3) \frac{\delta_l^2 c_s^2}{2\omega_3 \delta_t} \frac{\partial^2 \rho}{\partial x_2^2} + (-2 + \omega_3) \frac{v_2 \delta_l^2 \rho}{2\omega_3 \delta_t} \frac{\partial^2 v_2}{\partial x_2^2} + \\
& (12 + \omega_2^2 - 12\omega_2) \frac{\delta_l \delta_t \rho}{12\omega_2^2} \frac{\partial^3 v_1}{\partial t^2 \partial x_1} + (12 + \omega_2^2 - 12\omega_2) \frac{\delta_l^2 \rho v_1}{6\omega_2^2} \frac{\partial^3 v_1}{\partial t \partial x_1^2} + C_1 \frac{\delta_l^3 v_1}{6\delta_t \omega_4 \omega_2} \frac{\partial^3 \rho}{\partial x_1^3} + C_2 \frac{\delta_l^3 \rho}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_1}{\partial x_1^3} + \\
& (12 - 12\omega_3 + \omega_3^2) \frac{\delta_l \delta_t \rho}{12\omega_3^2} \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + (9\omega_3 \omega_2 - 6\omega_3 + 3\omega_3^2 - 2\omega_3^2 \omega_2 - 6\omega_2) \frac{v_2 \delta_l^2 \rho}{6\omega_3^2 \omega_2} \frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2} + \\
& (3\omega_2^2 + 9\omega_3 \omega_2 - 6\omega_3 - 2\omega_3 \omega_2^2 - 6\omega_2) \frac{\delta_l^2 \rho v_1}{6\omega_3 \omega_2^2} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + C_3 \frac{v_2 \delta_l^3}{2\omega_3^2 \delta_t \omega_4 \omega_2^2} \frac{\partial^3 \rho}{\partial x_2^2 \partial x_2} + \\
& (6\omega_2^2 - 6\omega_3 \omega_2^2 + 6\omega_3^2 + \omega_3^2 \omega_2^2 - 6\omega_3^2 \omega_2) \frac{v_2 \delta_l^3 \rho v_1}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_1}{\partial x_2^2 \partial x_2} + \\
& (-12\omega_4 v_1^2 + 6c_s^2 \omega_2^2 + 12v_1^2 \omega_2 - 6v_1^2 \omega_2^2 - 12c_s^2 \omega_2 + 18\omega_4 c_s^2 \omega_2 - 12\omega_4 c_s^2 + \omega_4 v_1^2 \omega_2^2 + 6\omega_4 v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2) \frac{\delta_l^3 \rho}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} \\
& + (12 - 12\omega_3 + \omega_3^2) \frac{v_2 \delta_l^2 \rho}{6\omega_3^2} \frac{\partial^3 v_2}{\partial t \partial x_2^2} + C_4 \frac{\delta_l^3 v_1}{2\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + \\
& (v_2^2 \omega_3^2 \omega_5 + 6\omega_3^2 c_s^2 + 18\omega_3 c_s^2 \omega_5 - 12c_s^2 \omega_5 + 12v_2^2 \omega_3 - 12v_2^2 \omega_5 - 3\omega_3^2 c_s^2 \omega_5 + 6v_2^2 \omega_3 \omega_5 - 12\omega_3 c_s^2 - 6v_2^2 \omega_3^2) \frac{\delta_l^3 \rho}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} \\
& + (6\omega_2^2 - 6\omega_3 \omega_2^2 + 6\omega_3^2 + \omega_3^2 \omega_2^2 - 6\omega_3^2 \omega_2) \frac{v_2 \delta_l^3 \rho v_1}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + C_5 \frac{v_2 \delta_l^3}{6\omega_3 \delta_t \omega_5} \frac{\partial^3 \rho}{\partial x_2^3} + C_6 \frac{\delta_l^3 \rho}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_2}{\partial x_2^3} + \\
& (-2 - \omega_2^2 + 3\omega_2) \frac{\delta_l \delta_t \rho}{2\omega_2^2} \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + (-2 - \omega_2^2 + 3\omega_2) \frac{3\delta_l^2 \delta_t \rho v_1}{2\omega_2^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + C_7 \frac{\delta_l^3 \rho}{12\omega_4^2 \omega_2^2} \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_8 \frac{\delta_l^4}{24\delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1^4} + \\
& C_9 \frac{\delta_l^4 \rho v_1}{12\delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 v_1}{\partial x_1^4} + (-2 + 3\omega_3 - \omega_3^2) \frac{\delta_l \delta_t \rho}{2\omega_3^2} \frac{\partial^4 v_2}{\partial t^3 \partial x_2} + \\
& (12\omega_2^2 + 12\omega_3 \omega_2 - 6\omega_3^2 - 24\omega_3 \omega_2^2 + 12\omega_3^2 + 7\omega_3^2 \omega_2 + 13\omega_3^2 \omega_2^2 - 24\omega_3^2 \omega_2 - \omega_3^2 \omega_2^2) \frac{v_2 \delta_l^2 \delta_t \rho}{12\omega_3^2 \omega_2^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2} + \\
& (12\omega_2^2 - 6\omega_2^3 + 12\omega_3 \omega_2 - 24\omega_3 \omega_2^2 + 7\omega_3 \omega_3^2 + 12\omega_3^2 - \omega_3^2 \omega_3^2 + 13\omega_3^2 \omega_2^2 - 24\omega_3^2 \omega_2) \frac{\delta_l^2 \delta_t \rho v_1}{12\omega_3^2 \omega_3^2} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& (-6\omega_3^2 - 12\omega_3^3 - 6\omega_3 \omega_2^2 + 12\omega_3 \omega_3^2 + 18\omega_3^2 \omega_2 - 7\omega_3^2 \omega_3^2 + 6\omega_3^2 \omega_2^2 + \omega_3^2 \omega_3^2 - 7\omega_3^2 \omega_2^2) \frac{v_2 \delta_l^3 \rho v_1}{6\omega_3^2 \omega_2^3} \frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2} + \\
& C_{10} \frac{\delta_l^3 \rho}{12\omega_3 \omega_4 \omega_2^2} \frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2} + C_{11} \frac{v_2 \delta_l^4 v_1}{6\omega_3^2 \delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_{12} \frac{v_2 \delta_l^4 \rho}{12\omega_3^2 \delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + C_{13} \frac{\delta_l^4 \rho v_1}{12\delta_t \omega_4^2 \omega_2^3} \frac{\partial^4 v_2}{\partial x_1^3 \partial x_2} + \\
& (-2 + 3\omega_3 - \omega_3^2) \frac{3v_2 \delta_l^2 \delta_t \rho}{2\omega_3^2} \frac{\partial^4 v_2}{\partial t^2 \partial x_2^2} + C_{14} \frac{\delta_l^3 \rho}{12\omega_3^2 \omega_5 \omega_2} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2} + \\
& (-12\omega_2^3 - 6\omega_3^3 + 18\omega_3 \omega_2^3 + 12\omega_3^2 \omega_2 - 7\omega_3^2 \omega_2^3 + 6\omega_3^2 \omega_2^2 - 6\omega_3^2 \omega_2 + \omega_3^3 \omega_2^3 - 7\omega_3^3 \omega_2^2) \frac{v_2 \delta_l^3 \rho v_1}{6\omega_3^2 \omega_2^3} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2} + \\
& C_{15} \frac{\delta_l^4}{4\omega_3^2 \delta_t \omega_4^2 \omega_5^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1^2 \partial x_2^2} + C_{16} \frac{\delta_l^4 \rho v_1}{12\omega_3^2 \delta_t \omega_5^2 \omega_2^3} \frac{\partial^4 v_1}{\partial x_2^2 \partial x_2^2} + C_{17} \frac{v_2 \delta_l^4 \rho}{12\omega_3^2 \delta_t \omega_4^2 \omega_5^2} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2} + C_{18} \frac{\delta_l^3 \rho}{12\omega_3^2 \omega_5^2} \frac{\partial^4 v_2}{\partial t \partial x_2^3} + \\
& C_{19} \frac{v_2 \delta_l^4 v_1}{6\omega_3^2 \delta_t \omega_5^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1 \partial x_2^3} + C_{20} \frac{v_2 \delta_l^4 \rho}{12\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 v_1}{\partial x_1 \partial x_2^3} + C_{21} \frac{\delta_l^4 \rho v_1}{12\omega_3^2 \delta_t \omega_5^2 \omega_2^3} \frac{\partial^4 v_2}{\partial x_1 \partial x_2^3} + C_{22} \frac{\delta_l^4}{24\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 \rho}{\partial x_2^4} + C_{23} \frac{v_2 \delta_l^4 \rho}{12\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

$$\begin{aligned}
C_1 &= 6 + 3\omega_4 v_1^2 - 6v_1^2 + 3v_1^2 \omega_2 + \omega_4 \omega_2 + 9c_s^2 \omega_2 - 3\omega_4 c_s^2 \omega_2 - 3\omega_4 + 9\omega_4 c_s^2 - 18c_s^2 - \omega_4 v_1^2 \omega_2 - 3\omega_2 \\
C_2 &= -6\omega_2^2 + 12\omega_4 v_1^2 + 2\omega_4 \omega_2^2 + 6c_s^2 \omega_2^2 - 36v_1^2 \omega_2 + 18v_1^2 \omega_2^2 - 6\omega_4 \omega_2 - 12c_s^2 \omega_2 + 18\omega_4 c_s^2 \omega_2 - 12\omega_4 c_s^2 - 5\omega_4 v_1^2 \omega_2^2 + 6\omega_4 v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 + 12\omega_2 \\
C_3 &= -3\omega_3 \omega_4 v_1^2 \omega_2^2 - 2\omega_3 \omega_4 c_s^2 \omega_2 - 2\omega_3^2 \omega_4 c_s^2 + \omega_3 \omega_4 c_s^2 \omega_2^2 + 2\omega_3 \omega_4 v_1^2 \omega_2 + \omega_3^2 \omega_4 v_1^2 \omega_2^2 + \omega_3^2 c_s^2 \omega_2^2 + 2\omega_4 v_1^2 \omega_2^2 + 4\omega_3^2 \omega_4 c_s^2 \omega_2 + 2\omega_3^2 v_1^2 \omega_2 + \\
C_4 &= 2v_2^2 \omega_3^2 \omega_5 + 2v_2^2 \omega_3 \omega_5 \omega_2 - \omega_3^2 c_s^2 \omega_5 \omega_2^2 - 2c_s^2 \omega_5 \omega_2^2 - 2\omega_3 c_s^2 \omega_2^2 - v_2^2 \omega_3^2 \omega_2^2 + \omega_3^2 c_s^2 \omega_5 \omega_2 - 2v_2^2 \omega_3 \omega_5 \omega_2^2 + \omega_3^2 c_s^2 \omega_2^2 + 4\omega_3 c_s^2 \omega_5 \omega_2^2 + 2v_2^2 \omega_3 \omega_2^2 + \\
C_5 &= 6 + \omega_3 \omega_5 - 3\omega_3 c_s^2 \omega_5 + 9c_s^2 \omega_5 - 3\omega_3 + 3v_2^2 \omega_3 - 18c_s^2 + 3v_2^2 \omega_5 - 3\omega_5 - v_2^2 \omega_3 \omega_5 + 9\omega_3 c_s^2 - 6v_2^2
\end{aligned}$$

$$\begin{aligned}
C_{22} = & -72v_2^2\omega_3^2\omega_5 + 24\omega_3^2c_s^4\omega_5^2 - 30v_2^4\omega_3^3\omega_5 - 24\omega_3c_s^2\omega_5 + \omega_3^3c_s^2\omega_5^2 - 3v_2^2\omega_3^3\omega_5^2 + 144v_2^2\omega_3^2c_s^2\omega_5 - 12v_2^4\omega_3^2\omega_5^2 + 72v_2^4\omega_3^2\omega_5 + 30v_2^2\omega_3^3\omega_5 - \\
& 12v_2^2\omega_3^2c_s^2\omega_5^2 - 72v_2^4\omega_3^2 + 12\omega_3c_s^2\omega_5^2 + 3v_2^4\omega_3^3\omega_5^2 - 6\omega_3^3c_s^2\omega_5 + 36v_2^4\omega_3^3 + 12v_2^2\omega_3^2\omega_5^2 - 24\omega_3^2c_s^4\omega_5 - 72v_2^2\omega_3^3c_s^2\omega_5 + 24c_s^4\omega_5^2 - 36v_2^2\omega_3c_s^2\omega_5^2 - \\
& 8\omega_3^2c_s^2\omega_5^2 + 108v_2^2\omega_3^3c_s^2 + 24\omega_3c_s^4\omega_5 - 3\omega_3^3c_s^4\omega_5^2 - 48\omega_3c_s^4\omega_5^2 + 6\omega_3^3c_s^4\omega_5 - 36v_2^2\omega_3^3 + 24\omega_3^2c_s^2\omega_5 + 6v_2^2\omega_3^3c_s^2\omega_5^2 + 72v_2^2\omega_3c_s^2\omega_5 - 216v_2^2\omega_3^3c_s^2 + 72v_2^2\omega_3^2 \\
C_{23} = & 24v_2^2\omega_3^2\omega_5 - 60\omega_3^2c_s^2 - 12\omega_3\omega_5 - 12\omega_3c_s^2\omega_5 + \omega_3^3c_s^2\omega_5^2 + 2v_2^2\omega_3^3\omega_5^2 + 24c_s^2\omega_5^2 - 18\omega_3^3 + 30\omega_3^3c_s^2 - 24v_2^2\omega_3^3\omega_5 + 6\omega_3\omega_5^2 - 30\omega_3c_s^2\omega_5^2 + 36\omega_3^2 - \\
& 24\omega_3^3c_s^2\omega_5 + 2v_2^2\omega_3^2\omega_5^2 + 2\omega_3^2\omega_5^2 - 12v_2^2\omega_3\omega_5^2 - 2\omega_3^2c_s^2\omega_5^2 + 12\omega_3^3\omega_5 - 12v_2^2\omega_5^2 + 42v_2^2\omega_3^3 + 72\omega_3^2c_s^2\omega_5 - \omega_3^3\omega_5^2 + 60v_2^2\omega_3\omega_5 - 24\omega_3^2\omega_5 - 84v_2^2\omega_3^2
\end{aligned}$$

2.5 CLBM2

2.5.1 Definitions

Collision operator \mathbf{C} :

$$\mathbf{C}(\mathbf{f}) = \mathbf{K}^{-1}\mathbf{S}(\boldsymbol{\kappa}^{(eq)} - \mathbf{K}\mathbf{f}),$$

where

$$\mathbf{S} = \text{diag}(\omega_1, \omega_2, \omega_3, \omega_4, \omega_5),$$

$$\omega_1, \omega_2, \dots, \omega_5 \in (0, 2).$$

Matrix \mathbf{K} corresponds to the transformation matrix to the central moment basis defined by

$$\boldsymbol{\kappa} = \begin{pmatrix} k_{(0,0)} \\ k_{(1,0)} \\ k_{(0,1)} \\ k_{(2,0)} + k_{(0,2)} \\ k_{(2,0)} - k_{(0,2)} \end{pmatrix}.$$

The transformation matrix \mathbf{K} satisfies

$$\mathbf{K} = \begin{pmatrix} 1 & 1 & 1 & 1 & 1 \\ -v_1 & 1-v_1 & -v_1 & -v_1-1 & -v_1 \\ -v_2 & -v_2 & 1-v_2 & -v_2 & -v_2-1 \\ v_1^2+v_2^2 & v_1^2+v_2^2-2v_1+1 & v_1^2+v_2^2-2v_2+1 & v_1^2+v_2^2+2v_1+1 & v_1^2+v_2^2+2v_2+1 \\ v_1^2-v_2^2 & v_1^2-v_2^2-2v_1+1 & v_1^2-v_2^2+2v_2-1 & v_1^2-v_2^2+2v_1+1 & v_1^2-v_2^2-2v_2-1 \end{pmatrix}.$$

The equilibrium central moments are defined by

$$\boldsymbol{\kappa}^{(eq)} = \mathbf{K}\mathbf{M}^{-1}\boldsymbol{\mu}^{(eq)},$$

i.e.,

$$\boldsymbol{\kappa}^{(eq)} = (\rho, 0, 0, 2\rho c_s^2, 0)^T.$$

2.5.2 Conservation of mass equation

$$\begin{aligned}
& \frac{\partial \rho}{\partial t} + \frac{\delta_l v_1}{\delta_t} \frac{\partial \rho}{\partial x_1} + \frac{\delta_l \rho}{\delta_t} \frac{\partial v_1}{\partial x_1} + \frac{\delta_l v_2}{\delta_t} \frac{\partial \rho}{\partial x_2} + \frac{\delta_l \rho}{\delta_t} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_2) \frac{\delta_l}{2\omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + (-2 + \omega_2) \frac{\delta_l^2 v_1}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\
& (-2 + \omega_2) \frac{\delta_l^2 \rho}{2\delta_t \omega_2} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + (2 - \omega_3) \frac{\delta_l^2 v_2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{\delta_l^2 v_1}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2} + \\
& (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{\delta_l^2 \rho}{\omega_3 \delta_t \omega_2} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l}{2\omega_3} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{\delta_l^2 v_2}{\omega_3 \delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + (2 - \omega_2) \frac{\delta_l^2 v_1}{2\delta_t \omega_2} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + \\
& + (-2 + \omega_3) \frac{\delta_l^2 v_2}{2\omega_3 \delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2} + (-2 + \omega_3) \frac{\delta_l^2 \rho}{2\omega_3 \delta_t} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + (-2 + \omega_2) \frac{\delta_l \rho}{2\omega_2} \frac{\partial^2 v_1}{\partial t \partial x_1} + (-2 + \omega_2) \frac{\delta_l^2 c_s^2}{2\delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1^2} + \\
& (-2 + \omega_2) \frac{\delta_l^2 v_1 \rho}{2\delta_t \omega_2} \frac{\partial^2 v_1}{\partial x_1^2} + (-2 + \omega_3) \frac{\delta_l \rho}{2\omega_3} \frac{\partial^2 v_2}{\partial t \partial x_2} + (\omega_3 - \omega_3 \omega_2 + \omega_2) \frac{\delta_l^2 v_1 v_2}{\omega_3 \delta_t \omega_2} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} + (2 - \omega_3) \frac{\delta_l^2 v_2 \rho}{2\omega_3 \delta_t} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + \\
& (2 - \omega_2) \frac{\delta_l^2 v_1 \rho}{2\delta_t \omega_2} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + (-2 + \omega_3) \frac{\delta_l^2 c_s^2}{2\omega_3 \delta_t} \frac{\partial^2 \rho}{\partial x_2^2} + (-2 + \omega_3) \frac{\delta_l^2 v_2 \rho}{2\omega_3 \delta_t} \frac{\partial^2 v_2}{\partial x_2^2} + (12 + \omega_2^2 - 12\omega_2) \frac{\delta_l \delta_t \rho}{12\omega_2^2} \frac{\partial^3 v_1}{\partial t^2 \partial x_1} +
\end{aligned}$$

$$\begin{aligned}
& (12 + \omega_2^2 - 12\omega_2) \frac{\delta_l^2 v_1 \rho}{6\omega_2^2} \frac{\partial^3 v_1}{\partial t \partial x_1^2} + C_1 \frac{\delta_l^3 v_1}{6\delta_t \omega_4 \omega_2} \frac{\partial^3 \rho}{\partial x_1^3} + C_2 \frac{\delta_l^3 \rho}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_1}{\partial x_1^3} + (12 + \omega_3^2 - 12\omega_3) \frac{\delta_l \delta_t \rho}{12\omega_3^2} \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + \\
& (-2\omega_3^2 \omega_2 + 3\omega_3^2 - 6\omega_3 + 9\omega_3 \omega_2 - 6\omega_2) \frac{\delta_l^2 v_2 \rho}{6\omega_3^2 \omega_2} \frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2} + (-6\omega_3 + 3\omega_2^2 - 2\omega_3 \omega_2^2 + 9\omega_3 \omega_2 - 6\omega_2) \frac{\delta_l^2 v_1 \rho}{6\omega_3 \omega_2^2} \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + \\
& C_3 \frac{\delta_l^3 v_2}{2\omega_3^2 \delta_t \omega_4 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1^2 \partial x_2} + (-6\omega_3^2 \omega_2 + 6\omega_3^2 + \omega_3^2 \omega_2^2 + 6\omega_2^2 - 6\omega_3 \omega_2^2) \frac{\delta_l^3 v_1 v_2 \rho}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_1}{\partial x_1^2 \partial x_2} + \\
& (\omega_4 v_1^2 \omega_2^2 + 6c_s^2 \omega_2^2 - 12\omega_4 c_s^2 + 6\omega_4 v_1^2 \omega_2 - 12\omega_4 v_1^2 - 12c_s^2 \omega_2 + 18\omega_4 c_s^2 \omega_2 + 12v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 - 6v_1^2 \omega_2^2) \frac{\delta_l^3 \rho}{12\delta_t \omega_4 \omega_2^2} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} + \\
& + (12 + \omega_3^2 - 12\omega_3) \frac{\delta_l^2 v_2 \rho}{6\omega_3^2} \frac{\partial^3 v_2}{\partial t \partial x_2^2} + C_4 \frac{\delta_l^3 v_1}{2\omega_3^2 \delta_t \omega_5 \omega_2^2} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + \\
& (18\omega_3 c_s^2 \omega_5 + 12\omega_3 v_2^2 - 12c_s^2 \omega_5 + \omega_3^2 v_2^2 \omega_5 - 12\omega_3 c_s^2 + 6\omega_3^2 c_s^2 + 6\omega_3 v_2^2 \omega_5 - 6\omega_3^2 c_s^2 \omega_5 - 12v_2^2 \omega_5) \frac{\delta_l^3 \rho}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} + \\
& + (-6\omega_3^2 \omega_2 + 6\omega_3^2 + \omega_3^2 \omega_2^2 + 6\omega_2^2 - 6\omega_3 \omega_2^2) \frac{\delta_l^3 v_1 v_2 \rho}{6\omega_3^2 \delta_t \omega_2^2} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + C_5 \frac{\delta_l^3 v_2}{6\omega_3 \delta_t \omega_5} \frac{\partial^3 \rho}{\partial x_2^3} + C_6 \frac{\delta_l^3 \rho}{12\omega_3^2 \delta_t \omega_5} \frac{\partial^3 v_2}{\partial x_2^3} + \\
& (-2 - \omega_2^2 + 3\omega_2) \frac{\delta_l \delta_t^2 \rho}{2\omega_3^2} \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + (-2 - \omega_2^2 + 3\omega_2) \frac{3\delta_l^2 \delta_t v_1 \rho}{2\omega_3^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + C_7 \frac{\delta_l^3 \rho}{12\omega_4^2 \omega_3^2} \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_8 \frac{\delta_l^4}{24\delta_t \omega_4^2 \omega_3^3} \frac{\partial^4 \rho}{\partial x_1^4} + \\
& C_9 \frac{\delta_l^4 v_1 \rho}{12\delta_t \omega_4^2 \omega_3^2} \frac{\partial^4 v_1}{\partial x_1^4} + (-2 - \omega_3^2 + 3\omega_3) \frac{\delta_l \delta_t^2 \rho}{2\omega_3^2} \frac{\partial^4 v_2}{\partial t^3 \partial x_2} + \\
& (-6\omega_3^3 - \omega_3^3 \omega_2^2 - 24\omega_3^2 \omega_2 + 12\omega_3^2 + 13\omega_3^2 \omega_2^2 + 12\omega_2^2 + 7\omega_3^2 \omega_2 - 24\omega_3 \omega_2 + 12\omega_3 \omega_2) \frac{\delta_l^2 \delta_t v_2 \rho}{12\omega_3^2 \omega_2^2} \frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2} + \\
& (-24\omega_3^2 \omega_2 + 12\omega_3^2 + 13\omega_3^2 \omega_2^2 + 12\omega_2^2 - 6\omega_3^2 - \omega_3^2 \omega_2^3 + 7\omega_3 \omega_2^3 - 24\omega_3 \omega_2^2 + 12\omega_3 \omega_2) \frac{\delta_l^2 \delta_t v_1 \rho}{12\omega_3^2 \omega_2^3} \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + \\
& (-12\omega_3^3 - 7\omega_3^2 \omega_2^2 + \omega_3^2 \omega_2^3 + 6\omega_3^2 \omega_2^2 + 18\omega_3^2 \omega_2 - 6\omega_2^2 - 7\omega_3^2 \omega_2^3 + 12\omega_3 \omega_2^3 - 6\omega_3 \omega_2^2) \frac{\delta_l^3 v_1 v_2 \rho}{6\omega_3^2 \omega_2^3} \frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2} + \\
& C_{10} \frac{\delta_l^3 \rho}{12\omega_3 \omega_4^2 \omega_3^2} \frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2} + C_{11} \frac{\delta_l^4 v_1 v_2}{6\omega_3^2 \delta_t \omega_4^2 \omega_3^2} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_{12} \frac{\delta_l^4 v_2 \rho}{12\omega_3^2 \delta_t \omega_4^2 \omega_3^2} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + C_{13} \frac{\delta_l^4 v_1 \rho}{12\delta_t \omega_4^2 \omega_3^2} \frac{\partial^4 v_2}{\partial x_1^3 \partial x_2} + \\
& (-2 - \omega_3^2 + 3\omega_3) \frac{3\delta_l^2 \delta_t v_2 \rho}{2\omega_3^2} \frac{\partial^4 v_2}{\partial t \partial x_2^2} + C_{14} \frac{\delta_l^3 \rho}{12\omega_3^2 \omega_5^2 \omega_2} \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2} + \\
& (-6\omega_3^3 - 7\omega_3^2 \omega_2^2 - 6\omega_3^2 \omega_2 + \omega_3^2 \omega_2^3 + 6\omega_3^2 \omega_2^2 + 12\omega_3^2 \omega_2 - 12\omega_2^2 - 7\omega_3^2 \omega_2^3 + 18\omega_3 \omega_2^3) \frac{\delta_l^3 v_1 v_2 \rho}{6\omega_3^2 \omega_2^3} \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2} + \\
& C_{15} \frac{\delta_l^4}{4\omega_3^2 \delta_t \omega_4^2 \omega_5^2 \omega_3^2} \frac{\partial^4 \rho}{\partial x_2^2 \partial x_2^2} + C_{16} \frac{\delta_l^4 v_1 \rho}{12\omega_3^2 \delta_t \omega_5^2 \omega_3^2} \frac{\partial^4 v_1}{\partial x_2^2 \partial x_2^2} + C_{17} \frac{\delta_l^4 v_2 \rho}{12\omega_3^2 \delta_t \omega_4^2 \omega_3^2} \frac{\partial^4 v_2}{\partial x_2^2 \partial x_2^2} + C_{18} \frac{\delta_l^3 \rho}{12\omega_3^2 \omega_5^2} \frac{\partial^4 v_2}{\partial t \partial x_2^3} + \\
& C_{19} \frac{\delta_l^4 v_1 v_2}{6\omega_3^2 \delta_t \omega_5^2 \omega_2^3} \frac{\partial^4 \rho}{\partial x_1 \partial x_2^3} + C_{20} \frac{\delta_l^4 v_2 \rho}{12\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 v_1}{\partial x_1 \partial x_2^3} + C_{21} \frac{\delta_l^4 v_1 \rho}{12\omega_3^2 \delta_t \omega_5^2 \omega_3^2} \frac{\partial^4 v_2}{\partial x_1 \partial x_2^3} + C_{22} \frac{\delta_l^4}{24\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 \rho}{\partial x_2^4} + C_{23} \frac{\delta_l^4 v_2 \rho}{12\omega_3^2 \delta_t \omega_5^2} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

$$\begin{aligned}
C_1 &= 6 + 9\omega_4 c_s^2 - \omega_4 v_1^2 \omega_2 + 3\omega_4 v_1^2 + 9c_s^2 \omega_2 + \omega_4 \omega_2 - 3\omega_4 - 18c_s^2 - 3\omega_4 c_s^2 \omega_2 + 3v_1^2 \omega_2 - 6v_1^2 - 3\omega_2 \\
C_2 &= -5\omega_4 v_1^2 \omega_2^2 + 6c_s^2 \omega_2^2 - 12\omega_4 c_s^2 + 6\omega_4 v_1^2 \omega_2 + 12\omega_4 v_1^2 - 12c_s^2 \omega_2 - 6\omega_2^2 - 6\omega_4 \omega_2 + 18\omega_4 c_s^2 \omega_2 - 36v_1^2 \omega_2 - 3\omega_4 c_s^2 \omega_2^2 + 18v_1^2 \omega_2^2 + 2\omega_4 \omega_2^2 + 12\omega_2 \\
C_3 &= \omega_3 \omega_4 c_s^2 \omega_2^2 - 2\omega_3^2 \omega_4 v_1^2 \omega_2 + 2\omega_3^2 v_1^2 \omega_2 + 2\omega_4 v_1^2 \omega_2^2 - 2\omega_3 \omega_4 c_s^2 \omega_2 + \omega_3^2 \omega_4 v_1^2 \omega_2^2 - \omega_3^2 v_1^2 \omega_2^2 + 2\omega_3 \omega_4 v_1^2 \omega_2 - 2\omega_3^2 \omega_4 c_s^2 + \omega_3^2 c_s^2 \omega_2^2 - \\
& \omega_3^2 \omega_4 c_s^2 \omega_2^2 - 3\omega_3 \omega_4 v_1^2 \omega_2^2 - 2\omega_3^2 c_s^2 \omega_2 + 4\omega_3^2 \omega_4 c_s^2 \omega_2 \\
C_4 &= -\omega_3^2 c_s^2 \omega_5 \omega_2^2 - 3\omega_3^2 v_2^2 \omega_5 \omega_2 - \omega_3^2 v_2^2 \omega_2^2 - 2c_s^2 \omega_5 \omega_2^2 - 2\omega_3 c_s^2 \omega_2^2 + \omega_3^2 v_2^2 \omega_5 \omega_2^2 + \omega_3^2 c_s^2 \omega_5 \omega_2 + 2\omega_3^2 v_2^2 \omega_5 + \omega_3^2 c_s^2 \omega_2^2 + 4\omega_3 c_s^2 \omega_5 \omega_2^2 + \\
& 2\omega_3 v_2^2 \omega_5 \omega_2 - 2\omega_3 v_2^2 \omega_5 \omega_2^2 - 2\omega_3 c_s^2 \omega_5 \omega_2 + 2\omega_3 v_2^2 \omega_2^2 \\
C_5 &= 6 - 3\omega_3 c_s^2 \omega_5 + 3\omega_3 v_2^2 - 3\omega_3 + 9c_s^2 \omega_5 + 9\omega_3 c_s^2 - 18c_s^2 - \omega_3 v_2^2 \omega_5 - 6v_2^2 + 3v_2^2 \omega_5 - 3\omega_5 + \omega_3 \omega_5 \\
C_6 &= 18\omega_3 c_s^2 \omega_5 + 2\omega_3^2 \omega_5 - 36\omega_3 v_2^2 - 6\omega_3^2 + 12\omega_3 - 12c_s^2 \omega_5 - 5\omega_3^2 v_2^2 \omega_5 - 12\omega_3 c_s^2 + 6\omega_3^2 c_s^2 + 6\omega_3 v_2^2 \omega_5 + 18\omega_3^2 v_2^2 - 3\omega_3^2 c_s^2 \omega_5 + 12v_2^2 \omega_5 - 6\omega_3 \omega_5 \\
C_7 &= -11\omega_4^2 \omega_2^2 - 6c_s^2 \omega_2^3 + 27\omega_4 v_1^2 \omega_2^3 + 25\omega_4^2 c_s^2 \omega_2^2 - 2\omega_4^2 c_s^2 \omega_2^3 - 108\omega_4 v_1^2 \omega_2^2 + \omega_4^2 \omega_2^3 + 12c_s^2 \omega_2^2 + 72\omega_4 v_1^2 \omega_2^2 - 12\omega_2^2 + 12\omega_4^2 \omega_2 - 48\omega_4^2 c_s^2 \omega_2 + 6\omega_2^3 - \\
& 24\omega_4 \omega_2 + 18\omega_4^2 v_1^2 \omega_2 - 26\omega_4^2 v_1^2 \omega_2^2 - 36\omega_4 c_s^2 \omega_2^2 - 3\omega_4^2 v_1^2 \omega_2^3 + 36v_1^2 \omega_2^2 + 24\omega_4^2 c_s^2 - 9\omega_4 \omega_2^3 - 18v_1^2 \omega_2^3 + 36\omega_4 \omega_2^2 + 15\omega_4^2 v_1^2 \omega_2^2 + 9\omega_4 c_s^2 \omega_2^3 \\
C_8 &= 24\omega_4 c_s^4 \omega_2 + 24\omega_4^2 c_s^4 + 72\omega_4 c_s^2 v_1^2 \omega_2 + 30\omega_4 v_1^2 \omega_2^3 - 8\omega_4^2 c_s^2 \omega_2^2 + \omega_4^2 c_s^2 \omega_2^3 - 72\omega_4 v_1^2 \omega_2^2 - 72\omega_4 c_s^2 v_1^2 \omega_2^3 + 36v_1^4 \omega_2^3 - 12\omega_4^2 v_1^4 \omega_2^2 + 6\omega_4 c_s^4 \omega_2^3 + \\
& 12\omega_4^2 c_s^2 \omega_2^4 - 24\omega_4 c_s^4 \omega_2^2 + 3\omega_4^2 v_1^4 \omega_2^3 - 72v_1^4 \omega_2^2 + 144\omega_4 c_s^2 v_1^2 \omega_2^3 + 108c_s^2 v_1^2 \omega_2^3 - 36\omega_4^2 c_s^2 v_1^2 \omega_2^2 - 3\omega_4^2 c_s^2 \omega_2^3 + 72\omega_4 v_1^4 \omega_2^2 - 24\omega_4^2 c_s^2 \omega_2^2 - 216c_s^2 \omega_2^4 - \\
& 30\omega_4 v_1^4 \omega_2^3 + 24\omega_4^2 c_s^4 \omega_2^2 - 48\omega_4^2 c_s^2 \omega_2 + 6\omega_4^2 c_s^2 v_1^2 \omega_2^3 + 24\omega_4 c_s^2 \omega_2^2 - 3\omega_4^2 v_1^2 \omega_2^3 + 72v_1^2 \omega_2^2 - 12\omega_4^2 c_s^2 v_1^2 \omega_2^2 - 36v_1^2 \omega_2^3 + 12\omega_4^2 v_1^2 \omega_2^2 - 6\omega_4 c_s^2 \omega_2^3 \\
C_9 &= 2\omega_4^2 \omega_2^2 + 30c_s^2 \omega_2^3 - 24\omega_4 v_1^2 \omega_2^3 - 2\omega_4^2 c_s^2 \omega_2^2 + \omega_4^2 c_s^2 \omega_2^3 + 24\omega_4 v_1^2 \omega_2^2 - \omega_4^2 \omega_2^3 - 60c_s^2 \omega_2^2 + 60\omega_4 v_1^2 \omega_2 + 36\omega_2^2 + 6\omega_4^2 \omega_2^2 + 36\omega_2^2 \omega_2 - 30\omega_2^2 c_s^2 \omega_2 - 18\omega_2^3 - \\
& 12\omega_4 \omega_2 - 12\omega_4^2 v_1^2 \omega_2 - 12\omega_4^2 v_1^2 \omega_2^2 + 72\omega_4^2 c_s^2 \omega_2^2 + 2\omega_4^2 v_1^2 \omega_2^3 - 84v_1^2 \omega_2^2 + 24\omega_4^2 c_s^2 + 12\omega_4 \omega_2^3 + 42v_1^2 \omega_2^3 - 24\omega_4 \omega_2^2 + 2\omega_4^2 v_1^2 \omega_2^2 - 24\omega_4 c_s^2 \omega_2^3 \\
C_{10} &= \omega_3 \omega_4^2 v_1^2 \omega_2^3 - 30\omega_3 \omega_4 c_s^2 \omega_2^2 + 6\omega_4 v_1^2 \omega_2^3 - 18\omega_4^2 c_s^2 \omega_2^2 + 9\omega_3 \omega_4 c_s^2 \omega_2^3 + 8\omega_3 \omega_4 v_1^2 \omega_2^2 + 3\omega_4^2 c_s^2 \omega_2^3 - 12\omega_4 v_1^2 \omega_2^2 + 12\omega_3 c_s^2 \omega_2^2 - 36\omega_3 \omega_4^2 v_1^2 \omega_2 + 24\omega_3 \omega_4^2 v_1^2 \omega_2^2 + \\
& 12\omega_4^2 c_s^2 \omega_2 + 12\omega_3 \omega_4 c_s^2 \omega_2 - 6\omega_3^2 \omega_2^3 + 12\omega_4^2 v_1^2 \omega_2 - 12\omega_3 \omega_4 v_1^2 \omega_2 + 6\omega_3 v_1^2 \omega_2^3 + 12\omega_3 \omega_4^2 \omega_2^2 - 12\omega_3 v_1^2 \omega_2^2 - 30\omega_3 \omega_4^2 c_s^2 \omega_2 + 24\omega_3 \omega_4^2 v_1^2 \omega_2 + \\
& 22\omega_3 \omega_4^2 c_s^2 \omega_2^2 - 9\omega_3 \omega_4 v_1^2 \omega_2^3 + 12\omega_4 c_s^2 \omega_2^2 - \omega_4^2 v_1^2 \omega_2^3 + 30\omega_3 \omega_4 v_1^2 \omega_2^2 - 2\omega_3 \omega_4^2 c_s^2 \omega_2^3 - 6\omega_4^2 v_1^2 \omega_2^2 - 6\omega_4 c_s^2 \omega_2^3 \\
C_{11} &= 18\omega_3^3 c_s^2 \omega_2^3 + 7\omega_3^2 \omega_4^2 \omega_2^2 - 12\omega_3 \omega_4^2 v_1^2 \omega_2^3 + 6\omega_3^3 \omega_2^2 + 6\omega_3^2 \omega_4^2 c_s^2 \omega_2^3 + 12\omega_3^2 \omega_4^2 v_1^2 \omega_2^2 - 12\omega_3^2 \omega_4^2 c_s^2 \omega_2^2 - 3\omega_3^3 \omega_2^3 - 36\omega_3^3 c_s^2 \omega_2^2 - \omega_3^3 \omega_4^2 \omega_2^3 + \\
& 6\omega_3^2 \omega_4^2 v_1^2 \omega_2^2 - 36\omega_3^3 \omega_4^2 c_s^2 \omega_2^3 + 36\omega_3^3 \omega_4^2 c_s^2 \omega_2^2 + 6\omega_3^2 \omega_4^2 \omega_2^2 + 36\omega_3^2 \omega_4^2 c_s^2 \omega_2^2 - 24\omega_3^3 \omega_4^2 v_1^2 \omega_2^2 - 6\omega_3^3 \omega_4^2 \omega_2^2 - 3\omega_3^2 \omega_4 \omega_2^3 - 12\omega_3^2 \omega_4^2 c_s^2 \omega_2^3 - 24\omega_3^3 \omega_4^2 c_s^2 \omega_2^2
\end{aligned}$$

$$\begin{aligned}
& 12\omega_3^3\omega_4\omega_2 + \omega_3^2\omega_4^2\omega_2^3 + 6\omega_3^2\omega_4^2v_1^2\omega_2^3 - 24\omega_3^2\omega_4c_s^2\omega_2^2 + 12\omega_3^3\omega_4^2v_1^2\omega_2 + 12\omega_3^2\omega_4c_s^2\omega_2^3 - 6\omega_3^2\omega_4^2v_1^2\omega_2^2 - 3\omega_3^2\omega_4^2\omega_2^2 - 12\omega_3^3\omega_4^2c_s^2 + 12\omega_3^3v_1^2\omega_2^2 - \\
& 12\omega_3\omega_4^2c_s^2\omega_2^2 + 6\omega_3^3\omega_4\omega_2^3 + 6\omega_4^2v_1^2\omega_2^3 - 6\omega_3^2\omega_4^2v_1^2\omega_2^2 - 24\omega_3^3\omega_4c_s^2\omega_2^3 - 6\omega_3^2v_1^2\omega_2^3 - 21\omega_3^3\omega_4\omega_2^2 + 6\omega_3\omega_4^2c_s^2\omega_2^2 + 72\omega_3^3\omega_4c_s^2\omega_2^2 \\
C_{12} = & 6\omega_3^3c_s^2\omega_2^3 + 3\omega_3^3\omega_4^2\omega_2^2 - 18\omega_3\omega_4^2v_1^2\omega_2^3 + 4\omega_3^3\omega_4^2c_s^2\omega_2^3 - 12\omega_3^3\omega_4v_1^2\omega_2^2 - 24\omega_3^2\omega_4^2c_s^2\omega_2^2 - 12\omega_3^2c_s^2\omega_2^2 - \omega_3^2\omega_4^2\omega_2^3 - 32\omega_3^3\omega_4^2c_s^2\omega_2^2 + \\
36\omega_3^3\omega_4^2c_s^2\omega_2^2 + 12\omega_3^2\omega_4\omega_2^2 + 48\omega_3^2\omega_4^2c_s^2\omega_2^2 + 12\omega_3^2\omega_4v_1^2\omega_2^3 + 12\omega_3^3\omega_4^2v_1^2\omega_2^2 - 24\omega_3^2\omega_4v_1^2\omega_2^2 - 6\omega_3^2\omega_4\omega_2^3 - 12\omega_3^2\omega_4^2c_s^2\omega_2^3 - 12\omega_3^3\omega_4c_s^2\omega_2^2 + \\
2\omega_3^2\omega_4^2\omega_2^3 - 24\omega_3^2\omega_4c_s^2\omega_2^2 + 30\omega_3^3\omega_4^2v_1^2\omega_2^2 + 12\omega_3^2\omega_4c_s^2\omega_2^3 + 12\omega_3^2\omega_4^2v_1^2\omega_2^2 - 6\omega_3^2\omega_4^2\omega_2^2 - 24\omega_3^3\omega_4^2v_1^2\omega_2^2 - 12\omega_3^3\omega_4^2c_s^2\omega_2^3 + 12\omega_3^3v_1^2\omega_2^2 - 12\omega_3\omega_4^2c_s^2\omega_2^2 + \\
3\omega_3^3\omega_4\omega_2^3 + 12\omega_4^2v_1^2\omega_2^3 - 12\omega_3^3\omega_4^2v_1^2\omega_2^2 - 12\omega_3^3\omega_4c_s^2\omega_2^3 - 6\omega_3^2v_1^2\omega_2^3 - 6\omega_3^3\omega_4\omega_2^2 + 6\omega_3\omega_4^2c_s^2\omega_2^2 + 36\omega_3^3\omega_4c_s^2\omega_2^2 + 3\omega_3^3\omega_4^2v_1^2\omega_2^3 \\
C_{13} = & 11\omega_2^4\omega_2^2 + 30\omega_8^2\omega_3^3 - 6\omega_4v_1^2\omega_3^3 - 26\omega_4^2\omega_8^2\omega_2^2 + 4\omega_8^2c_s^2\omega_3^3 + 48\omega_4v_1^2\omega_2^2 - \omega_2^2\omega_3^3 - 60\omega_4^2\omega_2^2 - 60\omega_4v_1^2\omega_2 + 12\omega_2^2 - 12\omega_2^2\omega_2 + 18\omega_4^2c_s^2\omega_2 - \\
6\omega_2^3 + 24\omega_4\omega_2 + 12\omega_4^2v_1^2\omega_2 - 36\omega_4c_s^2\omega_2 + 12\omega_4^2v_1^2 + 96\omega_4c_s^2\omega_2 + \omega_4^2v_1^2\omega_3^3 + 12v_1^2\omega_2^2 + 9\omega_4\omega_2^3 - 6v_1^2\omega_3^3 - 36\omega_4\omega_2^2 - 14\omega_4^2v_1^2\omega_2^2 - 30\omega_4c_s^2\omega_2^3 \\
C_{14} = & -6\omega_3^2v_2^2\omega_5^2 - 30\omega_3c_s^2\omega_5^2\omega_2 + 3\omega_3^3c_s^2\omega_5^2 + 9\omega_3^3c_s^2\omega_5\omega_2 + 30\omega_3^2v_2^2\omega_5\omega_2 - 9\omega_3^3v_2^2\omega_5\omega_2 - 12\omega_3^2v_2^2\omega_2 - 36\omega_3v_2^2\omega_2^2\omega_2 - 6\omega_3^3c_s^2\omega_2 - 6\omega_3^3c_s^2\omega_5 + \\
12\omega_3c_s^2\omega_5^2 - 30\omega_3^3c_s^2\omega_5\omega_2 - 12\omega_3^2v_2^2\omega_5 + 24\omega_3^2\omega_5^2\omega_2 + 22\omega_3^2c_s^2\omega_5^2\omega_2 + \omega_3^3v_2^2\omega_5^2\omega_2 - 18\omega_3^2c_s^2\omega_5^2 - 12\omega_3v_2^2\omega_5\omega_2 - \omega_3^3v_2^2\omega_5^2 + 12\omega_3v_2^2\omega_5^2 \\
6\omega_3^3v_2^2\omega_5 + 8\omega_3^2v_2^2\omega_5^2\omega_2 + 12\omega_3^2c_s^2\omega_5 + 12\omega_3^2\omega_5^2\omega_2 + 12\omega_3c_s^2\omega_5\omega_2 + 6\omega_3^3v_2^2\omega_2 - 2\omega_3^3c_s^2\omega_5\omega_2 \\
C_{15} = & 4\omega_3\omega_4^2c_s^4\omega_5\omega_2^2 + 14\omega_3^2\omega_4^2v_1^2\omega_2^2\omega_5\omega_2^3 - 8\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 2\omega_3^3\omega_4^2v_1^2\omega_2^2\omega_5\omega_2^3 - 2\omega_3^3\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 3\omega_3^3\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - \\
4\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 + 4\omega_3^3\omega_4^2v_1^2\omega_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^4\omega_5\omega_2^3 + \omega_3^3\omega_4^2c_s^4\omega_5\omega_2^3 + \omega_3^3\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 2\omega_3^3\omega_4^2c_s^4\omega_5\omega_2^3 + 8\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 - \\
28\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4v_1^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 12\omega_3^2\omega_4^2v_1^2\omega_2^2\omega_5\omega_2^2 + 10\omega_3^3\omega_4c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + 4\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 - 4\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - \\
4\omega_3^3c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^4\omega_5\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 3\omega_3^3\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + 3\omega_3^3\omega_4^2v_1^2\omega_2^2\omega_5\omega_2^3 + \\
12\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 + 2\omega_3^2\omega_4c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 14\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + \\
10\omega_3^3\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 - 3\omega_3^3\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 3\omega_3^3\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 4\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + \\
4\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 4\omega_3^2\omega_4c_s^2v_1^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 + 14\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + \\
2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 10\omega_3^3\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 + 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 + 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + \omega_3^3\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 3\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 8\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 - \omega_3^3\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - \\
\omega_3^3\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 - 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + \\
4\omega_3^2\omega_4v_1^2v_2^2\omega_5\omega_2^2 - 10\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 + 10\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 + 4\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^3 - 14\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^2 - 2\omega_3^2\omega_4^2v_1^2v_2^2\omega_5\omega_2^3 - 2\omega_3^2\omega_4^2c_s^2v_1^2v_2^2\omega_5\omega_2^2 \\
C_{16} = & 6\omega_3^3c_s^2\omega_2^3 - 18\omega_3v_2^2\omega_2^2\omega_2^3 + 12\omega_3^2v_2^2\omega_2^2\omega_2^3 + 6\omega_3^2v_2^2\omega_5\omega_2^3 + 24\omega_3v_2^2\omega_2^2\omega_2^2 + 24\omega_3^2c_s^2\omega_5\omega_2^3 - 6\omega_3^2c_s^2\omega_5\omega_2^3 + 24\omega_3c_s^2\omega_5\omega_2^3 - 24\omega_3^2v_2^2\omega_5\omega_2^3 - \\
12c_s^2\omega_5\omega_2^3 - 6\omega_3^3c_s^2\omega_5\omega_2^3 + 22\omega_3^2v_2^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^3 + \omega_3^3c_s^2\omega_5\omega_2^3 - 30\omega_3v_2^2\omega_5\omega_2^3 - 6\omega_3^2v_2^2\omega_2^3 - 12\omega_3c_s^2\omega_5\omega_2^3 - 12\omega_3c_s^2\omega_2^3 - 48\omega_3^2\omega_2^2\omega_5\omega_2^2 + \\
12\omega_3^2v_2^2\omega_5\omega_2^3 - 14\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + 24\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 + 12\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^3 + 24\omega_3^2\omega_4^2c_s^2v_1^2\omega_2^2\omega_5\omega_2^2 + \\
C_{17} = & 6\omega_3^3c_s^2\omega_2^3 - 30\omega_3\omega_4^2v_1^2\omega_2^3 + \omega_3^3\omega_4^2c_s^2v_1^2\omega_2^3 - 24\omega_3^3\omega_4v_1^2\omega_2^2 - 12\omega_3^3c_s^2\omega_2^3 + 24\omega_3\omega_4^2v_1^2\omega_2^2 + 6\omega_3^3\omega_4v_1^2\omega_2^3 - 14\omega_3^3\omega_4^2c_s^2\omega_2^2 + 24\omega_3^3\omega_4^2c_s^2\omega_2^2 + \\
12\omega_3^2\omega_4^2c_s^2\omega_2^2 + 12\omega_3^2\omega_4v_1^2\omega_2^2 - 6\omega_3^2\omega_4^2c_s^2\omega_2^2 - 12\omega_3^2\omega_4c_s^2\omega_2^2 + 22\omega_3^2\omega_4^2v_1^2\omega_2^3 - 18\omega_3^2\omega_4^2v_1^2\omega_2^2 - 48\omega_3^2\omega_4^2v_1^2\omega_2^2 + 24\omega_3^2\omega_4^2v_1^2\omega_2^2 - 12\omega_3^2\omega_4^2c_s^2\omega_2^3 + \\
12\omega_3^2\omega_4^2v_1^2\omega_2^2 - 12\omega_3\omega_4^2c_s^2\omega_2^2 + 12\omega_4^2v_1^2\omega_2^2 + 22\omega_3^2\omega_4^2v_1^2\omega_2^2 - 6\omega_3^2\omega_4c_s^2\omega_2^2 - 6\omega_3^2v_1^2\omega_2^3 + 6\omega_3\omega_4^2c_s^2\omega_2^2 + 24\omega_3^2\omega_4^2c_s^2\omega_2^2 - 4\omega_3^2\omega_4^2v_1^2\omega_2^3 \\
C_{18} = & 6\omega_3^3 + 24\omega_2^2\omega_5^2 + 15\omega_2^2\omega_2^2\omega_5^2 - 2\omega_3^2\omega_5^2\omega_2^2 + 24\omega_3\omega_2^2\omega_5^2 + 36\omega_2^2\omega_5^2 - 12\omega_2^3 + \omega_3^2\omega_5^2 - 9\omega_3^2\omega_5 + 9\omega_3^2\omega_5\omega_2^2 - 48\omega_3\omega_2^2\omega_5^2 - 11\omega_2^2\omega_5^2 - 108\omega_3^2\omega_2^2\omega_5 + \\
12\omega_3\omega_2^2 - 18\omega_3^2v_2^2 + 12\omega_3^2c_s^2 + 25\omega_3^2\omega_2^2\omega_5^2 - 36v_2^2\omega_5^2 + 72\omega_3^2v_2^2\omega_5^2 - 3\omega_3^2v_2^2\omega_5^2 - 6\omega_3^2v_2^2 + 18\omega_3^2v_2^2\omega_5^2 + 36\omega_3^2\omega_2^2\omega_5^2 - 36\omega_3^2c_s^2\omega_5^2 - 24\omega_3\omega_2^2 \\
C_{19} = & 18\omega_3^3c_s^2\omega_2^3 - 24\omega_3^2c_s^2\omega_5\omega_2^2 + 12\omega_3^2v_2^2\omega_5\omega_2^3 + 6\omega_3^2\omega_5\omega_2^3 + 12\omega_3^2v_2^2\omega_2^3 - 3\omega_3^3\omega_2^3 + 72\omega_3^2c_s^2\omega_5\omega_2^3 - 24\omega_3^2c_s^2\omega_5\omega_2^3 + 36\omega_3^2c_s^2\omega_5\omega_2^3 + \\
7\omega_3^2\omega_5\omega_2^3 + 12\omega_3^2c_s^2\omega_5\omega_2^3 - 3\omega_3^2\omega_5\omega_2^3 + 12\omega_3^2\omega_5\omega_2^3 + 12\omega_3^2v_2^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^3 + 6\omega_3^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^3 - 6\omega_3^2v_2^2\omega_5\omega_2^3 - \\
6\omega_3^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^3 + 6\omega_3^2\omega_5\omega_2^3 - 12\omega_3^2v_2^2\omega_5\omega_2^3 - 6\omega_3^2v_2^2\omega_2^3 - 24\omega_3^2c_s^2\omega_5\omega_2^3 - 36\omega_3^2c_s^2\omega_5\omega_2^3 - 21\omega_3^2\omega_5\omega_2^3 - 6\omega_3^2v_2^2\omega_5\omega_2^3 + \\
6\omega_3^2v_2^2\omega_5\omega_2^3 + \omega_3^3\omega_5\omega_2^3 - 36\omega_3^2c_s^2\omega_5\omega_2^3 + 6\omega_3^2v_2^2\omega_5\omega_2^3 + 36\omega_3^2c_s^2\omega_5\omega_2^3 - \omega_3^3\omega_5\omega_2^3 - 24\omega_3^2v_2^2\omega_5\omega_2^3 + 6\omega_3^2c_s^2\omega_5\omega_2^3 \\
C_{20} = & -6\omega_3^3 - 14\omega_3^2v_2^2\omega_5^2 + 4\omega_3^2c_s^2\omega_5^2 - 36\omega_3c_s^2\omega_5^2 - 36\omega_3^2\omega_5^2 + 12\omega_3^2 - \omega_3^2\omega_5^2 + 9\omega_3^2\omega_5^2 - 30\omega_3^2c_s^2\omega_5^2 + 18\omega_3^2c_s^2\omega_5^2 + 11\omega_3^2\omega_5^2 + 48\omega_3^2v_2^2\omega_5^2 - \\
12\omega_3\omega_5^2 - 6\omega_3^2v_2^2 + 6\omega_3^2c_s^2\omega_5^2 + 12\omega_3^2v_2^2\omega_5^2 - 60\omega_3^2v_2^2\omega_5^2 + \omega_3^2v_2^2\omega_5^2 + 30\omega_3^2c_s^2\omega_5^2 + 12\omega_3^2v_2^2\omega_5^2 - 6\omega_3^2v_2^2\omega_5^2 + 12\omega_3^2v_2^2 + 96\omega_3^2c_s^2\omega_5^2 + 24\omega_3\omega_5^2 \\
C_{21} = & 6\omega_3^3c_s^2\omega_2^3 - 24\omega_3^2c_s^2\omega_5\omega_2^2 + 30\omega_3v_2^2\omega_5\omega_2^3 + 3\omega_3^3\omega_5\omega_2^3 + 12\omega_3^2v_2^2\omega_2^3 - 6\omega_3^2\omega_5\omega_2^2 + 36\omega_3^2c_s^2\omega_5\omega_2^3 + 12\omega_3^2v_2^2\omega_5\omega_2^2 - 12\omega_3^3c_s^2\omega_5\omega_2^3 + \\
36\omega_3c_s^2\omega_5\omega_2^3 - 24\omega_3^2v_2^2\omega_5\omega_2^2 + 3\omega_3^2\omega_5\omega_2^3 + 12\omega_3^2c_s^2\omega_5\omega_2^2 - 6\omega_3^2\omega_5\omega_2^2 - 12\omega_3^2v_2^2\omega_5\omega_2^3 - 24\omega_3^2c_s^2\omega_5\omega_2^2 - 12\omega_3^2c_s^2\omega_5\omega_2^2 - \\
12\omega_3^2v_2^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^2 + 12\omega_3^2\omega_5\omega_2^2 + 4\omega_3^2c_s^2\omega_5\omega_2^3 - 18\omega_3^2v_2^2\omega_5\omega_2^2 - 6\omega_3^2v_2^2\omega_2^3 - 12\omega_3c_s^2\omega_5\omega_2^3 - 12\omega_3^2c_s^2\omega_5\omega_2^2 + 12\omega_3^2v_2^2\omega_5\omega_2^2 + \\
12\omega_3^2v_2^2\omega_5\omega_2^3 + 2\omega_3^2c_s^2\omega_5\omega_2^2 - 32\omega_3^2c_s^2\omega_5\omega_2^3 + 4\omega_3^2c_s^2\omega_5\omega_2^2 - \omega_3^3\omega_5\omega_2^3 + 12\omega_3^2v_2^2\omega_5\omega_2^3 + 3\omega_3^2v_2^2\omega_5\omega_2^2 + 6\omega_3^2c_s^2\omega_5\omega_2^3 \\
C_{22} = & -36\omega_3^2c_s^2\omega_2^2\omega_5^2 - 216\omega_3^2c_s^2v_2^2 + 24\omega_3^2c_s^4\omega_5^2 + 12\omega_3^2v_2^2\omega_5^2 + \omega_3^3\omega_2^2\omega_5^2 - 24\omega_3^2c_s^2\omega_5^2 - 72\omega_3^2v_2^4 + 3\omega_3^2v_2^4\omega_5^2 + 36\omega_3^2v_2^4 - 6\omega_3^2c_s^2\omega_5^2 + 12\omega_3^2c_s^2\omega_5\omega_2^2 - \\
30\omega_3^2v_2^2\omega_5 + 72\omega_3^2c_s^2v_2^2\omega_5 - 24\omega_3^2c_s^4\omega_5 - 72\omega_3^2c_s^2v_2^2\omega_5 - 36\omega_3^2v_2^2 - 12\omega_3^2c_s^2v_2^2\omega_5^2 + 24\omega_3^2c_s^2\omega_5^2 - 8\omega_3^2c_s^2\omega_5^2 - 12\omega_3^2v_2^2\omega_5^2 + 108\omega_3^2c_s^2v_2^2 - \\
3\omega_3^2c_s^2\omega_5^2 + 24\omega_3^2c_s^4\omega_5 - 3\omega_3^2v_2^2\omega_5^2 + 6\omega_3^2c_s^4\omega_5 - 48\omega_3^2c_s^4\omega_5^2 + 30\omega_3^2v_2^2\omega_5 + 72\omega_3^2v_2^2\omega_5 + 24\omega_3^2c_s^2\omega_5 + 72\omega_3^2v_2^2\omega_5 + 144\omega_3^2c_s^2v_2^2\omega_5 + 6\omega_3^2c_s^2v_2^2\omega_5^2 \\
C_{23} = & -18\omega_3^3 + 24\omega_2^2\omega_5^2 + 2\omega_3^2v_2^2\omega_5^2 + \omega_3^2c_s^2\omega_5^2 - 12\omega_3^2c_s^2\omega_5^2 - 24\omega_3^2\omega_5^2 + 36\omega_2^2 - \omega_3^2\omega_5^2 + 12\omega_3^2\omega_5^2 - 24\omega_3^2c_s^2\omega_5^2 - 30\omega_3^2c_s^2\omega_5^2 + 2\omega_3^2\omega_5^2 + 24\omega_3^2v_2^2\omega_5^2 + \\
6\omega_3\omega_5^2 + 42\omega_3^2v_2^2 - 60\omega_3^2c_s^2\omega_5^2 - 2\omega_3^2c_s^2\omega_5^2 - 12\omega_2^2\omega_5^2 + 60\omega_3^2v_2^2\omega_5^2 + 2\omega_3^2v_2^2\omega_5^2 + 30\omega_3^2c_s^2\omega_5^2 - 12\omega_3^2v_2^2\omega_5^2 - 24\omega_3^2v_2^2\omega_5^2 - 84\omega_3^2v_2^2 + 72\omega_3^2c_s^2\omega_5^2 - 12\omega_3\omega_5^2
\end{aligned}$$

3 Comparison of SRT, MRT, and CLBM

3.1 Conservation of mass equation

$$\begin{aligned}
& \frac{\partial \rho}{\partial t} + v_1 \frac{\delta_t}{\delta t} \frac{\partial \rho}{\partial x_1} + \rho \frac{\delta_t}{\delta t} \frac{\partial v_1}{\partial x_2} + v_2 \frac{\delta_t}{\delta t} \frac{\partial \rho}{\partial x_2} + \rho \frac{\delta_t}{\delta t} \frac{\partial v_2}{\partial x_1} + C_{D_x\rho,D_tv_1}^{(0)} \delta_t \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t} + C_{D_x\rho,D_xv_1}^{(0)} \frac{\delta_t^2}{\delta t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1} + \\
& C_{D_xv_1,D_xv_1}^{(0)} \frac{\delta_t^2}{\delta t} \left(\frac{\partial v_1}{\partial x_1} \right)^2 + C_{D_x\rho,D_yv_1}^{(0)} \frac{\delta_t^2}{\delta t} \frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2} + C_{D_x\rho,D_yv_2}^{(0)} \frac{\delta_t^2}{\delta t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + C_{D_xv_1,D_yv_2}^{(0)} \frac{\delta_t^2}{\delta t} \frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2} +
\end{aligned}$$

$$\begin{aligned}
& C_{D_y \rho, D_t v_2}^{(0)} \delta_l \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t} + C_{D_y \rho, D_x v_1}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1} + C_{D_y \rho, D_x v_2}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1} + C_{D_y \rho, D_y v_2}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2} + \\
& C_{D_y v_2, D_y v_2}^{(0)} \frac{\delta_l^2}{\delta_t} \left(\frac{\partial v_2}{\partial x_2} \right)^2 + C_{D_t D_x v_1}^{(0)} \delta_l \frac{\partial^2 v_1}{\partial t \partial x_1} + C_{D_x^2 \rho}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 \rho}{\partial x_1^2} + C_{D_x^2 v_1}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 v_1}{\partial x_1^2} + C_{D_t D_y v_2}^{(0)} \delta_l \frac{\partial^2 v_2}{\partial t \partial x_2} + C_{D_x D_y \rho}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 \rho}{\partial x_1 \partial x_2} \\
& + C_{D_x D_y v_1}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 v_1}{\partial x_1 \partial x_2} + C_{D_x D_y v_2}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 v_2}{\partial x_1 \partial x_2} + C_{D_y^2 \rho}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 \rho}{\partial x_2^2} + C_{D_y^2 v_2}^{(0)} \frac{\delta_l^2}{\delta_t} \frac{\partial^2 v_2}{\partial x_2^2} + C_{D_t^2 D_x v_1}^{(0)} \delta_l \delta_t \frac{\partial^3 v_1}{\partial t^2 \partial x_1} + \\
& C_{D_t D_x^2 v_1}^{(0)} \delta_l^2 \frac{\partial^3 v_1}{\partial t \partial x_1^2} + C_{D_x^3 \rho}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 \rho}{\partial x_1^3} + C_{D_x^3 v_1}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_1}{\partial x_1^3} + C_{D_x^2 D_y v_2}^{(0)} \delta_l \delta_t \frac{\partial^3 v_2}{\partial t^2 \partial x_2} + C_{D_t D_x D_y v_1}^{(0)} \delta_l^2 \frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2} + \\
& C_{D_t D_x D_y v_2}^{(0)} \delta_l^2 \frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2} + C_{D_x^2 D_y \rho}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 \rho}{\partial x_1^2 \partial x_2} + C_{D_x^2 D_y v_1}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_1}{\partial x_1^2 \partial x_2} + C_{D_x^2 D_y v_2}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_2}{\partial x_1^2 \partial x_2} + C_{D_t D_y^2 v_2}^{(0)} \delta_l^2 \frac{\partial^3 v_2}{\partial t \partial x_2^2} + \\
& C_{D_x D_y^2 \rho}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 \rho}{\partial x_1 \partial x_2^2} + C_{D_x D_y^2 v_1}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_1}{\partial x_1 \partial x_2^2} + C_{D_x D_y^2 v_2}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_2}{\partial x_1 \partial x_2^2} + C_{D_y^3 \rho}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 \rho}{\partial x_2^3} + C_{D_y^3 v_2}^{(0)} \frac{\delta_l^3}{\delta_t} \frac{\partial^3 v_2}{\partial x_2^3} + \\
& C_{D_t^3 D_x v_1}^{(0)} \delta_l \delta_t^2 \frac{\partial^4 v_1}{\partial t^3 \partial x_1} + C_{D_t^2 D_x^2 v_1}^{(0)} \delta_l^2 \delta_t \frac{\partial^4 v_1}{\partial t^2 \partial x_1^2} + C_{D_t D_x^3 v_1}^{(0)} \delta_l^3 \frac{\partial^4 v_1}{\partial t \partial x_1^3} + C_{D_x^4 \rho}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 \rho}{\partial x_1^4} + C_{D_x^4 v_1}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_1}{\partial x_1^4} + \\
& C_{D_t^3 D_y v_2}^{(0)} \delta_l \delta_t^2 \frac{\partial^4 v_2}{\partial t^3 \partial x_2} + C_{D_t^2 D_x D_y v_1}^{(0)} \delta_l^2 \delta_t \frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2} + C_{D_t^2 D_x D_y v_2}^{(0)} \delta_l^2 \delta_t \frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2} + C_{D_t D_x^2 D_y v_1}^{(0)} \delta_l^3 \frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2} + \\
& C_{D_t D_x^2 D_y v_2}^{(0)} \delta_l^3 \frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2} + C_{D_x^3 D_y \rho}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 \rho}{\partial x_1^3 \partial x_2} + C_{D_x^3 D_y v_1}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_1}{\partial x_1^3 \partial x_2} + C_{D_x^3 D_y v_2}^{(0)} \delta_l^2 \delta_t \frac{\partial^4 v_2}{\partial t \partial x_1^3 \partial x_2} + C_{D_t^2 D_y^2 v_2}^{(0)} \delta_l^2 \delta_t \frac{\partial^4 v_2}{\partial t^2 \partial x_2^2} + \\
& C_{D_t D_x D_y^2 v_1}^{(0)} \delta_l^3 \frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2} + C_{D_t D_x D_y^2 v_2}^{(0)} \delta_l^3 \frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2} + C_{D_x^2 D_y^2 \rho}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 \rho}{\partial x_1^2 \partial x_2^2} + C_{D_x^2 D_y^2 v_1}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_1}{\partial x_1^2 \partial x_2^2} + C_{D_x^2 D_y^2 v_2}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2} + \\
& + C_{D_t D_y^3 v_2}^{(0)} \delta_l^3 \frac{\partial^4 v_2}{\partial t \partial x_3^2} + C_{D_x D_y^3 \rho}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 \rho}{\partial x_1 \partial x_3^2} + C_{D_x D_y^3 v_1}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_1}{\partial x_1 \partial x_3^2} + C_{D_x D_y^3 v_2}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_2}{\partial x_1 \partial x_3^2} + C_{D_y^4 \rho}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 \rho}{\partial x_2^4} + \\
& C_{D_y^4 v_2}^{(0)} \frac{\delta_l^4}{\delta_t} \frac{\partial^4 v_2}{\partial x_2^4} = 0,
\end{aligned}$$

where:

coefficient $C_{D_x \rho, D_t v_1}^{(0)}$ at $\frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial t}$:

$$C_{D_x \rho, D_t v_1}^{(0), \text{SRT}} = (-2 + \omega) \frac{1}{2\omega}$$

$$C_{D_x \rho, D_t v_1}^{(0), \text{MRT1}} = (-2 + \omega_2) \frac{1}{2\omega_2}$$

$$C_{D_x \rho, D_t v_1}^{(0), \text{MRT2}} = C_{D_x \rho, D_t v_1}^{(0), \text{MRT1}}$$

$$C_{D_x \rho, D_t v_1}^{(0), \text{CLBMM1}} = C_{D_x \rho, D_t v_1}^{(0), \text{MRT1}}$$

$$C_{D_x \rho, D_t v_1}^{(0), \text{CLBMM2}} = C_{D_x \rho, D_t v_1}^{(0), \text{MRT1}}$$

coefficient $C_{D_x \rho, D_x v_1}^{(0)}$ at $\frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_1}$:

$$C_{D_x \rho, D_x v_1}^{(0), \text{SRT}} = (-2 + \omega) \frac{v_1}{2\omega}$$

$$C_{D_x \rho, D_x v_1}^{(0), \text{MRT1}} = (-2 + \omega_2) \frac{v_1}{2\omega_2}$$

$$C_{D_x \rho, D_x v_1}^{(0), \text{MRT2}} = C_{D_x \rho, D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_x \rho, D_x v_1}^{(0), \text{CLBMM1}} = C_{D_x \rho, D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_x \rho, D_x v_1}^{(0), \text{CLBMM2}} = C_{D_x \rho, D_x v_1}^{(0), \text{MRT1}}$$

coefficient $C_{D_x v_1, D_x v_1}^{(0)}$ at $\left(\frac{\partial v_1}{\partial x_1}\right)^2$:

$$C_{D_x v_1, D_x v_1}^{(0), \text{SRT}} = (-2 + \omega) \frac{\rho}{2\omega}$$

$$C_{D_x v_1, D_x v_1}^{(0), \text{MRT1}} = (-2 + \omega_2) \frac{\rho}{2\omega_2}$$

$$C_{D_x v_1, D_x v_1}^{(0), \text{MRT2}} = C_{D_x v_1, D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_x v_1, D_x v_1}^{(0), \text{CLBMM1}} = C_{D_x v_1, D_x v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x v_1, \text{D}_x v_1}^{(0), \text{CLBM2}} = C_{\text{D}_x v_1, \text{D}_x v_1}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_x \rho, \text{D}_y v_1}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_1} \frac{\partial v_1}{\partial x_2}$:

$$C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{SRT}} = (2 - \omega) \frac{v_2}{2\omega}$$

$$C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{MRT1}} = (2 - \omega_3) \frac{v_2}{2\omega_3}$$

$$C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{MRT2}} = C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{CLBM1}} = C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{CLBM2}} = C_{\text{D}_x \rho, \text{D}_y v_1}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_x \rho, \text{D}_y v_2}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_1} \frac{\partial v_2}{\partial x_2}$:

$$C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{SRT}} = (2 - \omega) \frac{v_1}{\omega}$$

$$C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{MRT1}} = (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{v_1}{\omega_2 \omega_3}$$

$$C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{MRT2}} = C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{CLBM1}} = C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{CLBM2}} = C_{\text{D}_x \rho, \text{D}_y v_2}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_x v_1, \text{D}_y v_2}^{(0)}$ **at** $\frac{\partial v_1}{\partial x_1} \frac{\partial v_2}{\partial x_2}$:

$$C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{SRT}} = (2 - \omega) \frac{\rho}{\omega}$$

$$C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{MRT1}} = (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{\rho}{\omega_2 \omega_3}$$

$$C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{MRT2}} = C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{CLBM1}} = C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{CLBM2}} = C_{\text{D}_x v_1, \text{D}_y v_2}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_y \rho, \text{D}_t v_2}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial t}$:

$$C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{SRT}} = (-2 + \omega) \frac{1}{2\omega}$$

$$C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{MRT1}} = (-2 + \omega_3) \frac{1}{2\omega_3}$$

$$C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{MRT2}} = C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{CLBM1}} = C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{CLBM2}} = C_{\text{D}_y \rho, \text{D}_t v_2}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_y \rho, \text{D}_x v_1}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_2} \frac{\partial v_1}{\partial x_1}$:

$$C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{SRT}} = (2 - \omega) \frac{v_2}{\omega}$$

$$C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{MRT1}} = (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{v_2}{\omega_2 \omega_3}$$

$$C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{MRT2}} = C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{CLBM1}} = C_{\text{D}_y \rho, \text{D}_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_y \rho, D_x v_1}^{(0), CLBM2} = C_{D_y \rho, D_x v_1}^{(0), MRT1}$$

coefficient $C_{D_y \rho, D_x v_2}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_1}$:

$$C_{D_y \rho, D_x v_2}^{(0), SRT} = (2 - \omega) \frac{v_1}{2\omega}$$

$$C_{D_y \rho, D_x v_2}^{(0), MRT1} = (2 - \omega_2) \frac{v_1}{2\omega_2}$$

$$C_{D_y \rho, D_x v_2}^{(0), MRT2} = C_{D_y \rho, D_x v_2}^{(0), MRT1}$$

$$C_{D_y \rho, D_x v_2}^{(0), CLBM1} = C_{D_y \rho, D_x v_2}^{(0), MRT1}$$

$$C_{D_y \rho, D_x v_2}^{(0), CLBM2} = C_{D_y \rho, D_x v_2}^{(0), MRT1}$$

coefficient $C_{D_y \rho, D_y v_2}^{(0)}$ **at** $\frac{\partial \rho}{\partial x_2} \frac{\partial v_2}{\partial x_2}$:

$$C_{D_y \rho, D_y v_2}^{(0), SRT} = (-2 + \omega) \frac{v_2}{2\omega}$$

$$C_{D_y \rho, D_y v_2}^{(0), MRT1} = (-2 + \omega_3) \frac{v_2}{2\omega_3}$$

$$C_{D_y \rho, D_y v_2}^{(0), MRT2} = C_{D_y \rho, D_y v_2}^{(0), MRT1}$$

$$C_{D_y \rho, D_y v_2}^{(0), CLBM1} = C_{D_y \rho, D_y v_2}^{(0), MRT1}$$

$$C_{D_y \rho, D_y v_2}^{(0), CLBM2} = C_{D_y \rho, D_y v_2}^{(0), MRT1}$$

coefficient $C_{D_y v_2, D_y v_2}^{(0)}$ **at** $\left(\frac{\partial v_2}{\partial x_2}\right)^2$:

$$C_{D_y v_2, D_y v_2}^{(0), SRT} = (-2 + \omega) \frac{\rho}{2\omega}$$

$$C_{D_y v_2, D_y v_2}^{(0), MRT1} = (-2 + \omega_3) \frac{\rho}{2\omega_3}$$

$$C_{D_y v_2, D_y v_2}^{(0), MRT2} = C_{D_y v_2, D_y v_2}^{(0), MRT1}$$

$$C_{D_y v_2, D_y v_2}^{(0), CLBM1} = C_{D_y v_2, D_y v_2}^{(0), MRT1}$$

$$C_{D_y v_2, D_y v_2}^{(0), CLBM2} = C_{D_y v_2, D_y v_2}^{(0), MRT1}$$

coefficient $C_{D_t D_x v_1}^{(0)}$ **at** $\frac{\partial^2 v_1}{\partial t \partial x_1}$:

$$C_{D_t D_x v_1}^{(0), SRT} = (-2 + \omega) \frac{\rho}{2\omega}$$

$$C_{D_t D_x v_1}^{(0), MRT1} = (-2 + \omega_2) \frac{\rho}{2\omega_2}$$

$$C_{D_t D_x v_1}^{(0), MRT2} = C_{D_t D_x v_1}^{(0), MRT1}$$

$$C_{D_t D_x v_1}^{(0), CLBM1} = C_{D_t D_x v_1}^{(0), MRT1}$$

$$C_{D_t D_x v_1}^{(0), CLBM2} = C_{D_t D_x v_1}^{(0), MRT1}$$

coefficient $C_{D_x^2 \rho}^{(0)}$ **at** $\frac{\partial^2 \rho}{\partial x_1^2}$:

$$C_{D_x^2 \rho}^{(0), SRT} = (-2 + \omega) \frac{c_s^2}{2\omega}$$

$$C_{D_x^2 \rho}^{(0), MRT1} = (-2 + \omega_2) \frac{c_s^2}{2\omega_2}$$

$$C_{D_x^2 \rho}^{(0), MRT2} = C_{D_x^2 \rho}^{(0), MRT1}$$

$$C_{D_x^2 \rho}^{(0), CLBM1} = C_{D_x^2 \rho}^{(0), MRT1}$$

$$C_{D_x^2 \rho}^{(0), CLBM2} = C_{D_x^2 \rho}^{(0), MRT1}$$

coefficient $C_{D_x^2 v_1}^{(0)}$ **at** $\frac{\partial^2 v_1}{\partial x_1^2}$:

$$C_{D_x^2 v_1}^{(0), SRT} = (-2 + \omega) \frac{\rho v_1}{2\omega}$$

$$C_{D_x^2 v_1}^{(0), MRT1} = (-2 + \omega_2) \frac{\rho v_1}{2\omega_2}$$

$$C_{D_x^2 v_1}^{(0), MRT2} = C_{D_x^2 v_1}^{(0), MRT1}$$

$$C_{D_x^2 v_1}^{(0), CLBM1} = C_{D_x^2 v_1}^{(0), MRT1}$$

$$C_{D_x^2 v_1}^{(0), CLBM2} = C_{D_x^2 v_1}^{(0), MRT1}$$

coefficient $C_{D_t D_y v_2}^{(0)}$ **at** $\frac{\partial^2 v_2}{\partial t \partial x_2}$:

$$C_{D_t D_y v_2}^{(0), SRT} = (-2 + \omega) \frac{\rho}{2\omega}$$

$$C_{D_t D_y v_2}^{(0), MRT1} = (-2 + \omega_3) \frac{\rho}{2\omega_3}$$

$$C_{D_t D_y v_2}^{(0), MRT2} = C_{D_t D_y v_2}^{(0), MRT1}$$

$$C_{D_t D_y v_2}^{(0), CLBM1} = C_{D_t D_y v_2}^{(0), MRT1}$$

$$C_{D_t D_y v_2}^{(0), CLBM2} = C_{D_t D_y v_2}^{(0), MRT1}$$

coefficient $C_{D_x D_y \rho}^{(0)}$ **at** $\frac{\partial^2 \rho}{\partial x_1 \partial x_2}$:

$$C_{D_x D_y \rho}^{(0), SRT} = (2 - \omega) \frac{v_2 v_1}{\omega}$$

$$C_{D_x D_y \rho}^{(0), MRT1} = (-\omega_2 \omega_3 + \omega_2 + \omega_3) \frac{v_2 v_1}{\omega_2 \omega_3}$$

$$C_{D_x D_y \rho}^{(0), MRT2} = C_{D_x D_y \rho}^{(0), MRT1}$$

$$C_{D_x D_y \rho}^{(0), CLBM1} = C_{D_x D_y \rho}^{(0), MRT1}$$

$$C_{D_x D_y \rho}^{(0), CLBM2} = C_{D_x D_y \rho}^{(0), MRT1}$$

coefficient $C_{D_x D_y v_1}^{(0)}$ **at** $\frac{\partial^2 v_1}{\partial x_1 \partial x_2}$:

$$C_{D_x D_y v_1}^{(0), SRT} = (2 - \omega) \frac{v_2 \rho}{2\omega}$$

$$C_{D_x D_y v_1}^{(0), MRT1} = (2 - \omega_3) \frac{v_2 \rho}{2\omega_3}$$

$$C_{D_x D_y v_1}^{(0), MRT2} = C_{D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_x D_y v_1}^{(0), CLBM1} = C_{D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_x D_y v_1}^{(0), CLBM2} = C_{D_x D_y v_1}^{(0), MRT1}$$

coefficient $C_{D_x D_y v_2}^{(0)}$ **at** $\frac{\partial^2 v_2}{\partial x_1 \partial x_2}$:

$$C_{D_x D_y v_2}^{(0), SRT} = (2 - \omega) \frac{\rho v_1}{2\omega}$$

$$C_{D_x D_y v_2}^{(0), MRT1} = (2 - \omega_2) \frac{\rho v_1}{2\omega_2}$$

$$C_{D_x D_y v_2}^{(0), \text{MRT2}} = C_{D_x D_y v_2}^{(0), \text{MRT1}}$$

$$C_{D_x D_y v_2}^{(0), \text{CLBM1}} = C_{D_x D_y v_2}^{(0), \text{MRT1}}$$

$$C_{D_x D_y v_2}^{(0), \text{CLBM2}} = C_{D_x D_y v_2}^{(0), \text{MRT1}}$$

coefficient $C_{D_y^2 \rho}^{(0)}$ **at** $\frac{\partial^2 \rho}{\partial x_2^2}$:

$$C_{D_y^2 \rho}^{(0), \text{SRT}} = (-2 + \omega) \frac{c_s^2}{2\omega}$$

$$C_{D_y^2 \rho}^{(0), \text{MRT1}} = (-2 + \omega_3) \frac{c_s^2}{2\omega_3}$$

$$C_{D_y^2 \rho}^{(0), \text{MRT2}} = C_{D_y^2 \rho}^{(0), \text{MRT1}}$$

$$C_{D_y^2 \rho}^{(0), \text{CLBM1}} = C_{D_y^2 \rho}^{(0), \text{MRT1}}$$

$$C_{D_y^2 \rho}^{(0), \text{CLBM2}} = C_{D_y^2 \rho}^{(0), \text{MRT1}}$$

coefficient $C_{D_y^2 v_2}^{(0)}$ **at** $\frac{\partial^2 v_2}{\partial x_2^2}$:

$$C_{D_y^2 v_2}^{(0), \text{SRT}} = (-2 + \omega) \frac{v_2 \rho}{2\omega}$$

$$C_{D_y^2 v_2}^{(0), \text{MRT1}} = (-2 + \omega_3) \frac{v_2 \rho}{2\omega_3}$$

$$C_{D_y^2 v_2}^{(0), \text{MRT2}} = C_{D_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{D_y^2 v_2}^{(0), \text{CLBM1}} = C_{D_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{D_y^2 v_2}^{(0), \text{CLBM2}} = C_{D_y^2 v_2}^{(0), \text{MRT1}}$$

coefficient $C_{D_t^2 D_x v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial t^2 \partial x_1}$:

$$C_{D_t^2 D_x v_1}^{(0), \text{SRT}} = (12 - 12\omega + \omega^2) \frac{\rho}{12\omega^2}$$

$$C_{D_t^2 D_x v_1}^{(0), \text{MRT1}} = (12 - 12\omega_2 + \omega_2^2) \frac{\rho}{12\omega_2^2}$$

$$C_{D_t^2 D_x v_1}^{(0), \text{MRT2}} = C_{D_t^2 D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_t^2 D_x v_1}^{(0), \text{CLBM1}} = C_{D_t^2 D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_t^2 D_x v_1}^{(0), \text{CLBM2}} = C_{D_t^2 D_x v_1}^{(0), \text{MRT1}}$$

coefficient $C_{D_t D_x^2 v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial t \partial x_1^2}$:

$$C_{D_t D_x^2 v_1}^{(0), \text{SRT}} = (12 - 12\omega + \omega^2) \frac{\rho v_1}{6\omega^2}$$

$$C_{D_t D_x^2 v_1}^{(0), \text{MRT1}} = (12 - 6\omega_4 - 6\omega_2 + \omega_4 \omega_2) \frac{\rho v_1}{6\omega_4 \omega_2}$$

$$C_{D_t D_x^2 v_1}^{(0), \text{MRT2}} = C_{D_t D_x^2 v_1}^{(0), \text{MRT1}}$$

$$C_{D_t D_x^2 v_1}^{(0), \text{CLBM1}} = (12 - 12\omega_2 + \omega_2^2) \frac{\rho v_1}{6\omega_2^2}$$

$$C_{D_t D_x^2 v_1}^{(0), \text{CLBM2}} = C_{D_t D_x^2 v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{D_x^3 \rho}^{(0)}$ **at** $\frac{\partial^3 \rho}{\partial x_1^3}$:

$$C_{D_x^3 \rho}^{(0), SRT} = (6 - \omega^2 v_1^2 - 6\omega + \omega^2 - 3c_s^2 \omega^2 + 18c_s^2 \omega + 6\omega v_1^2 - 18c_s^2 - 6v_1^2) \frac{v_1}{6\omega^2}$$

$$C_{D_x^3 \rho}^{(0), MRT1} = (-6c_s^2 \omega_2 - \omega_4 \omega_2^2 v_1^2 - 6\omega_2 v_1^2 + 3c_s^2 \omega_2^2 + \omega_4 \omega_2^2 + 6\omega_2 + 15\omega_4 c_s^2 \omega_2 + 3\omega_2^2 v_1^2 - 3\omega_2^2 - 12\omega_4 c_s^2 + 3\omega_4 \omega_2 v_1^2 - 3\omega_4 c_s^2 \omega_2^2 - 3\omega_4 \omega_2) \frac{v_1}{6\omega_4 \omega_2^2}$$

$$C_{D_x^3 \rho}^{(0), MRT2} = C_{D_x^3 \rho}^{(0), MRT1}$$

$$C_{D_x^3 \rho}^{(0), CLBM1} = (6 + 9c_s^2 \omega_2 - 3\omega_4 + 3\omega_2 v_1^2 - 3\omega_2 - 3\omega_4 c_s^2 \omega_2 + 3\omega_4 v_1^2 + 9\omega_4 c_s^2 - \omega_4 \omega_2 v_1^2 - 18c_s^2 - 6v_1^2 + \omega_4 \omega_2) \frac{v_1}{6\omega_4 \omega_2}$$

$$C_{D_x^3 \rho}^{(0), CLBM2} = C_{D_x^3 \rho}^{(0), CLBM1}$$

coefficient $C_{D_x^3 v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial x_1^3}$:

$$C_{D_x^3 v_1}^{(0), SRT} = (12 - 5\omega^2 v_1^2 - 12\omega + 2\omega^2 - 3c_s^2 \omega^2 + 24c_s^2 \omega + 24\omega v_1^2 - 24c_s^2 - 24v_1^2) \frac{\rho}{12\omega^2}$$

$$C_{D_x^3 v_1}^{(0), MRT1} =$$

$$(-12c_s^2 \omega_2 - 5\omega_4 \omega_2^2 v_1^2 - 12\omega_2 v_1^2 + 6c_s^2 \omega_2^2 + 2\omega_4 \omega_2^2 + 12\omega_2 + 18\omega_4 c_s^2 \omega_2 + 6\omega_2^2 v_1^2 - 6\omega_2^2 - 12\omega_4 c_s^2 + 18\omega_4 \omega_2 v_1^2 - 3\omega_4 c_s^2 \omega_2^2 - 6\omega_4 \omega_2) \frac{\rho}{12\omega_4 \omega_2^2}$$

$$C_{D_x^3 v_1}^{(0), MRT2} = C_{D_x^3 v_1}^{(0), MRT1}$$

$$C_{D_x^3 v_1}^{(0), CLBM1} =$$

$$(-12c_s^2 \omega_2 - 5\omega_4 \omega_2^2 v_1^2 - 36\omega_2 v_1^2 + 6c_s^2 \omega_2^2 + 2\omega_4 \omega_2^2 + 12\omega_2 + 18\omega_4 c_s^2 \omega_2 + 18\omega_2^2 v_1^2 - 6\omega_2^2 + 12\omega_4 v_1^2 - 12\omega_4 c_s^2 + 6\omega_4 \omega_2 v_1^2 - 3\omega_4 c_s^2 \omega_2^2 - 6\omega_4 \omega_2) \frac{\rho}{12\omega_4 \omega_2^2}$$

$$C_{D_x^3 v_1}^{(0), CLBM2} = C_{D_x^3 v_1}^{(0), CLBM1}$$

coefficient $C_{D_t^2 D_y v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial t^2 \partial x_2}$:

$$C_{D_t^2 D_y v_2}^{(0), SRT} = (12 - 12\omega + \omega^2) \frac{\rho}{12\omega^2}$$

$$C_{D_t^2 D_y v_2}^{(0), MRT1} = (12 + \omega_3^2 - 12\omega_3) \frac{\rho}{12\omega_3^2}$$

$$C_{D_t^2 D_y v_2}^{(0), MRT2} = C_{D_t^2 D_y v_2}^{(0), MRT1}$$

$$C_{D_t^2 D_y v_2}^{(0), CLBM1} = C_{D_t^2 D_y v_2}^{(0), MRT1}$$

$$C_{D_t^2 D_y v_2}^{(0), CLBM2} = C_{D_t^2 D_y v_2}^{(0), MRT1}$$

coefficient $C_{D_t D_x D_y v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial t \partial x_1 \partial x_2}$:

$$C_{D_t D_x D_y v_1}^{(0), SRT} = (-6 + 6\omega - \omega^2) \frac{v_2 \rho}{3\omega^2}$$

$$C_{D_t D_x D_y v_1}^{(0), MRT1} = (3\omega_3^2 + 9\omega_2 \omega_3 - 6\omega_2 - 2\omega_2 \omega_3^2 - 6\omega_3) \frac{v_2 \rho}{6\omega_2 \omega_3^2}$$

$$C_{D_t D_x D_y v_1}^{(0), MRT2} = C_{D_t D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t D_x D_y v_1}^{(0), CLBM1} = C_{D_t D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t D_x D_y v_1}^{(0), CLBM2} = C_{D_t D_x D_y v_1}^{(0), MRT1}$$

coefficient $C_{D_t D_x D_y v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial t \partial x_1 \partial x_2}$:

$$C_{D_t D_x D_y v_2}^{(0), SRT} = (-6 + 6\omega - \omega^2) \frac{\rho v_1}{3\omega^2}$$

$$C_{D_t D_x D_y v_2}^{(0), MRT1} = (-2\omega_2^2 \omega_3 + 9\omega_2 \omega_3 - 6\omega_2 + 3\omega_2^2 - 6\omega_3) \frac{\rho v_1}{6\omega_2^2 \omega_3}$$

$$C_{D_t D_x D_y v_2}^{(0), \text{MRT2}} = C_{D_t D_x D_y v_2}^{(0), \text{MRT1}}$$

$$C_{D_t D_x D_y v_2}^{(0), \text{CLBM1}} = C_{D_t D_x D_y v_2}^{(0), \text{MRT1}}$$

$$C_{D_t D_x D_y v_2}^{(0), \text{CLBM2}} = C_{D_t D_x D_y v_2}^{(0), \text{MRT1}}$$

coefficient $C_{D_x^2 D_y \rho}^{(0)}$ **at** $\frac{\partial^3 \rho}{\partial x_1^2 \partial x_2}$:

$$C_{D_x^2 D_y \rho}^{(0), \text{SRT}} = (\omega^2 v_1^2 - c_s^2 \omega^2 + 6c_s^2 \omega - 6\omega v_1^2 - 6c_s^2 + 6v_1^2) \frac{v_2}{2\omega^2}$$

$$C_{D_x^2 D_y \rho}^{(0), \text{MRT1}} = (4\omega_4 v_1^2 \omega_3^2 - 2\omega_2 c_s^2 \omega_3^2 - 2\omega_2 v_1^2 \omega_3^2 + \omega_4 c_s^2 \omega_2^2 \omega_3 - 4\omega_4 \omega_2 v_1^2 \omega_3^2 + 2\omega_4 \omega_2^2 v_1^2 - \omega_4 c_s^2 \omega_2^2 \omega_3^2 + 2\omega_4 \omega_2 v_1^2 \omega_3 + c_s^2 \omega_2^2 \omega_3^2 - 3\omega_4 \omega_2^2 v_1^2 \omega_3 - 2c_s^2 \omega_2 \omega_3^2 + 4\omega_4 c_s^2 \omega_2 \omega_3^2 + \omega_2^2 v_1^2 \omega_3^2 - 2\omega_4 c_s^2 \omega_2 \omega_3 + \omega_4 \omega_2^2 v_1^2 \omega_3^2) \frac{v_2}{2\omega_4 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y \rho}^{(0), \text{MRT2}} = C_{D_x^2 D_y \rho}^{(0), \text{MRT1}}$$

$$C_{D_x^2 D_y \rho}^{(0), \text{CLBM1}} = (-2\omega_4 c_s^2 \omega_3^2 + 2\omega_2 v_1^2 \omega_3^2 + \omega_4 c_s^2 \omega_2^2 \omega_3 - 2\omega_4 \omega_2 v_1^2 \omega_3^2 + 2\omega_4 \omega_2^2 v_1^2 - \omega_4 c_s^2 \omega_2^2 \omega_3^2 + 2\omega_4 \omega_2 v_1^2 \omega_3 + c_s^2 \omega_2^2 \omega_3^2 - 3\omega_4 \omega_2^2 v_1^2 \omega_3 - 2c_s^2 \omega_2 \omega_3^2 + 4\omega_4 c_s^2 \omega_2 \omega_3^2 - \omega_2^2 v_1^2 \omega_3^2 - 2\omega_4 c_s^2 \omega_2 \omega_3 + \omega_4 \omega_2^2 v_1^2 \omega_3^2) \frac{v_2}{2\omega_4 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y \rho}^{(0), \text{CLBM2}} = C_{D_x^2 D_y \rho}^{(0), \text{CLBM1}}$$

coefficient $C_{D_x^2 D_y v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial x_1^2 \partial x_2}$:

$$C_{D_x^2 D_y v_1}^{(0), \text{SRT}} = (12 - 12\omega + \omega^2) \frac{v_2 \rho v_1}{6\omega^2}$$

$$C_{D_x^2 D_y v_1}^{(0), \text{MRT1}} = (\omega_2^2 \omega_3^2 + 6\omega_3^2 - 6\omega_2^2 \omega_3 + 6\omega_2^2 - 6\omega_2 \omega_3^2) \frac{v_2 \rho v_1}{6\omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y v_1}^{(0), \text{MRT2}} = C_{D_x^2 D_y v_1}^{(0), \text{MRT1}}$$

$$C_{D_x^2 D_y v_1}^{(0), \text{CLBM1}} = C_{D_x^2 D_y v_1}^{(0), \text{MRT1}}$$

$$C_{D_x^2 D_y v_1}^{(0), \text{CLBM2}} = C_{D_x^2 D_y v_1}^{(0), \text{MRT1}}$$

coefficient $C_{D_x^2 D_y v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial x_1^2 \partial x_2}$:

$$C_{D_x^2 D_y v_2}^{(0), \text{SRT}} = (\omega^2 v_1^2 - 3c_s^2 \omega^2 + 24c_s^2 \omega - 24c_s^2) \frac{\rho}{12\omega^2}$$

$$C_{D_x^2 D_y v_2}^{(0), \text{MRT1}} = (-12c_s^2 \omega_2 + \omega_4 \omega_2^2 v_1^2 - 12\omega_2 v_1^2 + 6c_s^2 \omega_2^2 + 18\omega_4 c_s^2 \omega_2 + 6\omega_2^2 v_1^2 + 12\omega_4 v_1^2 - 12\omega_4 c_s^2 - 6\omega_4 \omega_2 v_1^2 - 3\omega_4 c_s^2 \omega_2^2) \frac{\rho}{12\omega_4 \omega_2^2}$$

$$C_{D_x^2 D_y v_2}^{(0), \text{MRT2}} = C_{D_x^2 D_y v_2}^{(0), \text{MRT1}}$$

$$C_{D_x^2 D_y v_2}^{(0), \text{CLBM1}} = (-12c_s^2 \omega_2 + \omega_4 \omega_2^2 v_1^2 + 12\omega_2 v_1^2 + 6c_s^2 \omega_2^2 + 18\omega_4 c_s^2 \omega_2 - 6\omega_2^2 v_1^2 - 12\omega_4 v_1^2 - 12\omega_4 c_s^2 + 6\omega_4 \omega_2 v_1^2 - 3\omega_4 c_s^2 \omega_2^2) \frac{\rho}{12\omega_4 \omega_2^2}$$

$$C_{D_x^2 D_y v_2}^{(0), \text{CLBM2}} = C_{D_x^2 D_y v_2}^{(0), \text{CLBM1}}$$

coefficient $C_{D_t D_y^2 v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial t \partial x_2^2}$:

$$C_{D_t D_y^2 v_2}^{(0), \text{SRT}} = (12 - 12\omega + \omega^2) \frac{v_2 \rho}{6\omega^2}$$

$$C_{D_t D_y^2 v_2}^{(0), \text{MRT1}} = (12 - 6\omega_5 + \omega_5 \omega_3 - 6\omega_3) \frac{v_2 \rho}{6\omega_5 \omega_3}$$

$$C_{D_t D_y^2 v_2}^{(0), \text{MRT2}} = C_{D_t D_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{D_t D_y^2 v_2}^{(0), \text{CLBM1}} = (12 + \omega_3^2 - 12\omega_3) \frac{v_2 \rho}{6\omega_3^2}$$

$$C_{\text{D}_t \text{D}_y^2 v_2}^{(0), \text{CLBM2}} = C_{\text{D}_t \text{D}_y^2 v_2}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_x \text{D}_y^2 \rho}^{(0)}$ **at** $\frac{\partial^3 \rho}{\partial x_1 \partial x_2}$:

$$C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{SRT}} = (\omega^2 v_2^2 + 6v_2^2 - 6\omega v_2^2 - c_s^2 \omega^2 + 6c_s^2 \omega - 6c_s^2) \frac{v_1}{2\omega^2}$$

$$C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{MRT1}} = (-2c_s^2 \omega_2^2 \omega_3 + 2v_2^2 \omega_5 \omega_2 \omega_3 + c_s^2 \omega_5 \omega_2 \omega_3^2 - 2c_s^2 \omega_5 \omega_2^2 + 2v_2^2 \omega_5 \omega_3^2 - 3v_2^2 \omega_5 \omega_2 \omega_3 + c_s^2 \omega_2^2 \omega_3^2 - 2c_s^2 \omega_5 \omega_2 \omega_3 + 4v_2^2 \omega_5 \omega_2^2 + v_2^2 \omega_5 \omega_2^2 \omega_3^2 + 4c_s^2 \omega_5 \omega_2^2 \omega_3 - 2v_2^2 \omega_2^2 \omega_3 + v_2^2 \omega_2^2 \omega_3^2 - 4v_2^2 \omega_5 \omega_2^2 \omega_3 - c_s^2 \omega_5 \omega_2^2 \omega_3^2) \frac{v_1}{2\omega_5 \omega_2^2 \omega_3^2}$$

$$C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{MRT2}} = C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{CLBM1}} = (-2c_s^2 \omega_2^2 \omega_3 + 2v_2^2 \omega_5 \omega_2 \omega_3 + c_s^2 \omega_5 \omega_2 \omega_3^2 - 2c_s^2 \omega_5 \omega_2^2 + 2v_2^2 \omega_5 \omega_3^2 - 3v_2^2 \omega_5 \omega_2 \omega_3 + c_s^2 \omega_2^2 \omega_3^2 - 2c_s^2 \omega_5 \omega_2 \omega_3 + v_2^2 \omega_5 \omega_2^2 \omega_3^2 + 4c_s^2 \omega_5 \omega_2^2 \omega_3 + 2v_2^2 \omega_2^2 \omega_3 - v_2^2 \omega_2^2 \omega_3^2 - 2v_2^2 \omega_5 \omega_2^2 \omega_3 - c_s^2 \omega_5 \omega_2^2 \omega_3^2) \frac{v_1}{2\omega_5 \omega_2^2 \omega_3^2}$$

$$C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{CLBM2}} = C_{\text{D}_x \text{D}_y^2 \rho}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_x \text{D}_y^2 v_1}^{(0)}$ **at** $\frac{\partial^3 v_1}{\partial x_1 \partial x_2}$:

$$C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{SRT}} = (\omega^2 v_2^2 - 3c_s^2 \omega^2 + 24c_s^2 \omega - 24c_s^2) \frac{\rho}{12\omega^2}$$

$$C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{MRT1}} = (-6v_2^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 - 12v_2^2 \omega_3 + 6v_2^2 \omega_3^2 + v_2^2 \omega_5 \omega_3^2 + 6c_s^2 \omega_3^2 + 18c_s^2 \omega_5 \omega_3 - 3c_s^2 \omega_5 \omega_3^2 - 12c_s^2 \omega_3 + 12v_2^2 \omega_5) \frac{\rho}{12\omega_5 \omega_3^2}$$

$$C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{MRT2}} = C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{CLBM1}} = (6v_2^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 + 12v_2^2 \omega_3 - 6v_2^2 \omega_3^2 + v_2^2 \omega_5 \omega_3^2 + 6c_s^2 \omega_3^2 + 18c_s^2 \omega_5 \omega_3 - 3c_s^2 \omega_5 \omega_3^2 - 12c_s^2 \omega_3 - 12v_2^2 \omega_5) \frac{\rho}{12\omega_5 \omega_3^2}$$

$$C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{CLBM2}} = C_{\text{D}_x \text{D}_y^2 v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_x \text{D}_y^2 v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial x_1 \partial x_2}$:

$$C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{SRT}} = (12 - 12\omega + \omega^2) \frac{v_2 \rho v_1}{6\omega^2}$$

$$C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{MRT1}} = (\omega_2^2 \omega_3^2 + 6\omega_3^2 - 6\omega_2^2 \omega_3 + 6\omega_2^2 - 6\omega_2 \omega_3^2) \frac{v_2 \rho v_1}{6\omega_2^2 \omega_3^2}$$

$$C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{MRT2}} = C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{CLBM1}} = C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{CLBM2}} = C_{\text{D}_x \text{D}_y^2 v_2}^{(0), \text{MRT1}}$$

coefficient $C_{\text{D}_y^3 \rho}^{(0)}$ **at** $\frac{\partial^3 \rho}{\partial x_3^2}$:

$$C_{\text{D}_y^3 \rho}^{(0), \text{SRT}} = (6 - \omega^2 v_2^2 - 6\omega + \omega^2 - 6v_2^2 + 6\omega v_2^2 - 3c_s^2 \omega^2 + 18c_s^2 \omega - 18c_s^2) \frac{v_2}{6\omega^2}$$

$$C_{\text{D}_y^3 \rho}^{(0), \text{MRT1}} = (3v_2^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 - 6v_2^2 \omega_3 + 3v_2^2 \omega_3^2 - 3\omega_3^2 - v_2^2 \omega_5 \omega_3^2 + 3c_s^2 \omega_3^2 + 15c_s^2 \omega_5 \omega_3 + \omega_5 \omega_3^2 - 3\omega_5 \omega_3 - 3c_s^2 \omega_5 \omega_3^2 + 6\omega_3 - 6c_s^2 \omega_3) \frac{v_2}{6\omega_5 \omega_3^2}$$

$$C_{\text{D}_y^3 \rho}^{(0), \text{MRT2}} = C_{\text{D}_y^3 \rho}^{(0), \text{MRT1}}$$

$$C_{\text{D}_y^3 \rho}^{(0), \text{CLBM1}} = (6 - v_2^2 \omega_5 \omega_3 + 9c_s^2 \omega_5 + 3v_2^2 \omega_3 - 3\omega_5 - 6v_2^2 - 3c_s^2 \omega_5 \omega_3 + \omega_5 \omega_3 - 3\omega_3 + 9c_s^2 \omega_3 - 18c_s^2 + 3v_2^2 \omega_5) \frac{v_2}{6\omega_5 \omega_3}$$

$$C_{\text{D}_y^3 \rho}^{(0), \text{CLBM2}} = C_{\text{D}_y^3 \rho}^{(0), \text{CLBM1}}$$

coefficient $C_{D_y^3 v_2}^{(0)}$ **at** $\frac{\partial^3 v_2}{\partial x_2^3}$:

$$C_{D_y^3 v_2}^{(0), \text{SRT}} = (12 - 5\omega^2 v_2^2 - 12\omega + 2\omega^2 - 24v_2^2 + 24\omega v_2^2 - 3c_s^2 \omega^2 + 24c_s^2 \omega - 24c_s^2) \frac{\rho}{12\omega^2}$$

$C_{D_y^3 v_2}^{(0), \text{MRT1}} =$

$$(18v_2^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 - 12v_2^2 \omega_3 + 6v_2^2 \omega_3^2 - 6\omega_3^2 - 5v_2^2 \omega_5 \omega_3^2 + 6c_s^2 \omega_3^2 + 18c_s^2 \omega_5 \omega_3 + 2\omega_5 \omega_3^2 - 6\omega_5 \omega_3 - 3c_s^2 \omega_5 \omega_3^2 + 12\omega_3 - 12c_s^2 \omega_3 - 12v_2^2 \omega_5) \frac{\rho}{12\omega_5 \omega_3^2}$$

$$C_{D_y^3 v_2}^{(0), \text{MRT2}} = C_{D_y^3 v_2}^{(0), \text{MRT1}}$$

$C_{D_y^3 v_2}^{(0), \text{CLBM1}} =$

$$(6v_2^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 - 36v_2^2 \omega_3 + 18v_2^2 \omega_3^2 - 6\omega_3^2 - 5v_2^2 \omega_5 \omega_3^2 + 6c_s^2 \omega_3^2 + 18c_s^2 \omega_5 \omega_3 + 2\omega_5 \omega_3^2 - 6\omega_5 \omega_3 - 3c_s^2 \omega_5 \omega_3^2 + 12\omega_3 - 12c_s^2 \omega_3 + 12v_2^2 \omega_5) \frac{\rho}{12\omega_5 \omega_3^2}$$

$$C_{D_y^3 v_2}^{(0), \text{CLBM2}} = C_{D_y^3 v_2}^{(0), \text{CLBM1}}$$

coefficient $C_{D_t^3 D_x v_1}^{(0)}$ **at** $\frac{\partial^4 v_1}{\partial t^3 \partial x_1}$:

$$C_{D_t^3 D_x v_1}^{(0), \text{SRT}} = (-2 + 3\omega - \omega^2) \frac{\rho}{2\omega^3}$$

$$C_{D_t^3 D_x v_1}^{(0), \text{MRT1}} = (-2 + 3\omega_2 - \omega_2^2) \frac{\rho}{2\omega_2^3}$$

$$C_{D_t^3 D_x v_1}^{(0), \text{MRT2}} = C_{D_t^3 D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_t^3 D_x v_1}^{(0), \text{CLBM1}} = C_{D_t^3 D_x v_1}^{(0), \text{MRT1}}$$

$$C_{D_t^3 D_x v_1}^{(0), \text{CLBM2}} = C_{D_t^3 D_x v_1}^{(0), \text{MRT1}}$$

coefficient $C_{D_t^2 D_x^2 v_1}^{(0)}$ **at** $\frac{\partial^4 v_1}{\partial t^2 \partial x_1^2}$:

$$C_{D_t^2 D_x^2 v_1}^{(0), \text{SRT}} = (-2 + 3\omega - \omega^2) \frac{3\rho v_1}{2\omega^3}$$

$$C_{D_t^2 D_x^2 v_1}^{(0), \text{MRT1}} = (-\omega_4^2 \omega_2 - \omega_4^2 \omega_2^2 + 8\omega_4 \omega_2^2 + 2\omega_2^3 - 2\omega_4 \omega_2^3 - 4\omega_2^2 - 4\omega_4 \omega_2 + 2\omega_4^2) \frac{\rho v_1}{2\omega_4^2 \omega_2^3}$$

$$C_{D_t^2 D_x^2 v_1}^{(0), \text{MRT2}} = C_{D_t^2 D_x^2 v_1}^{(0), \text{MRT1}}$$

$$C_{D_t^2 D_x^2 v_1}^{(0), \text{CLBM1}} = (-2 + 3\omega_2 - \omega_2^2) \frac{3\rho v_1}{2\omega_2^3}$$

$$C_{D_t^2 D_x^2 v_1}^{(0), \text{CLBM2}} = C_{D_t^2 D_x^2 v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{D_t D_x^3 v_1}^{(0)}$ **at** $\frac{\partial^4 v_1}{\partial t \partial x_1^3}$:

$$C_{D_t D_x^3 v_1}^{(0), \text{SRT}} = (-36 + 42\omega^2 v_1^2 + \omega^3 - 3\omega^3 v_1^2 + 54\omega - 20\omega^2 - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 - 90c_s^2 \omega - 108\omega v_1^2 + 60c_s^2 + 72v_1^2) \frac{\rho}{12\omega^3}$$

$$C_{D_t D_x^3 v_1}^{(0), \text{MRT1}} = (-2\omega_4^2 c_s^2 \omega_2^3 + 12\omega_4^2 \omega_2 - 42\omega_4^2 \omega_2 v_1^2 + 24\omega_4^2 c_s^2 + 25\omega_4^2 c_s^2 \omega_2^2 + 12\omega_4^2 v_1^2 - 60\omega_4 \omega_2^2 v_1^2 + \omega_4^2 \omega_2^3 - 48\omega_4^2 c_s^2 \omega_2 - 6c_s^2 \omega_2^3 - 11\omega_4^2 \omega_2^2 + 15\omega_4 \omega_2^3 v_1 + 12\omega_4^2 \omega_2^2 + 36\omega_4 \omega_2^2 + 6\omega_2^3 + 24\omega_4 c_s^2 \omega_2 - 9\omega_4 \omega_2^3 - 3\omega_4^2 \omega_2^3 v_1^2 + 12\omega_2^2 v_1^2 - 12\omega_2^2 + 9\omega_4 c_s^2 \omega_2^3 + 48\omega_4 \omega_2 v_1^2 - 36\omega_4 c_s^2 \omega_2^2 + 27\omega_4^2 \omega_2^2 v_1^2 - 24\omega_4 \omega_2 - 6\omega_2^3 v_1^2) \frac{\rho}{12\omega_4^2 \omega_2^3}$$

$$C_{D_t D_x^3 v_1}^{(0), \text{MRT2}} = C_{D_t D_x^3 v_1}^{(0), \text{MRT1}}$$

$C_{D_t D_x^3 v_1}^{(0), \text{CLBM1}} =$

$$(-2\omega_4^2 c_s^2 \omega_2^3 + 12\omega_4^2 \omega_2 + 18\omega_4^2 \omega_2 v_1^2 + 24\omega_4^2 c_s^2 + 25\omega_4^2 c_s^2 \omega_2^2 - 36\omega_4^2 v_1^2 - 108\omega_4 \omega_2^2 v_1^2 + \omega_4^2 \omega_2^3 - 48\omega_4^2 c_s^2 \omega_2 - 6c_s^2 \omega_2^3 - 11\omega_4^2 \omega_2^2 + 27\omega_4 \omega_2^3 v_1^2 + 12c_s^2 \omega_2^2 + 36\omega_4 \omega_2^2 + 6\omega_2^3 + 24\omega_4 c_s^2 \omega_2 - 9\omega_4 \omega_2^3 - 3\omega_4^2 \omega_2^3 v_1^2 + 36\omega_2^2 v_1^2 - 12\omega_2^2 + 9\omega_4 c_s^2 \omega_2^3 + 72\omega_4 \omega_2 v_1^2 - 36\omega_4 c_s^2 \omega_2^2 + 15\omega_4^2 \omega_2^2 v_1^2 - 24\omega_4 \omega_2 - 18\omega_2^3 v_1^2) \frac{\rho}{12\omega_4^2 \omega_2^3}$$

$$C_{D_t D_x^3 v_1}^{(0), \text{CLBM2}} = C_{D_t D_x^3 v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{D_x^4 \rho}^{(0)}$ at $\frac{\partial^4 \rho}{\partial x_1^4}$:

$$C_{D_x^4 \rho}^{(0), SRT} = (108\omega v_1^4 + 6c_s^2\omega^3 v_1^2 + 30c_s^4\omega^2 + 48c_s^4 - 72v_1^4 + 42\omega^2 v_1^2 - 3c_s^4\omega^3 - 144c_s^2 v_1^2 - 84c_s^2\omega^2 v_1^2 - 3\omega^3 v_1^2 - 72c_s^4\omega + c_s^2\omega^3 + 216c_s^2\omega v_1^2 - 14c_s^2\omega^2 + 3\omega^3 v_1^4 + 36c_s^2\omega - 108\omega v_1^2 - 42\omega^2 v_1^4 - 24c_s^2 + 72v_1^2) \frac{1}{24\omega^3}$$

$$C_{D_x^4 \rho}^{(0), MRT1} = (\omega_4^2 c_s^2 \omega_3^2 - 48\omega_4 \omega_2 v_1^4 - 24\omega_4^2 \omega_2 v_1^2 - 24\omega_4 c_s^2 \omega_2 v_1^2 - 24\omega_4^2 \omega_2^2 v_1^4 + 12\omega_2^3 v_1^4 - 8\omega_4^2 c_s^2 \omega_2^2 + 24\omega_4 c_s^4 \omega_2 + 6\omega_4^2 c_s^2 \omega_2^3 v_1^2 - 72\omega_4 \omega_2^2 v_1^2 - 24\omega_4 c_s^4 \omega_2^2 + 12\omega_4^2 c_s^2 \omega_2^2 v_1^2 + 18\omega_4 \omega_3^2 v_1^2 - 72\omega_4^2 c_s^2 \omega_3^2 v_1^2 + 6\omega_4 c_s^4 \omega_3^2 + 3\omega_4^2 \omega_3^2 v_1^4 - 24\omega_2^2 v_1^4 + 156\omega_4^2 c_s^2 \omega_2 v_1^2 + 12c_s^2 \omega_3^2 v_1^2 + 24\omega_4^2 c_s^4 \omega_2^2 - 24\omega_4 c_s^2 \omega_2 - 12\omega_4 c_s^2 \omega_3^2 v_1^2 - 3\omega_4^2 c_s^4 \omega_3^2 - 3\omega_4^2 \omega_3^2 v_1^2 + 24\omega_2^2 v_1^2 - 18\omega_4 \omega_3^2 v_1^4 + 24\omega_4^2 \omega_2 v_1^4 - 6\omega_4 c_s^2 \omega_3^2 + 48\omega_4 \omega_2 v_1^2 - 24c_s^2 \omega_2^2 v_1^2 + 24\omega_4 c_s^2 \omega_2^2 + 72\omega_4 \omega_2^2 v_1^4 + 24\omega_4^2 c_s^2 \omega_2^2 v_1^2 - 12\omega_2^3 v_1^2 + 24\omega_4^2 c_s^4 \omega_2 + 48\omega_4 c_s^2 \omega_2^2 v_1^2) \frac{1}{24\omega_4^2 \omega_3^2}$$

$$C_{D_x^4 \rho}^{(0), MRT2} = C_{D_x^4 \rho}^{(0), MRT1}$$

$C_{D_x^4 \rho}^{(0), CLBM1}$ =

$$(\omega_4^2 c_s^2 \omega_3^2 + 72\omega_4 c_s^2 \omega_2 v_1^2 - 12\omega_4^2 \omega_2^2 v_1^4 + 36\omega_3^2 v_1^4 - 8\omega_4^2 c_s^2 \omega_2^2 + 24\omega_4 c_s^4 \omega_2 + 6\omega_4^2 c_s^2 \omega_3^2 v_1^2 - 72\omega_4 \omega_2^2 v_1^2 - 24\omega_4 c_s^4 \omega_2^2 + 12\omega_4^2 c_s^2 \omega_2 + 30\omega_4 \omega_3^2 v_1^2 - 12\omega_4^2 c_s^2 \omega_2^2 v_1^2 + 6\omega_4 c_s^4 \omega_3^2 + 3\omega_4^2 \omega_3^2 v_1^4 - 72\omega_2^2 v_1^4 - 36\omega_4^2 c_s^2 \omega_2 v_1^2 + 108\omega_4 c_s^2 \omega_3^2 v_1^2 + 24\omega_4^2 c_s^4 \omega_2^2 - 24\omega_4 c_s^2 \omega_2 - 72\omega_4 c_s^2 \omega_3^2 v_1^2 - 3\omega_4^2 c_s^4 \omega_3^2 - 3\omega_4^2 \omega_3^2 v_1^2 + 72\omega_2^2 v_1^4 - 30\omega_4 \omega_3^2 v_1^4 - 6\omega_4 c_s^2 \omega_3^2 - 216c_s^2 \omega_2^2 v_1^2 + 24\omega_4 c_s^2 \omega_2^2 + 72\omega_4 \omega_2^2 v_1^4 + 12\omega_4^2 \omega_2^2 v_1^2 - 36\omega_3^2 v_1^2 + 24\omega_4^2 c_s^4 - 48\omega_4^2 c_s^2 \omega_2 + 144\omega_4 c_s^2 \omega_2^2 v_1^2) \frac{1}{24\omega_4^2 \omega_3^2}$$

$$C_{D_x^4 \rho}^{(0), CLBM2} = C_{D_x^4 \rho}^{(0), CLBM1}$$

coefficient $C_{D_x^4 v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial x_1^4}$:

$$C_{D_x^4 v_1}^{(0), SRT} = (24 - 22\omega^2 v_1^2 - \omega^3 + 2\omega^3 v_1^2 - 36\omega + 14\omega^2 + c_s^2 \omega^3 - 26c_s^2 \omega^2 + 72c_s^2 \omega + 54\omega v_1^2 - 48c_s^2 - 36v_1^2) \frac{\rho v_1}{12\omega^3}$$

$$C_{D_x^4 v_1}^{(0), MRT1} = (\omega_4^2 c_s^2 \omega_3^2 - 6\omega_4^2 \omega_2 + 24\omega_4^2 \omega_2 v_1^2 - 24\omega_4^2 c_s^2 - 20\omega_4^2 c_s^2 \omega_2^2 - 12\omega_4^2 v_1^2 + 24\omega_4 \omega_2^2 v_1^2 - \omega_4^2 \omega_3^2 + 42\omega_4^2 c_s^2 \omega_2 + 6c_s^2 \omega_3^2 + 8\omega_4^2 \omega_2^2 - 6\omega_4 \omega_3^2 v_1^2 - 12\omega_4^2 \omega_2^2 - 6\omega_2^3 - 12\omega_4 c_s^2 \omega_2 + 6\omega_4 \omega_3^2 + 2\omega_4^2 \omega_2^3 v_1^2 - 12\omega_2^2 v_1^2 + 12\omega_2^2 - 6\omega_4 c_s^2 \omega_3^2 - 12\omega_4 \omega_2 v_1^2 + 24\omega_4 c_s^2 \omega_2^2 - 16\omega_4^2 \omega_2^2 v_1^2 + 12\omega_4 \omega_2 + 6\omega_2^3 v_1^2) \frac{\rho v_1}{12\omega_4^2 \omega_3^2}$$

$$C_{D_x^4 v_1}^{(0), MRT2} = C_{D_x^4 v_1}^{(0), MRT1}$$

$C_{D_x^4 v_1}^{(0), CLBM1}$ =

$$(\omega_4^2 c_s^2 \omega_3^2 + 6\omega_4^2 \omega_2 - 12\omega_4 \omega_2 v_1^2 + 24\omega_4^2 c_s^2 - 2\omega_4^2 c_s^2 \omega_2^2 - 12\omega_4^2 v_1^2 + 24\omega_4 \omega_2^2 v_1^2 - \omega_4^2 \omega_3^2 - 30\omega_4^2 c_s^2 \omega_2 + 30c_s^2 \omega_3^2 + 2\omega_4^2 \omega_2^2 - 24\omega_4 \omega_3^2 v_1^2 - 60c_s^2 \omega_2^2 - 24\omega_4 \omega_2^2 - 18\omega_2^3 - 12\omega_4 c_s^2 \omega_2 + 12\omega_4 \omega_3^2 + 2\omega_4^2 \omega_2^3 v_1^2 - 84\omega_2^2 v_1^2 + 36\omega_2^2 - 24\omega_4 c_s^2 \omega_3^2 + 60\omega_4 \omega_2 v_1^2 + 72\omega_4 c_s^2 \omega_2^2 + 2\omega_4^2 \omega_2^2 v_1^2 - 12\omega_4 \omega_2 + 42\omega_2^3 v_1^2) \frac{\rho v_1}{12\omega_4^2 \omega_3^2}$$

$$C_{D_x^4 v_1}^{(0), CLBM2} = C_{D_x^4 v_1}^{(0), CLBM1}$$

coefficient $C_{D_t^3 D_y v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial t^3 \partial x_2}$:

$$C_{D_t^3 D_y v_2}^{(0), SRT} = (-2 + 3\omega - \omega^2) \frac{\rho}{2\omega^3}$$

$$C_{D_t^3 D_y v_2}^{(0), MRT1} = (-2 - \omega_3^2 + 3\omega_3) \frac{\rho}{2\omega_3^3}$$

$$C_{D_t^3 D_y v_2}^{(0), MRT2} = C_{D_t^3 D_y v_2}^{(0), MRT1}$$

$$C_{D_t^3 D_y v_2}^{(0), CLBM1} = C_{D_t^3 D_y v_2}^{(0), MRT1}$$

$$C_{D_t^3 D_y v_2}^{(0), CLBM2} = C_{D_t^3 D_y v_2}^{(0), MRT1}$$

coefficient $C_{D_t^2 D_x D_y v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial t^2 \partial x_1 \partial x_2}$:

$$C_{D_t^2 D_x D_y v_1}^{(0), SRT} = (36 - \omega^3 - 54\omega + 20\omega^2) \frac{v_2 \rho}{12\omega^3}$$

$$C_{D_t^2 D_x D_y v_1}^{(0), MRT1} = (13\omega_2^2 \omega_3^2 - \omega_2^2 \omega_3^3 + 12\omega_3^2 - 24\omega_2^2 \omega_3 - 6\omega_3^3 + 12\omega_2 \omega_3 + 12\omega_2^2 + 7\omega_2 \omega_3^3 - 24\omega_2 \omega_3^2) \frac{v_2 \rho}{12\omega_2^2 \omega_3^3}$$

$$C_{D_t^2 D_x D_y v_1}^{(0), MRT2} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t^2 D_x D_y v_1}^{(0), CLBM1} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t^2 D_x D_y v_1}^{(0), CLBM2} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

coefficient $C_{D_t^2 D_x D_y v_2}^{(0)}$ **at** $\frac{\partial^4 v_2}{\partial t^2 \partial x_1 \partial x_2}$:

$$C_{D_t^2 D_x D_y v_2}^{(0), SRT} = (36 - \omega^3 - 54\omega + 20\omega^2) \frac{\rho v_1}{12\omega^3}$$

$$C_{D_t^2 D_x D_y v_2}^{(0), MRT1} = (13\omega_2^2\omega_3^2 + 7\omega_2^3\omega_3 + 12\omega_3^2 - \omega_2^3\omega_3^2 - 24\omega_2^2\omega_3 + 12\omega_2\omega_3 - 6\omega_2^3 + 12\omega_2^2 - 24\omega_2\omega_3^2) \frac{\rho v_1}{12\omega_2^3\omega_3^2}$$

$$C_{D_t^2 D_x D_y v_2}^{(0), MRT2} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t^2 D_x D_y v_2}^{(0), CLBM1} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

$$C_{D_t^2 D_x D_y v_2}^{(0), CLBM2} = C_{D_t^2 D_x D_y v_1}^{(0), MRT1}$$

coefficient $C_{D_t D_x^2 D_y v_1}^{(0)}$ **at** $\frac{\partial^4 v_1}{\partial t \partial x_1^2 \partial x_2}$:

$$C_{D_t D_x^2 D_y v_1}^{(0), SRT} = (-24 + \omega^3 + 36\omega - 14\omega^2) \frac{\rho v_1}{6\omega^3}$$

$$C_{D_t D_x^2 D_y v_1}^{(0), MRT1} = (12\omega_2^2\omega_3^2 - 6\omega_2^3\omega_3^2 - 12\omega_4\omega_3^3 - 6\omega_2^3\omega_3^2 + 24\omega_4\omega_2\omega_3^2 - 12\omega_4\omega_2\omega_3^2 + 3\omega_2^3\omega_3^2 + 12\omega_4\omega_2^2\omega_3^2 - 6\omega_4\omega_2^3 - 10\omega_4\omega_2^2\omega_3^2 + 12\omega_4\omega_2^3\omega_3^2 - 12\omega_4\omega_2^2\omega_3^2 + 12\omega_4\omega_2^3\omega_3^2 - 7\omega_4\omega_2^3\omega_3^2 + \omega_4\omega_2^3\omega_3^2 - 6\omega_4\omega_2^2\omega_3^2)$$

$$C_{D_t D_x^2 D_y v_1}^{(0), MRT2} = C_{D_t D_x^2 D_y v_1}^{(0), MRT1}$$

$$C_{D_t D_x^2 D_y v_1}^{(0), CLBM1} = (6\omega_2^2\omega_3^2 - 7\omega_2^3\omega_3^2 + 12\omega_2^3\omega_3^2 - 7\omega_2^3\omega_3^2 + \omega_2^3\omega_3^3 - 6\omega_2^2\omega_3^2 - 12\omega_3^3 - 6\omega_2^3 + 18\omega_2\omega_3^2) \frac{\rho v_1}{6\omega_2^3\omega_3^2}$$

$$C_{D_t D_x^2 D_y v_1}^{(0), CLBM2} = C_{D_t D_x^2 D_y v_1}^{(0), CLBM1}$$

coefficient $C_{D_t D_x^2 D_y v_2}^{(0)}$ **at** $\frac{\partial^4 v_2}{\partial t \partial x_1^2 \partial x_2}$:

$$C_{D_t D_x^2 D_y v_2}^{(0), SRT} = (-2\omega^2 v_1^2 + \omega^3 v_1^2 - 2c_s^2\omega^3 + 34c_s^2\omega^2 - 90c_s^2\omega + 60c_s^2) \frac{\rho}{12\omega^3}$$

$$C_{D_t D_x^2 D_y v_2}^{(0), MRT1} = (12c_s^2\omega_2^2\omega_3 - 6\omega_2^3v_1^2\omega_3 + 3\omega_4^2c_s^2\omega_2^3 - 10\omega_4^2\omega_2^2v_1^2\omega_3 - 12\omega_4^2\omega_2\omega_3^2 + 9\omega_4\omega_2^3v_1^2\omega_3 - 30\omega_4c_s^2\omega_2^2\omega_3 - 18\omega_4^2c_s^2\omega_2^2 + 12\omega_4\omega_2^2v_1^2 - 30\omega_4^2c_s^2\omega_2^2\omega_3 + 12\omega_4^2c_s^2\omega_2^2 + 12\omega_4\omega_2v_1^2\omega_3 - 6c_s^2\omega_2^3\omega_3 - 6\omega_4\omega_2^3v_1^2 + 9\omega_4c_s^2\omega_2^3\omega_3 - 30\omega_4\omega_2^2v_1^2\omega_3 - \omega_4^2\omega_2^3v_1^2 + 12\omega_2^2v_1^2\omega_3 + 12\omega_4^2c_s^2\omega_3 - 24\omega_4^2v_1^2\omega_3 + 22\omega_4^2c_s^2\omega_2^2\omega_3 + \omega_4^2\omega_2^3v_1^2\omega_3 + 12\omega_4c_s^2\omega_2\omega_3 + 36\omega_4^2\omega_2v_1^2\omega_3 - 6\omega_4c_s^2\omega_2^3 - 2\omega_4^2c_s^2\omega_2^3\omega_3 + 12\omega_4c_s^2\omega_2^2 + 6\omega_4^2\omega_2^2v_1^2) \frac{\rho}{12\omega_4^2\omega_2^3\omega_3}$$

$$C_{D_t D_x^2 D_y v_2}^{(0), MRT2} = C_{D_t D_x^2 D_y v_1}^{(0), MRT1}$$

$$C_{D_t D_x^2 D_y v_2}^{(0), CLBM1} = (12c_s^2\omega_2^2\omega_3 + 6\omega_2^3v_1^2\omega_3 + 3\omega_4^2c_s^2\omega_2^3 + 8\omega_4^2\omega_2^2v_1^2\omega_3 + 12\omega_4^2\omega_2\omega_3^2 - 9\omega_4\omega_2^3v_1^2\omega_3 - 30\omega_4c_s^2\omega_2^2\omega_3 - 18\omega_4^2c_s^2\omega_2^2 - 12\omega_4\omega_2^2v_1^2 - 30\omega_4^2c_s^2\omega_2^2\omega_3 + 12\omega_4^2c_s^2\omega_2^2 - 12\omega_4\omega_2v_1^2\omega_3 - 6c_s^2\omega_2^3\omega_3 + 6\omega_4\omega_2^3v_1^2 + 9\omega_4c_s^2\omega_2^3\omega_3 + 30\omega_4\omega_2^2v_1^2\omega_3 - \omega_4^2\omega_2^3v_1^2 - 12\omega_2^2v_1^2\omega_3 + 12\omega_4^2c_s^2\omega_3 + 24\omega_4^2v_1^2\omega_3 + 22\omega_4^2c_s^2\omega_2^2\omega_3 + \omega_4^2\omega_2^3v_1^2\omega_3 + 12\omega_4c_s^2\omega_2\omega_3 - 36\omega_4^2\omega_2v_1^2\omega_3 - 6\omega_4c_s^2\omega_2^3 - 2\omega_4^2c_s^2\omega_2^3\omega_3 + 12\omega_4c_s^2\omega_2^2 - 6\omega_4^2\omega_2^2v_1^2) \frac{\rho}{12\omega_4^2\omega_2^3\omega_3}$$

$$C_{D_t D_x^2 D_y v_2}^{(0), CLBM2} = C_{D_t D_x^2 D_y v_1}^{(0), CLBM1}$$

coefficient $C_{D_x^3 D_y \rho}^{(0)}$ **at** $\frac{\partial^4 \rho}{\partial x_1^3 \partial x_2}$:

$$C_{D_x^3 D_y \rho}^{(0), SRT} = (24 - \omega^3 - 36\omega + 14\omega^2 + 6c_s^2\omega^3 - 72c_s^2\omega^2 + 180c_s^2\omega - 120c_s^2) \frac{\rho v_1}{6\omega^3}$$

$$C_{D_x^3 D_y \rho}^{(0), MRT1} = (6c_s^2\omega_2^3\omega_3^2 + \omega_4^2\omega_2^3\omega_3^2 - 24\omega_4\omega_2v_1^2\omega_3^2 + 78\omega_4^2c_s^2\omega_2\omega_3^2 + 6\omega_4^2\omega_2^2v_1^2\omega_3 + 6\omega_4c_s^2\omega_2^3\omega_3^2 - 12\omega_4c_s^2\omega_2^3\omega_3^2 + 6\omega_2^2\omega_3^2 - 24\omega_4^2c_s^2\omega_2\omega_3^2 - \omega_4^2\omega_2^3\omega_3^3 - 12\omega_4c_s^2\omega_2^3\omega_3^2 + 6\omega_4\omega_2^3v_1^2\omega_3^2 + 6\omega_4^2\omega_2^2v_1^2\omega_3^2 - 3\omega_2^2\omega_2^2\omega_3^2 - 12c_s^2\omega_2^3\omega_3^2 + 6\omega_2^3v_1^2\omega_3^2 + 12\omega_4\omega_2\omega_3^2 - 3\omega_2^3\omega_3^3 + 7\omega_4^2\omega_2^2\omega_3^2 - 12\omega_4\omega_2^3v_1^2\omega_3^2 + 42\omega_4c_s^2\omega_2^3\omega_3^2 - 12\omega_4^2\omega_2^2v_1^2\omega_3^2 - 6\omega_4^2\omega_2^2v_1^2\omega_3^2 + 6\omega_4^2\omega_2^2v_1^2\omega_3^2 - 12\omega_4^2\omega_2^2v_1^2\omega_3^2 - 12\omega_4^2\omega_2^2v_1^2\omega_3^2 - 12\omega_4^2\omega_2^2v_1^2\omega_3^2 + 6\omega_4^2\omega_2^2v_1^2\omega_3^2 + 6\omega_4^2\omega_2^2v_1^2\omega_3^2 + 42\omega_4c_s^2\omega_2^3\omega_3^2 - 3\omega_4\omega_2^3\omega_3^2 + 42\omega_4\omega_2^2v_1^2\omega_3^2 + 6\omega_4\omega_2^3\omega_3^2 - 48\omega_4^2c_s^2\omega_2^3\omega_3^2 - 12\omega_4\omega_2^3v_1^2\omega_3^2 + 24\omega_4^2v_1^2\omega_3^2 + 6\omega_4^2c_s^2\omega_2^3\omega_3^2 - 36\omega_4^2c_s^2\omega_2^3\omega_3^2 - 12\omega_2^2v_1^2\omega_3^2) \frac{\rho v_1}{6\omega_4^2\omega_2^3\omega_3^2}$$

$$C_{\text{D}_x^3 \text{D}_y \rho}^{(0), \text{MRT2}} = C_{\text{D}_x^3 \text{D}_y \rho}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x^3 \text{D}_y \rho}^{(0), \text{CLBM1}} = (18c_s^2 \omega_2^3 \omega_3^3 + \omega_4^2 \omega_2^3 \omega_3^2 - 24\omega_4 \omega_2 v_1^2 \omega_3^3 + 36\omega_4^2 c_s^2 \omega_2 \omega_3^3 + 6\omega_4^2 \omega_2^2 v_1^2 \omega_3 + 12\omega_4 c_s^2 \omega_2^3 \omega_3^2 - 24\omega_4 c_s^2 \omega_2^3 \omega_3^3 + 6\omega_2^2 \omega_3^3 - 12\omega_4^2 \omega_s^2 \omega_2^2 - \omega_4^2 \omega_2^3 \omega_3^3 - 24\omega_4 c_s^2 \omega_2^2 \omega_3^2 - 6\omega_2^2 \omega_2^2 v_1^2 \omega_3^3 - 3\omega_4^2 \omega_2^2 \omega_3^2 - 36c_s^2 \omega_2^2 \omega_3^3 - 6\omega_2^3 v_1^2 \omega_3^3 + 12\omega_4 \omega_2 \omega_3^3 - 3\omega_3^3 \omega_3^3 + 7\omega_4^2 \omega_2^2 \omega_3^3 + 72\omega_4 c_s^2 \omega_2^2 \omega_3^3 - 6\omega_2^2 \omega_2^2 v_1^2 \omega_3^3 - 6\omega_4^2 \omega_2 \omega_3^3 + 6\omega_4 \omega_2^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_3^2 + 6\omega_4^2 \omega_2^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_3^2 + 6\omega_4^2 \omega_2^2 \omega_3^2 - 21\omega_4 \omega_2^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_3^2 + 6\omega_4^2 \omega_2^2 \omega_3^2 + 6\omega_4^2 \omega_2^2 \omega_3^2 - 36\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 - 36\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^3) \frac{v_2 \rho}{6\omega_4^2 \omega_2^3 \omega_3^3}$$

$$C_{\text{D}_x^3 \text{D}_y \rho}^{(0), \text{CLBM2}} = C_{\text{D}_x^3 \text{D}_y \rho}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_x^3 \text{D}_y v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial x_1^3 \partial x_2}$:

$$C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{SRT}} = (12 - 12\omega^2 v_1^2 - \omega^3 + 3\omega^3 v_1^2 - 18\omega + 8\omega^2 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 + 144c_s^2 \omega + 18\omega v_1^2 - 96c_s^2 - 12v_1^2) \frac{v_2 \rho}{12\omega^3}$$

$$C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{MRT1}} = (6c_s^2 \omega_2^3 \omega_3^3 + 2\omega_4^2 \omega_2^3 \omega_3^2 - 12\omega_4 \omega_2 v_1^2 \omega_3^3 + 36\omega_4^2 c_s^2 \omega_2 \omega_3^3 + 12\omega_4 c_s^2 \omega_2^3 \omega_3^2 - 12\omega_4 c_s^2 \omega_2^3 \omega_3^3 - 24\omega_4^2 c_s^2 \omega_2 \omega_3^2 - \omega_4^2 \omega_2^3 \omega_3^3 - 24\omega_4 c_s^2 \omega_2^2 \omega_3^2 + 12\omega_4 \omega_2^3 v_1^2 \omega_3^2 - 6\omega_4^2 \omega_2^2 \omega_3^2 - 12c_s^2 \omega_2^2 \omega_3^3 + 6\omega_2^2 v_1^2 \omega_3^3 + 3\omega_4^2 \omega_2^2 \omega_3^3 - 12\omega_4 \omega_2^2 v_1^2 \omega_3^3 + 36\omega_4 c_s^2 \omega_2^2 \omega_3^3 + 12\omega_4^2 \omega_2^2 v_1^2 \omega_3^2 + 12\omega_4 \omega_2^2 \omega_3^2 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^2 - 30\omega_4^2 \omega_2^2 v_1^2 \omega_3^2 - 12\omega_4 c_s^2 \omega_2 \omega_3^3 + 12\omega_4^2 \omega_2^3 v_1^2 + 4\omega_4^2 c_s^2 \omega_2^3 \omega_3^3 - 6\omega_4^2 \omega_2^2 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 18\omega_4^2 \omega_2^2 v_1^2 \omega_3 + 48\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 6\omega_4 \omega_2^3 \omega_3^2 + 36\omega_4 \omega_2^2 v_1^2 \omega_3^3 + 3\omega_4 \omega_2^3 \omega_3^2 - 32\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 3\omega_4^2 \omega_2^3 v_1^2 \omega_3^3 - 24\omega_4 \omega_2^2 v_1^2 \omega_3^2 + 24\omega_4^2 v_1^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2^3 \omega_3 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^3 - 12\omega_4^2 v_1^2 \omega_3^3) \frac{v_2 \rho}{12\omega_4^2 \omega_2^3 \omega_3^3}$$

$$C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{MRT2}} = C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{CLBM1}} = (6c_s^2 \omega_2^3 \omega_3^3 + 2\omega_4^2 \omega_2^3 \omega_3^2 + 12\omega_4 \omega_2 v_1^2 \omega_3^3 + 36\omega_4^2 c_s^2 \omega_2 \omega_3^3 + 12\omega_4 c_s^2 \omega_2^3 \omega_3^2 - 12\omega_4 c_s^2 \omega_2^3 \omega_3^3 - 24\omega_4^2 c_s^2 \omega_2 \omega_3^2 - \omega_4^2 \omega_2^3 \omega_3^3 - 24\omega_4 c_s^2 \omega_2^2 \omega_3^2 + 12\omega_4 \omega_2^3 v_1^2 \omega_3^2 - 12\omega_4^2 \omega_2^2 \omega_2^2 v_1^2 \omega_3^3 - 6\omega_4^2 \omega_2^2 \omega_3^2 - 12c_s^2 \omega_2^2 \omega_3^3 - 6\omega_2^3 v_1^2 \omega_3^3 + 3\omega_4^2 \omega_2^2 \omega_3^3 + 36\omega_4 c_s^2 \omega_2^2 \omega_3^3 + 12\omega_4^2 \omega_2^2 v_1^2 \omega_3^2 + 12\omega_4 \omega_2^2 \omega_3^2 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^2 + 30\omega_4^2 \omega_2^2 v_1^2 \omega_3^2 - 12\omega_4 c_s^2 \omega_2 \omega_3^3 + 12\omega_4^2 \omega_2^3 v_1^2 + 4\omega_4^2 c_s^2 \omega_2^3 \omega_3^3 - 6\omega_4 \omega_2^2 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 18\omega_4^2 \omega_2^2 v_1^2 \omega_3 + 48\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 6\omega_4 \omega_2^3 \omega_3^2 - 12\omega_4 \omega_2^2 v_1^2 \omega_3^3 + 3\omega_4 \omega_2^3 \omega_3^2 - 32\omega_4^2 c_s^2 \omega_2^2 \omega_3^3 + 3\omega_4^2 \omega_2^3 v_1^2 \omega_3^3 - 24\omega_4 \omega_2^2 v_1^2 \omega_3^2 - 24\omega_4^2 v_1^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2^3 \omega_3 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^3 + 12\omega_4^2 v_1^2 \omega_3^3) \frac{v_2 \rho}{12\omega_4^2 \omega_2^3 \omega_3^3}$$

$$C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{CLBM2}} = C_{\text{D}_x^3 \text{D}_y v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_x^3 \text{D}_y v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial x_1^3 \partial x_2}$:

$$C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{SRT}} = (36 - 20\omega^2 v_1^2 - \omega^3 + \omega^3 v_1^2 - 54\omega + 20\omega^2 + 4c_s^2 \omega^3 - 56c_s^2 \omega^2 + 144c_s^2 \omega + 54\omega v_1^2 - 96c_s^2 - 36v_1^2) \frac{\rho v_1}{12\omega^3}$$

$$C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{MRT1}} = (4\omega_4^2 c_s^2 \omega_2^3 - 12\omega_4^2 \omega_2 - 48\omega_4^2 c_s^2 - 44\omega_4^2 c_s^2 \omega_2^2 + 12\omega_4^2 v_1^2 + 48\omega_4 \omega_2^2 v_1^2 - \omega_4^2 \omega_2^3 + 90\omega_4^2 c_s^2 \omega_2 + 6c_s^2 \omega_2^3 + 11\omega_4^2 \omega_2^2 - 12\omega_4 \omega_2^3 v_1^2 - 12c_s^2 \omega_2^2 - 36\omega_4 \omega_2^2 - 6\omega_2^3 - 36\omega_4 c_s^2 \omega_2 + 9\omega_4 \omega_2^3 + \omega_4^2 \omega_2^3 v_1^2 - 12\omega_2^2 v_1^2 + 12\omega_2^2 - 12\omega_4 c_s^2 \omega_2^3 - 36\omega_4 \omega_2 v_1^2 + 48\omega_4 c_s^2 \omega_2^2 - 8\omega_4^2 \omega_2^2 v_1^2 + 24\omega_4 \omega_2 + 6\omega_2^3 v_1^2) \frac{\rho v_1}{12\omega_4^2 \omega_2^2}$$

$$C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{MRT2}} = C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{CLBM1}} = (4\omega_4^2 c_s^2 \omega_2^3 - 12\omega_4^2 \omega_2 + 12\omega_4^2 \omega_2 v_1^2 - 26\omega_4^2 c_s^2 \omega_2^2 + 12\omega_4^2 v_1^2 + 48\omega_4 \omega_2^2 v_1^2 - \omega_4^2 \omega_2^3 + 18\omega_4^2 c_s^2 \omega_2 + 30\omega_4^2 \omega_2^2 + 11\omega_4^2 \omega_2^2 - 6\omega_4 \omega_2^3 v_1^2 - 36\omega_4 \omega_2^2 - 6\omega_2^3 - 36\omega_4 c_s^2 \omega_2 + 9\omega_4 \omega_2^3 + \omega_4^2 \omega_2^3 v_1^2 + 12\omega_2^2 v_1^2 + 12\omega_2^2 - 30\omega_4 c_s^2 \omega_2^3 - 60\omega_4 \omega_2 v_1^2 + 96\omega_4 c_s^2 \omega_2^2 - 14\omega_4^2 \omega_2^2 v_1^2 + 24\omega_4 \omega_2 - 6\omega_2^3 v_1^2) \frac{\rho v_1}{12\omega_4^2 \omega_2^3}$$

$$C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{CLBM2}} = C_{\text{D}_x^3 \text{D}_y v_2}^{(0), \text{CLBM1}}$$

coefficient $C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial t^2 \partial x_1^2 \partial x_2^2}$:

$$C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0), \text{SRT}} = (-2 + 3\omega - \omega^2) \frac{3v_2 \rho}{2\omega^3}$$

$$C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0), \text{MRT1}} = (-\omega_5^2 \omega_3 - \omega_5^2 \omega_3^2 - 4\omega_3^2 + 2\omega_3^3 - 2\omega_5 \omega_3^3 + 2\omega_5^2 + 8\omega_5 \omega_3^2 - 4\omega_5 \omega_3) \frac{v_2 \rho}{2\omega_5^2 \omega_3^3}$$

$$C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0), \text{MRT2}} = C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{\text{D}_t^2 \text{D}_y^2 v_2}^{(0), \text{CLBM1}} = (-2 - \omega_3^2 + 3\omega_3) \frac{3v_2 \rho}{2\omega_3^3}$$

coefficient $C_{\text{D}_t^2 \text{D}_y^2 v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial t \partial x_1 \partial x_2^2}$:

$$C_{\frac{D}{Dt}Dx\frac{D^2}{Dy^2}v_1}^{(0),\text{SRT}} = (\omega^3 v_2^2 - 2\omega^2 v_2^2 - 2c_s^2 \omega^3 + 34c_s^2 \omega^2 - 90c_s^2 \omega + 60c_s^2) \frac{-\rho}{12\omega^3}$$

$$\begin{aligned} C_{\substack{\text{D}_1 \text{D}_2 \text{D}_3 \\ \text{v}_1}}^{(0), \text{MRT1}} = & (-6v_2^2 w_2 w_3^3 + 12v_2^2 w_5 w_2 w_3 - 30c_s^2 w_5 w_2 w_3^2 + 3c_s^2 w_5^2 w_3^3 - 24v_2^2 w_5^2 w_2 + 9c_s^2 w_5 w_2 w_3^3 + 12v_2^2 w_2 w_3^2 - 18c_s^2 w_5^2 w_3^2 - 6v_2^2 w_5 w_3^3 + \\ & 12c_s^2 w_5^2 w_3 + 9v_2^2 w_5 w_2 w_3^3 + 12v_2^2 w_5 w_3^2 - 30v_2^2 w_5 w_2 w_3^2 + 12c_s^2 w_5 w_2 w_3 + 6v_2^2 w_5^2 w_3^2 + 12c_s^2 w_2 w_3^2 + v_2^2 w_5^2 w_2 w_3^3 - v_2^2 w_5^2 w_3^3 + 12c_s^2 w_5^2 w_2 - \\ & 30c_s^2 w_5^2 w_2 w_3 - 10v_2^2 w_5^2 w_2 w_3^2 - 6c_s^2 w_2 w_3^3 + 22c_s^2 w_5^2 w_2 w_3^2 + 36v_2^2 w_5^2 w_2 w_3 + 12c_s^2 w_5 w_3^2 - 2c_s^2 w_5^2 w_2 w_3^2 - 12v_2^2 w_5^2 w_3 - 6c_s^2 w_5 w_3^3) \frac{\rho}{12w_2^2 w_5 w_3^3} \end{aligned}$$

$$C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_1}^{(0), \text{MRT2}} = C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_1}^{(0), \text{MRT1}}$$

$$C_{\substack{D^0 \\ D^0 \\ D^0 \\ v_1}}^{(0), \text{CLBM1}} = (6v_2^2 w_2 w_3^3 - 12v_2^2 w_5 w_2 w_3 - 30c_s^2 w_5 w_2 w_3^2 + 3c_s^2 w_5^2 w_3^3 + 24v_2^2 w_5^2 w_2 + 9c_s^2 w_5 w_2 w_3^3 - 12v_2^2 w_2 w_3^2 - 18c_s^2 w_5^2 w_3^2 + 6v_2^2 w_5 w_3^3 + 12c_s^2 w_5^2 w_3 - 9v_2^2 w_5 w_2 w_3^3 - 12v_2^2 w_5 w_3^2 + 30v_2^2 w_5 w_2 w_3^2 + 12c_s^2 w_5 w_2 w_3 - 6v_2^2 w_5^2 w_3^2 + 12c_s^2 w_5 w_2 w_3 + v_2^2 w_5^2 w_2 w_3^3 - v_2^2 w_5^2 w_3^3 + 12c_s^2 w_5^2 w_2 - 30c_s^2 w_5^2 w_2 w_3 + 8v_2^2 w_5^2 w_2 w_3^2 - 6c_s^2 w_2 w_3^3 + 22c_s^2 w_5^2 w_2 w_3^2 - 36v_2^2 w_5^2 w_2 w_3 + 12c_s^2 w_5 w_3^2 - 2c_s^2 w_5^2 w_2 w_3^3 + 12v_2^2 w_5^2 w_3 - 6c_s^2 w_5 w_3^3) \frac{\rho}{12w_5^2 w_2 w_3^3}$$

$$C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_1}^{(0), \text{CLBM2}} = C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_1}^{(0), \text{CLBM1}}$$

coefficient $C_{D_t D_x D_y^2 v_2}^{(0)}$ **at** $\frac{\partial^4 v_2}{\partial t \partial x_1 \partial x_2^2}$:

$$C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_2}^{(0), \text{SRT}} = (-24 + \omega^3 + 36\omega - 14\omega^2) \frac{v_2 \rho v_1}{6\omega^3}$$

$$C_{\substack{D_1^{(0)}, MRT1 \\ D_2 D_3 D_y^2 v_2}}^{(0), MRT1} = (12\omega_2^2\omega_3^2 + 12\omega_5\omega_2^2\omega_3^2 - 7\omega_5\omega_2^2\omega_3^3 + 24\omega_5\omega_2^3\omega_3 - 6\omega_2^2\omega_3^3 - 10\omega_5\omega_2^3\omega_3^2 - 6\omega_2^3\omega_3^2 - 12\omega_5\omega_2^3 + 3\omega_2^3\omega_3^3 + \omega_5\omega_2^3\omega_3^3 - 12\omega_5\omega_2^2\omega_3 - 6\omega_5\omega_3^3 + 12\omega_5\omega_2\omega_3^3 - 6\omega_5\omega_2\omega_3^2) \frac{\omega_2\rho v_1}{6\omega_5\omega_2^3\omega_3^3}$$

$$C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_2}^{(0), \text{MRT2}} = C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_2}^{(0), \text{MRT1}}$$

$$C_{D_1 D_2 D_3 D_4 v_1 v_2}^{(0), \text{CLBIM1}} = (6\omega_2^2\omega_3^2 - 7\omega_2^2\omega_3^3 + 18\omega_2^3\omega_3 - 7\omega_2^3\omega_3^2 + \omega_2^3\omega_3^3 - 6\omega_3^3 - 12\omega_2^3 + 12\omega_2\omega_3^3 - 6\omega_2\omega_3^2) \frac{v_2 v_1}{6\omega_3^3\omega_3^3}$$

$$C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_2}^{(0), \text{CLBM2}} = C_{\mathrm{D}_t \mathrm{D}_x \mathrm{D}_y^2 v_2}^{(0), \text{CLBM1}}$$

coefficient $C_{D_x^2 D_y^2 \rho}^{(0)}$ at $\frac{\partial^4 \rho}{\partial x_1^2 \partial x_2^2}$:

$$\begin{aligned} C_{\substack{\text{D}_x^2 \text{D}_y^2 \\ \rho}}^{(0), \text{SRT}} = & (c_s^2 \omega^3 v_1^2 + 10 c_s^4 \omega^2 + 16 c_s^4 - 14 c_s^2 \omega^2 v_2^2 - c_s^4 \omega^3 - 3 \omega^3 v_2^2 v_1^2 - 24 c_s^2 v_1^2 - 84 \omega v_2^2 v_1^2 - 14 c_s^2 \omega^2 v_1^2 - 24 c_s^2 v_2^2 - 24 c_s^4 \omega + c_s^2 \omega^3 v_2^2 + \\ & 34 \omega^2 v_2^2 v_1^2 + 36 c_s^2 \omega v_1^2 + 36 c_s^2 \omega v_2^2 + 56 v_2^2 v_1^2) \frac{1}{4 \omega^3} \end{aligned}$$

$$\begin{aligned}
C_{D_2^2 D_2^2 y}^{(0), \text{MRT1}} = & (w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 + 4 w_4 c_s^2 w_5^2 w_2^2 v_1^2 w_3 - 3 w_4^2 v_2^2 w_2^2 w_3^2 v_1^2 w_3^3 - 8 w_4^2 c_s^2 v_2^2 w_2^2 w_3^2 w_3 - 4 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^2 - 4 w_4 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + \\
& 4 w_4^2 c_4^2 w_5 w_2^2 w_3^2 - 2 w_4^2 c_4^2 w_5^2 w_2 w_3^3 - 4 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3 - 4 w_4 v_2^2 w_5^2 w_2 v_1^2 w_3^3 + 20 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 + 2 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^2 - 4 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 - \\
& 2 w_4 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 + 4 w_4^2 c_s^2 w_5^2 w_2^2 w_3^2 - 4 w_4^2 c_s^2 w_5 w_2^2 v_1^2 w_3^3 - 4 w_4^2 c_4^2 w_5 w_2^2 w_3^2 - 2 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + 10 w_4^2 c_s^2 w_5 w_2^2 v_1^2 w_3^2 - 2 w_4^2 c_4^2 w_5 w_2^2 w_3^2 + \\
& 2 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 - 4 w_4^2 c_4^2 w_5^2 w_2^2 v_1^2 w_3^3 + 2 w_4 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 + 20 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 - 8 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 - 38 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 - 4 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 + \\
& 4 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 - 3 w_4 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 - 3 w_4 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 - 3 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + 12 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + \\
& 38 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 + 4 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^3 + 4 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 + 20 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 - 4 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 - 2 w_4^2 c_s^2 w_5 w_2^2 w_3^2 + w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + \\
& 4 w_4 c_4^2 w_5^2 w_3^2 w_3^3 - 3 w_2^2 v_2^2 w_5 w_3^2 v_1^2 w_3^3 - 36 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 - 4 w_4^2 v_2^2 c_s^2 v_1^2 w_3^2 + 10 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 - 4 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 - w_4^2 c_4^2 w_5^2 w_3^2 w_3^3 - 8 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^2 + \\
& 4 w_4^2 c_s^2 w_5^2 w_2^2 w_3 + 10 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 + 2 w_4^2 v_2^2 w_5^2 v_1^2 w_3^2 + 20 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 - 4 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 - 2 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 - 2 w_4^2 c_s^2 w_5^2 w_3^2 w_3^3 + 4 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + \\
& 10 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 - 2 w_4 c_s^2 w_5^2 w_2^2 w_3^3 - 4 w_4^2 v_2^2 w_5 w_3^2 v_1^2 w_3 + w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 + 2 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 - 8 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + 2 w_4^2 c_2^2 w_5 w_2^2 v_1^2 w_3^2 + \\
& 10 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 + 20 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 - 4 w_4 c_s^2 v_2^2 w_5^2 w_2^2 w_3^3 - 12 w_4^2 c_s^2 w_5^2 w_2^2 w_3^2 - 2 w_4^2 c_s^2 v_2^2 w_5 w_3^2 w_3^2 - 4 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^2 + 2 c_s^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 + 2 w_2^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 + \\
& 20 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3 + 4 w_4 c_s^2 w_5^2 w_2^2 w_3^2 + 4 w_4^2 c_s^2 w_5^2 w_2^2 w_3^3 - 2 w_4^2 c_s^2 w_5^2 w_2^2 w_3^2 - 4 w_4 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 + w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^2 - 4 w_4^2 c_s^2 w_5 w_2^2 v_1^2 w_3^2) \frac{1}{4 w_2^2 w_5^2 w_3^2 w_3^3}
\end{aligned}$$

$$C_{\mathrm{D}_x^2 \mathrm{D}_y^2 \rho}^{(0), \text{MRT2}} = C_{\mathrm{D}_x^2 \mathrm{D}_y^2 \rho}^{(0), \text{MRT1}}$$

$$\begin{aligned}
C^{(0), \text{CLBM1}} = & (w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 w_3^3 - 4 w_4 c_s^2 w_5^2 w_2^2 v_1^2 w_3^2 - 3 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 + 4 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^2 - 4 w_4 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + 4 w_4^2 c_s^4 w_5 w_2^2 w_3^2 - \\
& 2 w_4^2 c_s^4 w_5^2 w_2^2 w_3^3 - 4 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3 + 4 w_4 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 + 14 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 - 2 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^3 - 2 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + 2 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 + 4 w_4^2 c_s^4 w_5^2 w_2^2 w_3^2 - \\
& 4 w_4^2 c_s^2 w_5 w_2^2 v_1^2 w_3 - 4 w_4^2 c_s^2 v_2^2 w_5^2 w_3^3 - 2 w_4^2 c_s^4 w_5 w_2^2 w_3^3 + 10 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 - 2 w_4^2 c_s^4 w_5 w_2^2 w_3^2 + 2 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 - 2 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 - \\
& 14 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^2 + 12 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 - 8 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 - 14 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3 + 4 w_4^2 c_s^2 w_5^2 w_3^2 v_1^2 w_3^3 + 3 w_4^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 - 3 w_4^2 c_s^2 v_2^2 w_5^2 w_3^2 v_1^2 w_3^3 - \\
& 3 w_4^2 c_s^2 w_5 w_2^2 v_1^2 w_3^3 + w_4^2 c_s^2 w_5^2 w_2^2 w_3^3 + 8 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^2 + 8 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 - 14 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 + 4 w_4^2 c_s^2 w_5^2 w_2^2 w_3^2 + 4 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 - 4 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^2 + \\
& 2 w_4^2 c_s^2 v_2^2 w_5 w_2^2 w_3^3 - w_4 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 + w_4 c_s^4 w_5^2 w_2^2 w_3^3 + 3 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^3 - 28 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^2 + 4 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 + 10 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3 - 4 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3 - \\
& w_4^2 c_s^4 w_5^2 w_2^2 w_3^3 + 4 w_4^2 c_s^4 w_5 w_2^2 w_3^3 - 10 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3^2 - 2 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 + 14 w_4^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 - 4 c_s^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 + 2 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^2 - 2 w_4^2 c_s^4 w_5^2 w_2^2 w_3^3 - \\
& 4 w_4^2 c_s^2 v_2^2 w_5 w_2^2 w_3^3 + 10 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 w_3^3 - 2 w_4 c_s^4 w_5^2 w_2^2 w_3^3 + 4 w_4^2 v_2^2 w_5 w_2^2 v_1^2 w_3 - w_4^2 c_s^2 v_2^2 w_5 w_2^2 w_3^3 + 2 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 - 8 w_4^2 c_s^2 v_2^2 w_5^2 w_2^2 v_1^2 w_3^3 + 2 w_4^2 c_s^2 w_5^2 w_2^2 v_1^2 w_3^3 -
\end{aligned}$$

$$10\omega_4 v_2^2 \omega_5^2 \omega_5^2 v_1^2 \omega_3^3 + 4\omega_4^2 v_2^2 \omega_5^2 \omega_5^2 v_2^2 - 4\omega_4 c_s^2 v_2^2 \omega_5^2 \omega_2 \omega_3^3 - 12\omega_4^2 c_s^4 \omega_5^2 \omega_5^2 \omega_2^2 \omega_3^2 + 2\omega_4^2 c_s^2 v_2^2 \omega_5 \omega_5 \omega_2^2 \omega_3^2 - 4\omega_4^2 c_s^2 \omega_5^2 \omega_2^2 \omega_3^2 + 2c_s^2 v_2^2 \omega_5^2 \omega_2^2 \omega_3^2 - 2v_2^2 \omega_5^2 \omega_2^2 v_1^2 \omega_3^3 + 12\omega_4^2 v_2^2 \omega_5^2 \omega_2^2 v_1^2 \omega_3 + 4\omega_4 c_s^4 \omega_5^2 \omega_2^2 \omega_3^2 + 4\omega_4^2 c_s^4 \omega_5^2 \omega_2^2 \omega_3^2 - 2\omega_4^2 c_s^4 \omega_5^2 \omega_2^2 \omega_3^2 + 4\omega_4 v_2^2 \omega_5^2 \omega_2^2 v_1^2 \omega_3^2 + \omega_4^2 c_s^2 \omega_5^2 \omega_2^2 v_1^2 \omega_3^2 - 4\omega_4^2 c_s^2 \omega_5 \omega_2^2 v_1^2 \omega_3^2) \frac{1}{4\omega_4^2 \omega_5^2 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y^2 \rho}^{(0), CLBM2} = C_{D_x^2 D_y^2 \rho}^{(0), CLBM1}$$

coefficient $C_{D_x^2 D_y^2 v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial x_1^2 \partial x_2^2}$:

$$C_{D_x^2 D_y^2 v_1}^{(0), SRT} = (-4\omega^3 v_2^2 + 50\omega^2 v_2^2 + c_s^2 \omega^3 + 84v_2^2 - 126\omega v_2^2 - 26c_s^2 \omega^2 + 72c_s^2 \omega - 48c_s^2) \frac{\rho v_1}{12\omega^3}$$

$$C_{D_x^2 D_y^2 v_1}^{(0), MRT1} = (6c_s^2 \omega_5^2 \omega_3^3 + 34v_2^2 \omega_5^2 \omega_3^2 + 24c_s^2 \omega_5^2 \omega_3^2 \omega_3 - 6c_s^2 \omega_5^2 \omega_2^2 \omega_3^3 + 12c_s^2 \omega_5^2 \omega_2^2 \omega_3^2 - 4v_2^2 \omega_5^2 \omega_2^2 \omega_3^3 - 12c_s^2 \omega_5^2 \omega_2^2 \omega_3^2 + 24v_2^2 \omega_5^2 \omega_2^2 \omega_3 + 48v_2^2 \omega_5^2 \omega_2^3 + c_s^2 \omega_5^2 \omega_3^2 - 48v_2^2 \omega_5^2 \omega_2^2 \omega_3^2 + 22v_2^2 \omega_5^2 \omega_2^2 \omega_3^3 - 78v_2^2 \omega_5^2 \omega_2^3 \omega_3 - 14c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 - 12v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 - 30v_2^2 \omega_5^2 \omega_2 \omega_3^3 - 6c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 + 12v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 + 24c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 - 12v_2^2 \omega_5 \omega_2^3 \omega_3 + 24v_2^2 \omega_5^2 \omega_2 \omega_3^2 + 6v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 + 6c_s^2 \omega_5^2 \omega_2 \omega_3^3 - 12c_s^2 \omega_5^2 \omega_2^3) \frac{\rho v_1}{12\omega_5^2 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y^2 v_1}^{(0), MRT2} = C_{D_x^2 D_y^2 v_1}^{(0), MRT1}$$

$$C_{D_x^2 D_y^2 v_1}^{(0), CLBM1} = (6c_s^2 \omega_5^2 \omega_3^3 + 22v_2^2 \omega_5^2 \omega_3^2 \omega_3 + 24c_s^2 \omega_5^2 \omega_3^2 \omega_3 - 6c_s^2 \omega_5^2 \omega_2^2 \omega_3^3 + 12c_s^2 \omega_5^2 \omega_2^2 \omega_3^2 - 4v_2^2 \omega_5^2 \omega_2^3 \omega_3 - 12c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 + 24v_2^2 \omega_5^2 \omega_2^2 \omega_3 + c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 - 48v_2^2 \omega_5^2 \omega_2^2 \omega_3^2 + 22v_2^2 \omega_5^2 \omega_2^2 \omega_3^3 - 18v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 - 14c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 + 12v_2^2 \omega_5^2 \omega_2^3 \omega_3^3 - 30v_2^2 \omega_5^2 \omega_2 \omega_3^3 - 6c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 + 12v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 + 24c_s^2 \omega_5^2 \omega_2^3 \omega_3^2 + 12v_2^2 \omega_5 \omega_2^3 \omega_3 + 24v_2^2 \omega_5^2 \omega_2 \omega_3^2 - 6v_2^2 \omega_5^2 \omega_2^3 \omega_3^2 - 12c_s^2 \omega_5^2 \omega_2 \omega_3^2 - 24v_2^2 \omega_5 \omega_2^3 \omega_3^2 + 6v_2^2 \omega_5 \omega_2^3 \omega_3^3 + 6c_s^2 \omega_5^2 \omega_2 \omega_3^3 - 12c_s^2 \omega_5^2 \omega_2^3) \frac{\rho v_1}{12\omega_5^2 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y^2 v_1}^{(0), CLBM2} = C_{D_x^2 D_y^2 v_1}^{(0), CLBM1}$$

coefficient $C_{D_x^2 D_y^2 v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial x_1^2 \partial x_2^2}$:

$$C_{D_x^2 D_y^2 v_2}^{(0), SRT} = (50\omega^2 v_1^2 - 4\omega^3 v_1^2 + c_s^2 \omega^3 - 26c_s^2 \omega^2 + 72c_s^2 \omega - 126\omega v_1^2 - 48c_s^2 + 84v_1^2) \frac{\rho v_2 \rho}{12\omega^3}$$

$$C_{D_x^2 D_y^2 v_2}^{(0), MRT1} = (6c_s^2 \omega_5^2 \omega_3^3 - 12\omega_4 \omega_2 v_1^2 \omega_3^3 + 24v_2^2 c_s^2 \omega_2 \omega_3^3 + 24v_2^2 \omega_2^2 v_1^2 \omega_3 - 6\omega_4 c_s^2 \omega_2^2 \omega_3^3 + 34\omega_4^2 \omega_2^2 v_1^2 \omega_3^3 - 12c_s^2 \omega_2^2 \omega_3^3 + 6\omega_2^3 v_1^2 \omega_3^3 - 6\omega_4 \omega_2^3 v_1^2 \omega_3^3 + 24\omega_4 c_s^2 \omega_2^2 \omega_3^3 - 48\omega_4^2 \omega_2^2 v_1^2 \omega_3^2 - 6\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 78\omega_4^2 \omega_2 v_1^2 \omega_3^3 - 12\omega_4 c_s^2 \omega_2 \omega_3^3 + 12v_2^2 \omega_2^2 v_1^2 + 24\omega_4^2 \omega_2 v_2^2 \omega_3^2 + \omega_4^2 c_s^2 \omega_2^3 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^2 \omega_3 - 30\omega_4^2 \omega_2^3 v_1^2 \omega_3 + 22\omega_4^2 \omega_2^3 v_1^2 \omega_3^2 + 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 + 24\omega_4 \omega_2^2 v_1^2 \omega_3^3 - 14\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 4\omega_4^2 \omega_2^3 v_1^2 \omega_3^3 + 48\omega_4^2 \omega_2^2 v_1^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^2 - 12\omega_2^2 v_1^2 \omega_3^3) \frac{\rho v_2 \rho}{12\omega_4^2 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y^2 v_2}^{(0), MRT2} = C_{D_x^2 D_y^2 v_2}^{(0), MRT1}$$

$$C_{D_x^2 D_y^2 v_2}^{(0), CLBM1} = (6c_s^2 \omega_5^2 \omega_3^3 + 12\omega_4 \omega_2 v_1^2 \omega_3^3 + 24\omega_4^2 c_s^2 \omega_2 \omega_3^3 + 24\omega_4^2 \omega_2^2 v_1^2 \omega_3 - 6\omega_4 c_s^2 \omega_2^2 \omega_3^3 + 22\omega_4^2 \omega_2^2 v_1^2 \omega_3^3 - 12c_s^2 \omega_2^2 \omega_3^3 - 6\omega_2^3 v_1^2 \omega_3^3 + 6\omega_4 \omega_2^3 v_1^2 \omega_3^3 + 24\omega_4 c_s^2 \omega_2^2 \omega_3^3 - 48\omega_4^2 \omega_2^2 v_1^2 \omega_2^2 - 6\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 18\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 12\omega_4 c_s^2 \omega_2 \omega_3^3 + 12\omega_4^2 \omega_2^3 v_1^2 + 24\omega_4^2 \omega_2 v_2^2 \omega_3^2 + \omega_4^2 c_s^2 \omega_2^3 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^2 \omega_3 - 30\omega_4^2 \omega_2^3 v_1^2 \omega_3 + 30\omega_4^2 \omega_2^3 v_1^2 \omega_3^2 + 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 + 22\omega_4^2 \omega_2^3 v_1^2 \omega_3^2 + 12\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 24\omega_4 \omega_2^2 v_1^2 \omega_3^3 - 14\omega_4^2 c_s^2 \omega_2^2 \omega_3^2 - 4\omega_4^2 \omega_2^3 v_1^2 \omega_3^3 + 48\omega_4^2 \omega_2^2 v_1^2 \omega_3^3 + 6\omega_4^2 c_s^2 \omega_2 \omega_3^3 - 12\omega_4^2 c_s^2 \omega_2^3 \omega_3^2 - 12\omega_2^2 v_1^2 \omega_3^3) \frac{\rho v_2 \rho}{12\omega_4^2 \omega_2^2 \omega_3^2}$$

$$C_{D_x^2 D_y^2 v_2}^{(0), CLBM2} = C_{D_x^2 D_y^2 v_2}^{(0), CLBM1}$$

coefficient $C_{D_t D_y^3 v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial t \partial x_2^3}$:

$$C_{D_t D_y^3 v_2}^{(0), SRT} = (-36 - 3\omega^3 v_2^2 + \omega^3 + 42\omega^2 v_2^2 + 54\omega - 20\omega^2 - 2c_s^2 \omega^3 + 72v_2^2 - 108\omega v_2^2 + 34c_s^2 \omega^2 - 90c_s^2 \omega + 60c_s^2) \frac{\rho}{12\omega^3}$$

$$C_{D_t D_y^3 v_2}^{(0), MRT1} =$$

$$(-2c_s^2 \omega_5^2 \omega_3^3 + 48v_2^2 \omega_5 \omega_3 + 25c_s^2 \omega_5^2 \omega_3^2 + 12\omega_5^2 \omega_3 + 15v_2^2 \omega_5 \omega_3^3 + 12v_2^2 \omega_5^2 \omega_3^2 - 11\omega_5^2 \omega_3^2 - 48c_s^2 \omega_5^2 \omega_3 + 24c_s^2 \omega_5^2 - 12\omega_5^2 + \omega_5^2 \omega_3^2 - 6v_2^2 \omega_5 \omega_3^3 + 27v_2^2 \omega_5^2 \omega_3^2 - 9\omega_5 \omega_3^3 + 12v_2^2 \omega_5^2 + 12c_s^2 \omega_5^2 + 24c_s^2 \omega_5 \omega_3 + 36\omega_5 \omega_3^2 - 3v_2^2 \omega_5^2 \omega_3^2 - 6c_s^2 \omega_5^2 - 24\omega_5 \omega_3 - 36c_s^2 \omega_5 \omega_3^2 - 42v_2^2 \omega_5^2 \omega_3 + 9c_s^2 \omega_5 \omega_3^3) \frac{\rho}{12\omega_5^2 \omega_3^2}$$

$$C_{D_t D_y^3 v_2}^{(0), MRT2} = C_{D_t D_y^3 v_2}^{(0), MRT1}$$

$$C_{D_t D_y^3 v_2}^{(0), CLBM1} =$$

$$(-2c_s^2 \omega_5^2 \omega_3^3 + 72v_2^2 \omega_5 \omega_3 + 25c_s^2 \omega_5^2 \omega_3^2 + 12\omega_5^2 \omega_3 + 27v_2^2 \omega_5 \omega_3^3 + 36v_2^2 \omega_5^2 \omega_3^2 - 11\omega_5^2 \omega_3^2 - 48c_s^2 \omega_5^2 \omega_3 + 24c_s^2 \omega_5^2 - 12\omega_5^2 + \omega_5^2 \omega_3^2 - 18v_2^2 \omega_5 \omega_3^3 + 6c_s^2 \omega_5^2 \omega_3^2 - 36c_s^2 \omega_5 \omega_3^2 - 36c_s^2 \omega_5 \omega_3^2 + 18v_2^2 \omega_5^2 \omega_3 + 9c_s^2 \omega_5 \omega_3^3) \frac{\rho}{12\omega_5^2 \omega_3^2}$$

$$C_{D_t D_y^3 v_2}^{(0), CLBM2} = C_{D_t D_y^3 v_2}^{(0), CLBM1}$$

coefficient $C_{D_x D_y^3 \rho}^{(0)}$ at $\frac{\partial^4 \rho}{\partial x_1 \partial x_2^3}$:

$$C_{D_x D_y^3 \rho}^{(0), SRT} = (24 - \omega^3 - 36\omega + 14\omega^2 + 6c_s^2\omega^3 - 72c_s^2\omega^2 + 180c_s^2\omega - 120c_s^2) \frac{v_2 v_1}{6\omega^3}$$

$$\begin{aligned} C_{D_x D_y^3 \rho}^{(0), MRT1} &= (6c_s^2\omega_2^3\omega_3^3 + 6v_2^2\omega_5^2\omega_3^2\omega_3 + 78c_s^2\omega_5^2\omega_3^2\omega_3 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 6\omega_5\omega_2^2\omega_3^2 - 3\omega_5\omega_2^2\omega_3^3 + 42c_s^2\omega_5^2\omega_2^2\omega_3^2 + 12\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5^3\omega_3^2 + \\ &12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 24c_s^2\omega_5^2\omega_2^2\omega_3^2 + 6c_s^2\omega_5^2\omega_3^2\omega_3^2 - 21\omega_5\omega_2^3\omega_3^2 + 6\omega_5^2\omega_3^2 - 12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 6v_2^2\omega_5^2\omega_2^2\omega_3^3 - 3\omega_5^3\omega_3^3 - 30v_2^2\omega_5^2\omega_2^3\omega_3 + \\ &6\omega_5\omega_2^3\omega_3^3 - 48c_s^2\omega_5^2\omega_2^3\omega_3^2 - 12v_2^2\omega_5\omega_2^2\omega_3^2 - 12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 7\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5\omega_2^3\omega_3^2 + 6v_2^2\omega_5^2\omega_3^3 + 42c_s^2\omega_5\omega_2^3\omega_3^2 - \omega_5^2\omega_2^3\omega_3^3 - \\ &24v_2^2\omega_5\omega_2^3\omega_3^2 + 6v_2^2\omega_5^2\omega_2^2\omega_3^2 + 6v_2^2\omega_5^2\omega_2^3\omega_3^2 - 3\omega_5^2\omega_2^2\omega_3^3 + 6c_s^2\omega_5^2\omega_2^2\omega_3^2 - 24c_s^2\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 42v_2^2\omega_5\omega_2^3\omega_3^2 - \\ &12v_2^2\omega_5\omega_2^3\omega_3^2 - 6\omega_5^2\omega_2^3\omega_3^2 + 6c_s^2\omega_5^2\omega_2^2\omega_3^2 - 12c_s^2\omega_5\omega_2^2\omega_3^2 + \omega_5^2\omega_2^2\omega_3^3 - 36c_s^2\omega_5^2\omega_2^2\omega_3^2) \frac{v_2 v_1}{6\omega^2\omega_2^3\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 \rho}^{(0), MRT2} = C_{D_x D_y^3 \rho}^{(0), MRT1}$$

$$\begin{aligned} C_{D_x D_y^3 \rho}^{(0), CLBM1} &= (18c_s^2\omega_2^3\omega_3^3 - 6v_2^2\omega_5^2\omega_3^2\omega_3^2 + 36c_s^2\omega_5^2\omega_3^2\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^3 + 6\omega_5\omega_2^2\omega_3^2 - 3\omega_5\omega_2^2\omega_3^3 + 36c_s^2\omega_5^2\omega_2^2\omega_3^2 + 12\omega_5\omega_2^3\omega_3^2 - 36c_s^2\omega_5^3\omega_3^2 - \\ &12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 6c_s^2\omega_5^2\omega_3^2\omega_3^2 - 21\omega_5\omega_2^3\omega_3^2 + 6\omega_2^2\omega_5^2\omega_2^2\omega_3^2 + 6v_2^2\omega_5^2\omega_2^2\omega_3^2 - 3\omega_2^3\omega_3^2 + 12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 6\omega_5\omega_2^3\omega_3^2 - 36c_s^2\omega_5^2\omega_2^3\omega_3^2 + 12v_2^2\omega_5^2\omega_3^2 - \\ &12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 7\omega_5^2\omega_2^3\omega_3^2 - 24c_s^2\omega_5\omega_2^3\omega_3^2 + 6v_2^2\omega_5^2\omega_3^2 + 72c_s^2\omega_5\omega_2^3\omega_3^2 - \omega_5^2\omega_2^3\omega_3^2 - 24v_2^2\omega_5\omega_2^3\omega_3^2 + 6v_2^2\omega_5^2\omega_2^2\omega_3^2 - 6v_2^2\omega_5^2\omega_3^2 - 3\omega_5^2\omega_2^3\omega_3^2 + \\ &12c_s^2\omega_5\omega_2^3\omega_3^2 - 24c_s^2\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 12v_2^2\omega_5\omega_2^3\omega_3^2 - 6\omega_5^2\omega_2^3\omega_3^2 + 6c_s^2\omega_5^2\omega_2^2\omega_3^2 - 24c_s^2\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^3\omega_3^2) \frac{v_2 v_1}{6\omega_2^2\omega_3^2\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 \rho}^{(0), CLBM2} = C_{D_x D_y^3 \rho}^{(0), CLBM1}$$

coefficient $C_{D_x D_y^3 v_1}^{(0)}$ at $\frac{\partial^4 v_1}{\partial x_1 \partial x_2^3}$:

$$C_{D_x D_y^3 v_1}^{(0), SRT} = (36 + \omega^3 v_2^2 - \omega^3 - 20\omega^2 v_2^2 - 54\omega + 20\omega^2 + 4c_s^2\omega^3 - 36v_2^2 + 54\omega v_2^2 - 56c_s^2\omega^2 + 144c_s^2\omega - 96c_s^2) \frac{v_2 \rho}{12\omega^3}$$

$$\begin{aligned} C_{D_x D_y^3 v_1}^{(0), MRT1} &= (4c_s^2\omega_5^2\omega_3^3 - 36v_2^2\omega_5\omega_3 - 44c_s^2\omega_5^2\omega_3^2 - 12\omega_5^2\omega_3 - 12v_2^2\omega_5\omega_3^2 - 12v_2^2\omega_5^2\omega_3^2 + 11\omega_5^2\omega_3^2 + 90c_s^2\omega_5^2\omega_3 - 48c_s^2\omega_5^2\omega_3^2 + 12\omega_5^2\omega_3^2 - \omega_5^2\omega_3^3 + 6v_2^2\omega_5^3\omega_3 + \\ &48v_2^2\omega_5\omega_3^2 - 6\omega_3^3 - 8v_2^2\omega_5^2\omega_3^2 + 9\omega_5\omega_3^3 + 12v_2^2\omega_5^2\omega_3^2 - 12c_s^2\omega_5^2\omega_3^2 - 36c_s^2\omega_5\omega_3 - 36\omega_5\omega_3^2 + v_2^2\omega_5^2\omega_3^3 + 6c_s^2\omega_5^3\omega_3 + 24\omega_5\omega_3 + 48c_s^2\omega_5\omega_3^2 - 12c_s^2\omega_5\omega_3^2) \frac{v_2 \rho}{12\omega_5^2\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 v_1}^{(0), MRT2} = C_{D_x D_y^3 v_1}^{(0), MRT1}$$

$$\begin{aligned} C_{D_x D_y^3 v_1}^{(0), CLBM1} &= (4c_s^2\omega_5^2\omega_3^3 - 60v_2^2\omega_5\omega_3 - 26c_s^2\omega_5^2\omega_3^2 - 12\omega_5^2\omega_3 - 6v_2^2\omega_5\omega_3^2 + 12v_2^2\omega_5^2\omega_3^2 + 11\omega_5^2\omega_3^2 + 18c_s^2\omega_5^2\omega_3 + 12\omega_5^2\omega_3^2 - \omega_5^2\omega_3^3 - 6v_2^2\omega_5^3\omega_3 + 48v_2^2\omega_5\omega_3^2 - \\ &6\omega_3^3 - 14v_2^2\omega_5^2\omega_3^2 + 9\omega_5\omega_3^3 + 12v_2^2\omega_5^2\omega_3^2 - 60c_s^2\omega_5^2\omega_3^2 - 36c_s^2\omega_5\omega_3 - 36\omega_5\omega_3^2 + v_2^2\omega_5^2\omega_3^3 + 30c_s^2\omega_5^3\omega_3 + 24\omega_5\omega_3 + 96c_s^2\omega_5\omega_3^2 + 12v_2^2\omega_5^2\omega_3 - 30c_s^2\omega_5\omega_3^2) \frac{v_2 \rho}{12\omega_5^2\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 v_1}^{(0), CLBM2} = C_{D_x D_y^3 v_1}^{(0), CLBM1}$$

coefficient $C_{D_x D_y^3 v_2}^{(0)}$ at $\frac{\partial^4 v_2}{\partial x_1 \partial x_2^3}$:

$$C_{D_x D_y^3 v_2}^{(0), SRT} = (12 + 3\omega^3 v_2^2 - \omega^3 - 12\omega^2 v_2^2 - 18\omega + 8\omega^2 + 4c_s^2\omega^3 - 12v_2^2 + 18\omega v_2^2 - 56c_s^2\omega^2 + 144c_s^2\omega - 96c_s^2) \frac{\rho v_1}{12\omega^3}$$

$$\begin{aligned} C_{D_x D_y^3 v_2}^{(0), MRT1} &= (6c_s^2\omega_2^3\omega_3^3 + 36c_s^2\omega_5^2\omega_3^2\omega_3 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 12\omega_5\omega_2^2\omega_3^2 - 6\omega_5\omega_2^2\omega_3^3 + 48c_s^2\omega_5^2\omega_2^2\omega_3^2 + 3v_2^2\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^3\omega_3^2 + 24v_2^2\omega_5^2\omega_3^2 - \\ &24c_s^2\omega_2^2\omega_3^2 + 4c_s^2\omega_5^2\omega_3^2\omega_3^2 - 6\omega_5\omega_3^3\omega_3^2 + 12v_2^2\omega_5^2\omega_2^2\omega_3^2 - 30v_2^2\omega_5^2\omega_2^3\omega_3^2 + 3\omega_5\omega_3^3\omega_3^2 - 32c_s^2\omega_5^2\omega_3^2\omega_3^2 - 24v_2^2\omega_5\omega_2^2\omega_3^2 - 12v_2^2\omega_5^3\omega_3^2 - \\ &18v_2^2\omega_5^2\omega_2^2\omega_3^2 + 3\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5\omega_2^3\omega_3^2 + 12v_2^2\omega_5^2\omega_3^2 + 36c_s^2\omega_5\omega_2^3\omega_3^2 - \omega_5^2\omega_2^3\omega_3^2 + 12v_2^2\omega_5\omega_2^3\omega_3^2 + 12v_2^2\omega_5\omega_2^2\omega_3^2 + 6v_2^2\omega_5^2\omega_3^2 - 6\omega_5^2\omega_2^2\omega_3^2 + \\ &12c_s^2\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 + 36v_2^2\omega_5\omega_2^3\omega_3^2 - 12v_2^2\omega_5\omega_2^3\omega_3^2 + 6c_s^2\omega_5^2\omega_2^2\omega_3^2 - 24c_s^2\omega_5\omega_2^3\omega_3^2 + 2\omega_5^2\omega_2^2\omega_3^2 - 12c_s^2\omega_5^2\omega_2^3\omega_3^2) \frac{\rho v_1}{12\omega_5^2\omega_2^3\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 v_2}^{(0), MRT2} = C_{D_x D_y^3 v_2}^{(0), MRT1}$$

$$\begin{aligned} C_{D_x D_y^3 v_2}^{(0), CLBM1} &= (6c_s^2\omega_2^3\omega_3^3 - 12v_2^2\omega_5^2\omega_3^2\omega_3^2 + 36c_s^2\omega_5^2\omega_3^2\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^3 + 12\omega_5\omega_2^2\omega_3^2 - 6\omega_5\omega_2^2\omega_3^3 + 48c_s^2\omega_5^2\omega_2^2\omega_3^2 + 3v_2^2\omega_5^2\omega_3^2\omega_3^2 - 12c_s^2\omega_5^2\omega_3^2\omega_3^2 - \\ &24v_2^2\omega_5^2\omega_3^2 - 24c_s^2\omega_5^2\omega_2^2\omega_3^2 + 4c_s^2\omega_5^2\omega_3^2\omega_3^2 - 6\omega_5\omega_3^3\omega_3^2 + 12v_2^2\omega_5^2\omega_2^2\omega_3^2 + 30v_2^2\omega_5^2\omega_2^3\omega_3^2 + 3\omega_5\omega_3^3\omega_3^2 - 32c_s^2\omega_5^2\omega_3^2\omega_3^2 - 24v_2^2\omega_5\omega_2^2\omega_3^2 + 12v_2^2\omega_5^2\omega_3^2 - \\ &18v_2^2\omega_5^2\omega_2^2\omega_3^2 + 3\omega_5^2\omega_2^3\omega_3^2 - 12c_s^2\omega_5\omega_2^3\omega_3^2 + 12v_2^2\omega_5^2\omega_3^2 + 36c_s^2\omega_5\omega_2^3\omega_3^2 - \omega_5^2\omega_2^3\omega_3^2 + 12v_2^2\omega_5\omega_2^3\omega_3^2 + 12v_2^2\omega_5\omega_2^2\omega_3^2 - 6v_2^2\omega_5^2\omega_3^2 - 6\omega_5^2\omega_2^2\omega_3^2 + \\ &12c_s^2\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5\omega_2^3\omega_3^2 - 12c_s^2\omega_5^2\omega_2^2\omega_3^2 - 12v_2^2\omega_5\omega_2^3\omega_3^2 + 6c_s^2\omega_5^2\omega_2^2\omega_3^2 - 24c_s^2\omega_5\omega_2^2\omega_3^2 + 2\omega_5^2\omega_2^2\omega_3^2 - 12c_s^2\omega_5^2\omega_2^3\omega_3^2) \frac{\rho v_1}{12\omega_5^2\omega_2^3\omega_3^2} \end{aligned}$$

$$C_{D_x D_y^3 v_2}^{(0), CLBM2} = C_{D_x D_y^3 v_2}^{(0), CLBM1}$$

coefficient $C_{D_y^4 \rho}^{(0)}$ at $\frac{\partial^4 \rho}{\partial x_1^4}$:

$$C_{D_y^4 \rho}^{(0), \text{SRT}} = (-3\omega^3 v_2^2 + 30c_s^4 \omega^2 + 48c_s^4 - 84c_s^2 \omega^2 v_2^2 - 3c_s^4 \omega^3 - 72v_2^4 - 144c_s^2 v_2^2 + 42\omega^2 v_2^2 + 108\omega v_2^4 - 72c_s^4 \omega + 6c_s^2 \omega^3 v_2^2 - 42\omega^2 v_2^4 + c_s^2 \omega^3 + 72v_2^2 - 108\omega v_2^2 - 14c_s^2 \omega^2 + 216c_s^2 \omega v_2^2 + 36c_s^2 \omega + 3\omega^3 v_2^4 - 24c_s^2) \frac{1}{24\omega^3}$$

$$C_{D_y^4 \rho}^{(0), \text{MRT1}} = (-48c_s^4 \omega_5^2 \omega_3 - 18v_2^4 \omega_5 \omega_3^3 + c_s^2 \omega_5^2 \omega_3^3 + 156c_s^2 v_2^2 \omega_5^2 \omega_3 + 12c_s^2 v_2^2 \omega_3^3 + 48v_2^2 \omega_5 \omega_3 + 72v_2^4 \omega_5 \omega_3^2 - 24c_s^2 v_2^2 \omega_3^2 - 8c_s^2 \omega_5^2 \omega_3^2 + 18v_2^2 \omega_5 \omega_3^3 + 24v_2^2 \omega_3^2 + 12c_s^2 \omega_5^2 \omega_3 + 6c_s^2 v_2^2 \omega_5^2 \omega_3^2 - 48v_2^4 \omega_5 \omega_3 - 3c_s^4 \omega_5^2 \omega_3^3 - 72c_s^2 v_2^2 \omega_5^2 \omega_3^2 - 12v_2^2 \omega_3^3 - 72v_2^2 \omega_5 \omega_3^2 + 24c_s^4 \omega_5^2 \omega_3^2 + 24v_2^2 \omega_5^2 \omega_3^2 - 48c_s^2 v_2^2 \omega_5 \omega_3^2 - 24c_s^4 \omega_5 \omega_3^2 - 24c_s^2 \omega_5 \omega_3 - 12c_s^2 v_2^2 \omega_5 \omega_3^2 - 3v_2^2 \omega_5^2 \omega_3^3 + 6c_s^4 \omega_5 \omega_3^3 + 24v_2^4 \omega_5^2 \omega_3^2 - 24v_2^4 \omega_5^2 \omega_3^2 + 12v_2^4 \omega_3^3 + 24c_s^2 \omega_5 \omega_3^2 + 3v_2^4 \omega_5^2 \omega_3^2 - 24v_2^4 \omega_5 \omega_3^2 - 24v_2^2 \omega_5^2 \omega_3 + 24c_s^4 \omega_5^2 - 6c_s^2 \omega_5 \omega_3^3 - 24c_s^2 v_2^2 \omega_5 \omega_3 - 96c_s^2 v_2^2 \omega_5^2) \frac{1}{24\omega_5^2 \omega_3^3}$$

$$C_{D_y^4 \rho}^{(0), \text{MRT2}} = C_{D_y^4 \rho}^{(0), \text{MRT1}}$$

$$C_{D_y^4 \rho}^{(0), \text{CLBM1}} = (-48c_s^4 \omega_5^2 \omega_3 - 30v_2^4 \omega_5 \omega_3^3 + c_s^2 \omega_5^2 \omega_3^3 - 36c_s^2 v_2^2 \omega_5^2 \omega_3 + 108c_s^2 v_2^2 \omega_3^3 + 72v_2^4 \omega_5 \omega_3^2 - 216c_s^2 v_2^2 \omega_3^2 - 8c_s^2 \omega_5^2 \omega_3^2 + 30v_2^2 \omega_5 \omega_3^3 + 72v_2^2 \omega_3^3 + 12c_s^2 \omega_5^2 \omega_3 + 6c_s^2 v_2^2 \omega_5^2 \omega_3^2 - 3c_s^4 \omega_5^2 \omega_3^3 - 12c_s^2 v_2^2 \omega_5^2 \omega_3^2 - 36v_2^2 \omega_3^3 - 72v_2^2 \omega_5 \omega_3^2 + 24c_s^4 \omega_5^2 \omega_3^2 + 12v_2^2 \omega_5^2 \omega_3^2 + 144c_s^2 v_2^2 \omega_5 \omega_3^2 - 24c_s^4 \omega_5 \omega_3^2 - 24c_s^2 \omega_5 \omega_3 - 72c_s^2 v_2^2 \omega_5 \omega_3^2 - 3v_2^2 \omega_5^2 \omega_3^3 + 6c_s^4 \omega_5 \omega_3^3 - 12v_2^4 \omega_5^2 \omega_3^2 + 36v_2^4 \omega_3^3 + 24c_s^2 \omega_5 \omega_3^2 + 3v_2^4 \omega_5^2 \omega_3^2 - 72v_2^4 \omega_3^2 + 24c_s^4 \omega_5 \omega_3 + 24c_s^4 \omega_5^2 - 6c_s^2 \omega_5 \omega_3^2 + 72c_s^2 v_2^2 \omega_5 \omega_3) \frac{1}{24\omega_5^2 \omega_3^3}$$

$$C_{D_y^4 \rho}^{(0), \text{CLBM2}} = C_{D_y^4 \rho}^{(0), \text{CLBM1}}$$

coefficient $C_{D_y^4 v_2}^{(0)}$ **at** $\frac{\partial^4 v_2}{\partial x_2^4}$:

$$C_{D_y^4 v_2}^{(0), \text{SRT}} = (24 + 2\omega^3 v_2^2 - \omega^3 - 22\omega^2 v_2^2 - 36\omega + 14\omega^2 + c_s^2 \omega^3 - 36v_2^2 + 54\omega v_2^2 - 26c_s^2 \omega^2 + 72c_s^2 \omega - 48c_s^2) \frac{v_2 \rho}{12\omega^3}$$

$$C_{D_y^4 v_2}^{(0), \text{MRT1}} = (c_s^2 \omega_5^2 \omega_3^3 - 12v_2^2 \omega_5 \omega_3 - 20c_s^2 \omega_5^2 \omega_3^2 - 6\omega_5^2 \omega_3 - 6v_2^2 \omega_5 \omega_3^3 - 12v_2^2 \omega_5 \omega_3^2 + 8\omega_5^2 \omega_3^2 + 42c_s^2 \omega_5^2 \omega_3 - 24c_s^2 \omega_5^2 + 12\omega_3^2 - \omega_5^2 \omega_3^3 + 6v_2^2 \omega_3^3 + 24v_2^2 \omega_5 \omega_3^2 - 6\omega_3^3 - 16v_2^2 \omega_5 \omega_3^2 + 6\omega_5 \omega_3^3 - 12v_2^2 \omega_5^2 - 12c_s^2 \omega_5 \omega_3 - 24\omega_5 \omega_3^2 + 2v_2^2 \omega_5 \omega_3^3 + 6c_s^2 \omega_3^3 + 12\omega_5 \omega_3 + 24c_s^2 \omega_5 \omega_3^2 + 24v_2^2 \omega_5 \omega_3^2 - 6c_s^2 \omega_5 \omega_3^3) \frac{v_2 \rho}{12\omega_5^2 \omega_3^3}$$

$$C_{D_y^4 v_2}^{(0), \text{MRT2}} = C_{D_y^4 v_2}^{(0), \text{MRT1}}$$

$$C_{D_y^4 v_2}^{(0), \text{CLBM1}} = (c_s^2 \omega_5^2 \omega_3^3 + 60v_2^2 \omega_5 \omega_3 - 2c_s^2 \omega_5^2 \omega_3^2 + 6\omega_5^2 \omega_3 - 24v_2^2 \omega_5 \omega_3^3 - 84v_2^2 \omega_5 \omega_3^2 + 2\omega_5^2 \omega_3^2 - 30c_s^2 \omega_5^2 \omega_3 + 24c_s^2 \omega_5^2 + 36\omega_3^2 - \omega_5^2 \omega_3^3 + 42v_2^2 \omega_3^3 + 24v_2^2 \omega_5 \omega_3^2 - 18\omega_3^3 + 2v_2^2 \omega_5 \omega_3^2 + 12\omega_5 \omega_3^3 - 12v_2^2 \omega_5^2 - 60c_s^2 \omega_5 \omega_3 - 12c_s^2 \omega_5 \omega_3 - 24\omega_5 \omega_3^2 + 2v_2^2 \omega_5 \omega_3^3 + 30c_s^2 \omega_3^3 - 12\omega_5 \omega_3 + 72c_s^2 \omega_5 \omega_3^2 - 12v_2^2 \omega_5 \omega_3 - 24c_s^2 \omega_5 \omega_3^3) \frac{v_2 \rho}{12\omega_5^2 \omega_3^3}$$

$$C_{D_y^4 v_2}^{(0), \text{CLBM2}} = C_{D_y^4 v_2}^{(0), \text{CLBM1}}$$

References

- [1] T. Krüger, H. Kusumaatmaja, A. Kuzmin, O. Shardt, G. Silva, E. M. Viggen, The lattice Boltzmann method, Springer International Publishing 10 (978-3) (2017) 4–15.